**Confidential Dealer Catalog**

Great Plains Supply Pool & Spa Products

Swimming Pool & Spa Equipment, Chemicals & Parts

2011

Great Plains Supply, Inc.
13891 West 101st Street • Lenexa, KS 66215
Phone: 913.492.1520
Toll Free: 800.927.POOL (7665)
FAX: 913.492.2631 or 800.927.4286

Pool & Spa Products, Inc.
10651 Harwin Drive, #740 • Houston, TX 77036
Phone: 713.773.9000
Toll Free: 800.769.POOL (7665)
FAX: 713.773.9926

PROtech ™

Pool Chemicals and Equipment

www.protechpoolsupplies.com

Chlorinating 3" Tablets (individually wrapped tablets)
50, 25, 10 and 5 lb. pails

Chlorinating 3" Tablets
100, 50 and 25 lb. pails

Chlorinating Sticks
50, 25, 10 and 5 lb. pails

Chlorinating 3" Tablets
50, 25, 10 and 5 lb. pails

Dy Chlor II
100, 50, 25, 10 and 5 lb. pails and 2 lb. bottles

Chlorinating Granules
100, 50 25, 10 and 5 lb. pails, 2 lb. bottles and 1 lb. bags

Brominating Tablets
50, 25 and 4 lb. pails and 1.5 lb. bottles

Super Pro Shock (73% Calcium Hypochlorite)
50, 25 and 5 lb. pails and 1 lb. bags

PROtech ™ offers a full line of sanitizers, algaecides, cleaners, shocks, specialty and water balance products, manufactured and packaged to meet today's high standards of quality and performance.

Consult your sales representative for details and prices.

SANITIZERS   BALANCERS   ALGAECIDES
CLEANERS   SHOCKS   SPECIALTIES

Great Plains Supply Pool & Spa Products

Wholegoods

2011

Ordering:

To insure prompt and proper shipment, please order by product number and description. By not issuing a written purchase order, the customer assumes all responsibility for the accuracy of the order. We reserve the right to delay shipment of telephone orders until we receive a written confirming purchase order. Unless requested by the customer, GPS/PSP does not backorder items that are not currently in stock. ***Products and prices are subject to change without notice.***

Minimum Billing: $15.00 NET

Special Orders:

Special orders must be paid for in full prior to ordering, and require a signed Special Order Approval of manufacturer, item number, quantity, price and terms.

Special shipping and/or delivery requests must also be in writing; any special freight charges are the responsibility of the customer. ***Special order items are non-returnable.***

New Accounts:

All new accounts are on a C.O.D./credit card basis until a satisfactory credit history is established. Merchandise will be invoiced at the prices in effect at the time of shipment.

Terms:

All sales are cash with order until credit is established. Merchandise will be invoiced at the prices in effect at the time of shipment. Open account terms are net 30 days. Term discounts apply only to accounts which are current and do not apply to C.O.D. orders. There is no discount on freight or tax.

Accounts unpaid after 30 days will be considered delinquent and will be subject to a service charge of 1-1/2% per month (18% per annum).

Delinquent accounts will ship C.O.D.

Discounts:

Volume and Freight Discounts are available on some items. Please discuss terms with a representative.

Taxes:

Any Sales Tax for which we may be liable on any sale will be charged to and paid by the customer. A current Tax Exempt Certificate with valid resale permit number must be furnished by the customer, prior to sale.

Freight:

All shipments are F.O.B. our warehouse. All common carrier shipments are made freight collect. Please specify freight line, or shipment will be routed Best Way. Prepaid freight programs are available, and are sent via the common carrier of our choice. Please discuss details with a representative.

Loss, Damage, or Shortage:

Our responsibility for any shipment ceases when the carrier signs the Bill of Lading. Thoroughly inspect each shipment immediately upon arrival.

If cartons, packages, or crates are received in short or damaged condition, it is important that you notify the driver and insist on a notation of the loss or damage across the face of the freight bill; otherwise, no claim can be enforced against the carrier. A claim for shortage or damaged goods must be filed with the carrier within 10 days.

GPS/PSP is not responsible for merchandise damaged or lost in shipment.

Returns:

All returns are subject to our written approval and must be accompanied by a Return Goods Authorization (RGA) number issued by us prior to returning the material. Unauthorized returns will not be accepted. Do not request authorization to return material that is not in original, resalable condition. Date of original purchase and invoice number must be included in the request for an RGA. All returns are subject to a 20% restocking charge.

Returned merchandise must be sent freight prepaid within 60 days of our issuing the RGA number. Under no condition will merchandise be accepted for return after 12 months of date of purchase.

Special ordered, non-stock merchandise, electrical items, and chemicals are not returnable.

Warranty:

All products GPS/PSP sells carry the manufacturers' warranties and are the sole responsibility of the manufacturer. There are no other warranties or representations of any kind expressed or implied by GPS/PSP. The customer will be responsible for transportation, labor costs, and any other incidental expenses in connection with warranty repair or replacement. GPS/PSP is not responsible for damages caused by any products.

Returned Checks:

A $25.00 service charge will be applied for each check returned.

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
GRAPHIC AND PRINTING ERRORS ARE SUBJECT TO CORRECTION.
POSSESSION OF THIS PRICE BOOK DOES NOT CONSTITUTE AN OFFER TO SELL.

Return Goods Policy

1. All returns are subject to our written approval and must be accompanied by a Return Goods Authorization (RGA) number issued by us prior to returning the product. This is necessary to assure customers of an expeditious processing of their returns. The RGA # should appear on the shipping label *(not on the product or its box)* and on all shipping documents. Return goods shipments without proper documents are subject to refusal.

2. A request for a Return Goods Authorization (RGA) number should include date or original purchase and invoice number. Credit cannot be issued without a valid GPS/PSP invoice number.

3. Only products currently sold by GPS/PSP will be considered for return.

4. Returned items must be clean and in resalable condition. Goods that have been scratched, stained, painted, marked, gouged, damaged, or used, or that have become shop-worn, are not acceptable for return and credit.

5. Returned items must be of current design and color.

6. Special or Custom Order items will not be accepted for return unless prior agreement has been made with GPS/PSP and the manufacturer.

7. All returns are subject to a 20% restocking charge, as well as applicable outbound freight charges. These charges will be deducted from the total net value of the product getting returned. If the return is determined to be due to an error by GPS/PSP, this deduction will not apply.

8. An additional charge, aside from the restocking charge may be deducted from the total net value of the product for necessary labor to clean and rebox returned items.

9. Under no condition will merchandise be accepted for return after 12 months from date of purchase.

10. Returned merchandise must be sent freight prepaid within 60 days of our issuing the RGA number. *Return goods shipments sent freight collect are subject to refusal.*

11. All products GPS/PSP sells carry the manufacturers' warranties and are the sole responsibility of the manufacturer. There are no other warranties or representations of any kind expressed or implied by GPS/PSP. The customer will be responsible for transportation, labor costs, and any other incidental expenses in connection with warranty repair or replacement. GPS/PSP is not responsible for damages caused by any products. Credit for warranty items is not issued until the manufacturer has compensated GPS/PSP.

12. GPS/PSP is not responsible for merchandise damaged or lost in shipment.

APSP
The Association of
Pool & Spa Professionals

WINDO

N·A·W
NATIONAL ASSOCIATION OF
WHOLESALER-DISTRIBUTORS

Wholegoods Table of Contents

iv Wholegoods Table of Contents

Wholegoods Index

v

Wholegoods Index

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Hayward Pro-Grid Vertical Grid D. E. Filters

Glass reinforced copolymer tank, automatic air relief valve, convenient valve and plumbing options allow for customized control.

SPDE4820	48 sq ft Pro-Grid D.E. Filter
SPDE6020	60 sq ft Pro-Grid D.E. Filter
SPDE7220	72 sq ft Pro-Grid D.E. Filter

Hayward D. E. Filter Valves

SP710XR50	1-1/2" FIP Vari-Flo Valve
SP715XR50	2" FIP Vari-Flo Valve

Hayward SwimClear Large Capacity Cartridge Filters

Glass reinforced copolymer tank, automatic air relief valve, union coupling connection accepts 1-1/2" or 2" piping.

SPC3030	325 sq ft SwimClear Cartridge Filter
SPC4030	425 sq ft SwimClear Cartridge Filter
SPC5030	525 sq ft SwimClear Cartridge Filter

Hayward Pro™ Series Top-Mount Sand Filters

Corrosion-proof filter tank and 6-position, top mounted Vari-Flow Valve.

SPS166T	16" Pro Series Sand Filter
SPS180T	18" Pro Series Sand Filter
SPS210T	20" Pro Series Sand Filter
SPS244T	24" Pro Series Sand Filter
SPS310T2	30" Pro Series Sand Filter

Hayward Pro™ Series Plus Side Mount Sand Filters

Corrosion-proof , spherical copolymer tank, optional valve and coupling options allow for plumbing versatility.

SPS244S	24" Pro Series Plus Sand Filter
SPS311SX	31" Pro Series Plus Sand Filter
SPS360SX	36" Pro Series Plus Sand Filter

Hayward Sand Filter Valves

SP710X62	1-1/2" Vari-Flo Valve
SP715X62	2" FIP Vari-Flo Valve

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Pentair Filters & Accessories

Pentair Triton Sand Filter
Almond Fiberglass UV-resistant tank; side-mounted without valve.

PF14-0236   TR40, 19" diameter sand filter
PF14-0264   TR60, 24" diameter sand filter
PF14-0210   TR100, 30" diameter sand filter
PF14-0243   TR140, 36" diameter sand filter

Pentair Triton II Sand Filter with Clear Pro
Almond Fiberglass UV-resistant tank; side-mounted without valve. Patent Pending lateral design provides superior water quality.

PF140212   TR60 with Clear Pro, 24" diameter sand filter

Pentair Triton Commercial Sand Filter
PF14-0315   TR100C, 30" diameter sand filter
PF14-0316   TR140C, 36" diameter sand filter

Triton/Triton High Capacity Rate & Capacity Chart

Model Number	Filter Area (Sq Ft)	Flow Rate at 15 GPM per sq ft of Filter Area			Flow Rate at 20 GPM per sq ft of Filter Area			Sand (Pounds)
		GPM	6 Hrs	8 Hrs	GPM	6 Hrs	8 Hrs	
TR40	1.92	29	10,440	13,920	38	13,680	18,240	185
TR60	3.14	47	16,920	22,560	63	22,680	30,240	325
TR100/C	4.91	74	26,640	35,520	98	35,280	47,040	600
TR140/C	7.06	106	38,160	50,880	141	50,760	67,680	925

Pentair Sand Filter Valves
Side-mounted with bulkhead fittings

PF26-1173   1-1/2" multiport for sand
PF26-1050   2" hi-flow for sand
PF26-1055   2" multiport for sand
PF26-1165   2" PVC slide for sand
PF26-3010   2" full-flow for sand

Pentair Tagelus Deluxe Sand Filter
Almond Fiberglass UV-resistant tank; top-mounted valve with clamp.

PF14-4126   TA40D, 19" diameter sand filter
PF14-4127   TA50D, 21" diameter sand filter
PF14-5241   TA60D, 24" diameter sand filter
PF14-5240   TA100D, 30" diameter sand filter

Tagelus Deluxe Rate & Capacity Chart

Model Number	Filter Area (Sq Ft)	Flow Rate at 15 GPM per sq ft of Filter Area			Flow Rate at 20 GPM per sq ft of Filter Area			Sand (Pounds)
		GPM	6 Hrs	8 Hrs	GPM	6 Hrs	8 Hrs	
TA35D	1.4	21	7,560	10,080	28	10,080	13,440	100
TA40D	1.8	27	9,720	12,960	36	12,960	17,280	175
TA50D	2.3	35	12,600	16,800	46	16,560	22,080	225
TA60D	3.1	47	16,920	22,560	62	22,320	29,760	325
TA100D	4.9	74	26,640	35,520	98	35,280	47,040	600

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair Sand Dollar™ Top Mount Sand Filter
Almond vertical tank with 6-function 1-1/2" multiport valve.

PF14-5315   SD35, 16" diameter sand filter
PF14-5320   SD40, 19" diameter sand filter
PF14-5322   SD60, 22" diameter sand filter
PF14-5333   SD80, 26" diameter sand filter

FNS/NSP Rate & Capacity Chart

Model Number	Filter Area (sq ft)	Flow Rate at 2.0 GPM per sq ft of filter area			Flow Rate at 2.5 GPM per sq ft of filter area		
		GPM	8 hrs	12 hrs	GPM	8 hrs	12 hrs
FNS/NSP24	24	48	23,040	34,560	60	28,800	43,200
FNS/NSP36	36	72	34,560	51,840	90	43,200	64,800
FNS/NSP48	48	96	46,080	69,120	120	57,600	86,400
FNS/NSP60	60	120	57,600	86,400	150	72,000	108,000

Pentair Sand Dollar™ Above Ground Filter System
Sand Dollar vertical tank with multiport valve. Complete with 3 ft cord with NEMA plug and 1-1/2" x 12' hose kit.

PF14-5138   SD35, 16" tank with 1 HP Dynamo II pump with cord & hose kit
PF14-5148   SD40, 19" tank with 1 HP Dynamo II pump with cord & hose kit
PF14-5149   SD40, 19" tank with 1-1/2 HP Dynamo II pump with cord & hose kit
PF14-5159   SD60, 24" tank with 1-1/2 HP Dynamo II pump with cord & hose kit

Pentair FNS Plus DE Filter
Manual Air Relief and 1-1/2" bottom drain, side-mounted without valve.

PF18-0006   FNS Plus 24 sq ft DE filter
PF18-0007   FNS Plus 36 sq ft DE filter
PF18-0008   FNS Plus 48 sq ft DE filter
PF18-0009   FNS Plus 60 sq ft DE filter

Pentair Quad DE™ Cartridge Filter
Almond Fiberglass reinforced polyproplyene tank; side-mounted without valve.

PF18-8592   Quad 60 sq ft DE Filter
PF18-8593   Quad 80 sq ft DE Filter
PF18-8594   Quad 100 sq ft DE Filter

Pentair DE Filter Valves
Side-mounted with bulkhead fittings.

PF26-1177   1-1/2" multiport for DE
PF26-1152   2" multiport for DE
PF26-1165   2" PVC slide for DE

Pentair *Pool Products*™

Because **reliability** matters most

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair Filters & Accessories

NS and FNS Filter Element Replacement Grids

Full grids—curved, centered.
MUFG1002   12" full grid
MUFG1003   18" full grid
MUFG1004   24" full grid
MUFG1005   30" full grid
MUFG1006   36" full grid

Partial grids—curved, centered.
MUPG1902   12" partial grid
MUPG1903   18" partial grid
MUPG1904   24" partial grid
MUPG1905   30" partial grid
MUPG1906   36" partial grid

Pentair *Pool Products™*
*Because **reliability** matters most*

Pentair Clean & Clear Plus Cartridge Filter

Almond fiberglass UV-resistant tank; manual air relief valve and 4-element configuration. 1 year warranty.

PF16-0310   Clean & Clear Plus 240 sq ft cartridge filter
PF16-0340   Clean & Clear Plus 320 sq ft cartridge filter
PF16-0301   Clean & Clear Plus 420 sq ft cartridge filter
PF16-0332   Clean & Clear Plus 520 sq ft cartridge filter

Pentair Clean & Clear Cartridge Filter

Almond fiberglass UV-resistant tank; manual air relief valve and coreless cartridge. 1 year warranty.

PF16-0314   Clean & Clear 50 sq ft cartridge filter
PF16-0316   Clean & Clear 100 sq ft cartridge filter
PF16-0317   Clean & Clear 150 sq ft cartridge filter

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Sta-Rite System 2 Filters
DuraGlas resin tank with ring type closure, 2" ports.

System 2 Modular Media Cartridge Filters (PLM Series)

SRPLM100	100 sq ft Cartridge Modular Media Filter
SRPLM150	150 sq ft Cartridge Modular Media Filter
SRPLM200	200 sq ft Cartridge Modular Media Filter
SRPLM300	300 sq ft Cartridge Modular Media Filter

Sta-Rite System 3 Filters
DuraGlas resin tank with multiple clamp closure , 2" ports.

System 3 Sand Filters with Side Mounted Valve

SRS7S50	2.4 sq ft Sand Filter
SRS8S70	3.4 sq ft Sand Filter

System 3 D.E. Filters with Side Mounted Valve

SRS7D75	37 sq ft DE Filter, Grid Type
SRS8D110	53 sq ft DE Filter, Grid Type

System 3 Modular Media Cartridge Filters (SM Series)

SRS7M120	300 sq ft Modular Media Cartridge Filter
SRS7M400	400 sq ft Modular Media Cartridge Filter
SRS8M150	450 sq ft Modular Media Cartridge Filter
SRS8M500	500 sq ft Modular Media Cartridge Filter

System 3 Replacement Modules

SR27002-0100S	PLM100 Module
SR27002-0150S	PLM150 Module
SR25021-0200S	S7M100 Inner Module
SR25021-0202S	S8M191 Inner Module
SR25022-0201S	S7M200 Outer Module
SR25022-0203S	S8M259 Outer Module

Sta-Rite Filter Valves

SRWC212-134P	Duetta Slide Valve, 2" plastic
SR18202-0150	Caprice Dial Valve, 1-1/2" plastic
SR18201-0200H	Caprice Dial Valve, 2" plastic, old style
SR18201-0200	Caprice Dial Valve, 2" plastic, new style w/thd. ports

Sta-Rite Posi-Flo II Filter Cartridge Replacement

MUUHDSR-50	PTM50, 50 sq ft cartridge, 13-5/16" high
MUUHDSR-70	PTM70, 70 sq ft cartridge, 18-3/16" high
MUUHDSR-100	PTM100, 100 sq ft cartridge, 25-11/16" high
MUUHDSR-135	PTM135, 135 sq ft cartridge, old style, 34-1/4" high
MUUHDSR-137	PTM135, 135 sq ft cartridge, 31-1/4" high

STA-RITE®
Professional

FILTERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Zodiac Filters & Accessories

Zodiac JS (Fiberglass/PVC) Series Sand Filter

Almond UV-resistant tank; side-mounted without valve; 2″ drain port; designed with Versa Plumb system to easily connect with other Zodiac products.

JYJS60-SM   JS Series 24" diameter sand filter
JYJS100-SM   JS Series 30"diameter sand filter

Zodiac SFTM Series Sand Filter

Blow molded construction; top-mounted 7-position dial valve with sight glass; valve clamp allows 360º rotation for installation options.

JYSFTM22   SFTM Series 22" diameter sand filter
JYSFTM25   SFTM Series 25" diameter sand filter

Zodiac Sand Filter Valves

JYBWVL-NVL   2-in-1 Backwash Valve pre-plumbed with universal unions; 2" ports; Standard 8" c-c
JY8044   2" Versa Coupling for easy installation from 7" up to 9" inlet/ outlet port distance.
JYBWVL-MPV   Side Mount 6-position Multiport Valve with pre-plumbed universal union kit.

Zodiac DEV Series DE Filter

Corrosion and UV resistant, high impact extra large tank; includes 2″x2- ½″ universal unions and 2″ drain port. Designed to work with all Zodiac backwash valves.

JYDEV48   DEV Series 48 sq ft DE filter
JYDEV60   DEV Series 60 sq ft DE filter

Zodiac CV Series Cartridge Filter

Includes 2″x2- ½″ universal unions, sweep elbow and 2″ drain port. Designed with Versa Plumb system to easily connect with other Zodiac products.

JYCV340   CV Series 340 sq ft Cartridge Filter
JYCV460   CV Series 460 sq ft Cartridge Filter
JYCV580   CV Series 580 sq ft Cartridge Filter

Zodiac Versa Plumb Preassembled Kit

Easy to install kit ensures hydraulic efficiency and compact, consistent equipment set layout; saves time and labor costs.

JYVPK-CVSTD   Versa Plumb kit for pump, CV Filter and LXi Heater includes two (2) 3-port JY4717 valves

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Rolachem Flow Meters

1.5" to 8" pipe size, flow range 20 GPM to 1,800 GPM.

RC570341T	1-1/2"
RC570351T	2"
RC570361T	2-1/2"
RC570371T	3"
RC570381S	4"
RC570391S	6"
RC570401S	8"

Note: Flow meters for vertical pipes available – please specify up or down water flow.

Filter Media

Diatomaceous Earth
HC01723	DE Filter Powder, 25 lb bag, 75 bags/plt
HC01725	DE Filter Powder, 50 lb bag, 36 bags/plt

Sand
SM50	Filter Sand, 50 lb bag, 0.45mm to 0.55mm, 50 bags/plt
SM150	Filter Sand, 100 lb bag, 0.8mm to 1.2mm, 30 bags/plt

Zeobrite® Molecular Sieve Filter Media
Replaces the sand in your sand filter and keeps your pool sparkling clear, naturally. Saves water, energy, labor, and chemicals.

ZE25	Zeobrite, 25 lb bag, 80 bags/plt
ZE50	Zeobrite, 50 lb bag, 40 bags/plt

Salt, For Use with Chlorine Generators
Granulated table salt, food grade

GPSALT	Salt, 40 lb bag, 63 bags/plt

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

![Unicel® CLEARLY THE BEST]

HOW TO FIND A FILTER CARTRIDGE REPLACEMENT:

1 Measure the outside diameter of the cartridge (in inches, +/- 1/32").

2 Measure the cartridge length (in inches, +/- 1/16") including end caps but excluding any handles or other extensions. If possible, measure through the center rather than along the outside edge.

3 Identify the type of cartridge top and bottom using the end cap chart. If the top and/or bottom is "open," measure the inside diameter (in inches, +/- 1/32").

4 Record the OEM name and model of the filter the cartridge came out of.

5 Count the number of pleats (+/- 2), and note whether there is a center core.

END CAP CONFIGURATIONS

| 01 2" MALE SLIP FITTING | 02 1-3/4" MALE SLIP FITTING | 03 1-1/2" MALE SLIP FITTING | 04 1-1/2" OR 2" SAE THREAD | 05 1-1/4" SAE THREAD | 06 2" MALE THREAD/MPT |

| 07 1-1/2" MALE THREAD/MPT | 08 BAR HANDLE | 09 CASTLE | 10 CASTLE WITH CROSS RIBS | 11 CLOSED | 12 CLOSED WITH 2" SAE THREAD | 13 CLOSED WITH 3-STEP EDGE | 14 CLOSED WITH RAISED RING | 15 CLOSED WITH STRING HANDLE |

| 16 CLOSED WITH STRING LOOP | 17 CLOSED WITH Y STAND-OFFS | 18 HOSE FITTING | 19 INJECTION MOLDED CONE ADAPTER | 20 INJECTION MOLDED KNOB HANDLE | 21 MALE SLIP FITTING WITH MOLDED O-RING | 22 MALE SLIP FITTING WITH MPT | 23 MOLDED CONE HANDLE | 24 OPEN |

| 25 OPEN WITH 12 CONCENTRIC HOLES | 26 OPEN WITH 12 CONCENTRIC SLOTS | 27 OPEN WITH BEVELED EDGE | 28 OPEN WITH MOLDED GASKET | 29 OPEN WITH MOLDED O-RING | 30 OPEN WITH SLOTS | 31 OPEN WITH STEP | 32 OPEN WITH TWIST LOCK | 33 SEMI-CIRCULAR HANDLE |

www.unicelfilters.com

Unicel Filter Cartridges
The premier manufacturer of filter cartridges.

Unicel
FILTER CARTRIDGES

2000 Series

item #	OD	length	ID	identification & description
MUT380	2-3/4"	9-3/4"	1-1/16"	6 sq ft Residential Grade, 100/cs
MUC2302	2-7/8"	17-1/16"	1-1/16"	14.5 sq ft Rainbow Hi-Flow, 9/cs
MUC2303	2-7/8"	17-1/16"	2-1/8"	8.5 sq ft Rainbow-Chloro, 9/cs

4000 Series

item #	OD	length	ID	identification & description
MUC4301	4-15/16"	14-7/8"	2-1/8"	28 sq ft Martec/Sonfarrel, 6/cs
MUC4305	4-15/16"	14-7/8"	2-1/8"	50 sq ft Cal Spas, Martec Pacific, 3 oz, 6/cs
MUC4310	4-1/14"	4"	1-15/16"	10 sq ft Sta-Rite TX-15, 6/cs
MUC4325	4-5/8"	11-7/8"	2-1/16"	25 sq ft Hayward CS-225RE, 6/cs
MUC4326	4-15/16"	13-5/16"	2-1/8"	25 sq ft Rainbow, Hot Springs, 6/cs
MUC4332	4-15/16"	11-7/8"	2-1/8"	32 sq ft Martec Pacific, 6/cs
MUC4335	4-15/16"	9-1/4"	2-1/8"	35 sq ft Rainbow, Waterway, 4/cs
MUC4350	4-5/8"	23-3/4"	2-1/16"	50 sq ft Grecian Spa, 4/cs
MUC4401	4-15/16"	4-5/8"	2-1/8"	35 sq ft Rainbow, 4 sets of 2
MUC4402	4-5/8"	9-3/4"	(T: cone; B: 1-7/8" open w/slots)	20 sq ft Aqua Spa, 6/cs
MUC4405	4-15/16"	6-5/8"	2-1/8"	50 sq ft Rainbow, 6 sets of 2
MUC4429	4-15/16"	10-3/8"	2-1/8"	30 sq ft Nemco
MUC4440	4-5/8"	16-3/4"	(T: Castle; B: 2-1/16")	40 sq ft Sundance, 4/cs
MUC4605	4-5/16"	8"	2-3/16"	Muskin, with core, 15/cs
MUC4607	4-1/4"	8"	1-15/16"	Coleco, with core, 15/cs
MUC4608	4-3/4"	8"	(T: 1-1/8"; B: 2-3/8")	Coleco F-110, CR-8, no core, 12/cs
MUC4610	4-1/2"	9-3/4"	1-1/16"	Sta-Rite TX-15, 6/cs
MUC4611	4-3/4"	11"	(T: 1-1/8"; B: 2-3/8")	Coleco, with core, 12/cs
MUC4618	4-3/4"	18"	(T: 1-1/8"; B: 2-3/8")	Coleco, Lomart, with core, 12/cs
MUC4625	4-15/16"	13-5/16"	2-1/8"	25 sq ft Rainbow, 6/cs
MUC4950	4-15/16"	13-5/16"	2-1/8"	50 sq ft, 6/cs
MUC4975	4-15/16"	20-1/8"	2-1/8"	75 sq ft Rainbow, 4/cs
MUC4995	4-15/16"	23-5/8"	2-1/8"	95 sq ft, 4/cs
MUC4999	4-15/16"	26-11/16"	2-1/8"	100 sq ft Rainbow, 5/cs

5000 Series

item #	OD	length	ID	identification & description
MUC5301	5"	8"	(T: closed; B: 2-1/4" open)	8 sq ft Pelican Rec, H20 Recreation, 6/cs
MUC5330	5-3/4"	12"	1-7/8"	30 sq ft Intex, 1/cs
MUC5345	5-5/16"	10-1/8"	2-1/8"	45 sq ft, 4/cs
MUC5351	5-5/16"	30-1/8"	2-1/8"	135 sq ft Waterway, 4/cs
MUC5396	5-5/16"	21-5/16"	2-1/8"	100 sq ft Waterway, 4/cs
MUC5404	5-1/2"	17"	(T: 1-15-16"w/holes; B: 2-7/8")	40 sq ft ozone cartridge, 1/cs
MUC5601	5-11/16"	10-3/8"	(T: closed; B: 2-1/8")	25 sq ft Jacuzzi, 6/cs
MUC5621	5-3/16"	11-7/8"	(T: closed; B: 1-15/16")	22 sq ft Advanced Spa, 6/cs
MUC5622	5-3/16"	11-7/8"	(T: 1-1/16"; B: 1-5/8")	22 sq ft Premier, 6/cs
MUC5624	5-3/4"	11-7/8"	2-1/8"	25 sq ft Jacuzzi, 3 oz, 6/cs
MUC5625	5"	13-5/16"	2-3/8"	25 sq ft Jacuzzi, no core, 6/cs

6000 Series

item #	OD	length	ID	identification & description
MUC6300	6-7/8"	14-7/8"	3-1/2"	30 sq ft Jacuzzi, 4 oz, no core, 1/cs
MUC6430	6"	10-1/2"	1-15/16"	30 sq ft Watkins, 1/cs
MUC6600	6-3/8"	11-3/4"	3"	45 sq ft Watkins, 1/cs
MUC6610	6-1/4"	8"	2-5/8"	10 sq ft Muskin, 6/cs
MUC6616	6-1/4"	8"	2-5/8"	16 sq ft Muskin, 6/cs

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   toll free **800-927-POOL (7665)**   fax **913-492-2631**   or   **800-927-4286**
Houston   **713-773-9000**   toll free **800-769-POOL (7665)**   fax **713-773-9926**

Unicel Filter Cartridges

6000 Series, continued

item #	OD	length	ID	identification & description
MUC6620	6-1/4"	8"	2-5/8"	20 sq ft Muskin, 6/cs
MUC6625	6-7/8"	11-7/8"	3-1/2"	25 sq ft Jacuzzi, 1/cs
MUC6640	6-15/16"	19-3/8"	3-1/2"	40 sq ft Jacuzzi, 1/cs
MUC6645	6-15/16"	17-5/8"	2-1/16"	45 sq ft Gerico, 1/cs
MUC6660	6-15/16"	29-3/8"	3-1/2"	60 sq ft Jacuzzi, 6 oz, no core, 1/cs

7000 Series (1 cartridge per case)

item #	OD	length	ID	identification & description
MUC7465	7-1/2"	14-3/4"	(T: castle; B: 2-1/16")	65 sq ft Sundance
MUC7466	7-1/2"	14-3/4"	(T: castle; B: 2-5/8")	65 sq ft Sundance
MUC7469	7"	14-1/8"	3"	60 sq ft Clean & Clear Plus
MUC7470	7"	20"	3"	80 sq ft Clean & Clear Plus
MUC7471	7"	26-1/16"	3"	105 sq ft Clean & Clear Plus
MUC7472	7"	32-1/16"	3"	125 sq ft Clean & Clear Plus
MUC7477	7"	19-5/8"	3" w/gasket	75 sq ft Hayward
MUC7487	7"	25-1/2"	3" w/gasket	100 sq ft Hayward
MUC7491	7"	18-7/16"	2-5/8" open	75 sq ft PacFab Seahorse-300
MUC7492	7"	24-7/16"	2-5/8"	100 sq ft PacFab, (4req) 1/cs
MUC7493	7"	30-7/16"	2-5/8"	125 sq ft PacFab Seahorse-500, 1/cs
MUC7495	7"	32-7/8"	3" w/molded gasket	125 sq ft Hayward Super Star Clear 5000, 4 required, 1/cs
MUC7498	7"	26"	125 sq ft	Clean & Clear Plus, 4 required, 1/cs
MUC7499	7"	29-3/8"	3"	100 sq ft American, Premier
MUC7604	7"	9-13/16"	(T: handle; B: cone adapt)	25 sq ft Baker Hydro
MUC7605	7"	19-5/8"	(T: handle; B: cone adapt)	50 sq ft Baker Hydro
MUC7606	7"	29-3/8"	(T: handle; B: cone adapt)	75 sq ft Baker Hydro
MUC7625	7"	9-13/16"	3"	25 sq ft American, Premier, Swimquip 1/cs
MUC7626	7"	9-13/16"	3"	25 sq ft Hayward , PDC Spas
MUC7650	7"	19-5/8"	3"	50 sq ft American, Premier, Vita Spa
MUC7651	7"	19-5/8"	2-15/16"	50 & 150 sq ft Purex replacements
MUC7652	7"	19-3/8"	3"	50 sq ft Swimquip
MUC7656	7"	19-5/8"	3"	50 sq ft Hayward
MUC7660	7-7/8"	14"	3-1/16"	60 sq ft PacFab, Wet Institute
MUC7675	7"	29-3/8"	3"	75 sq ft American, Premier
MUC7676	7"	29-3/8"	3" w/gasket	75 sq ft Hayward
MUC7679	7-7/8"	33-3/8"	3-1/16"	PacFab Mytilus FMY-150
MUC7680	7-7/8"	22-1/8"	3-1/16"	PacFab Mitra MA-80
MUC7699	7-7/8"	22-1/8"	3-1/16"	100 GPM PacFab

8000 Series

item #	OD	length	ID	identification & description
MUC8320	8-1/2"	18-1/4"	(T: Castle; B: 2-11/16")	125 sq ft Sundance
MUC8409	8-15/16"	17-3/8"	4" w/molded gasket	90 sq ft Hayward, Sta-Rite
MUC8412	8-15/16"	22-3/8"	4" w/molded gasket	120 sq ft Hayward CX1200-RE
MUC8417	8-15/16"	28-3/16"	4" w/molded gasket	175 sq ft Hayward, Sta-Rite
MUC8465	8-1/2"	10-1/2"	3"	65 sq ft Watkins
MUC8475	8"	13"	(T: 2-1/16"; B: 2" MIP)	75 sq ft Coleman
MUC8600	8-1/2"	17-3/8"	4-1/16" w/gasket	75 sq ft Hayward
MUC8610	8-1/2"	23-3/8"	4-1/16" w/gasket	100 sq ft Hayward
MUUHDSR50	8-11/16"	13-5/16"	4-3/16"	50 sq ft Sta-Rite PTM-50
MUUHDSR70	8-11/16"	18-3/16"	4-3/16"	70 sq ft Sta-Rite PTM-70
MUUHDSR100	8-11/16"	25-11/16"	4-3/16"	102 sq ft Sta-Rite PTM-100
MUUHDSR135	8-11/16"	34-1/4"	4-3/16"	135 sq ft Sta-Rite TX-135 (old)
MUUHDSR137	8-11/16"	31-1/4"	4-3/16"	137 sq ft Sta-Rite PTM-135 (new)

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

FILTERS

9000 Series

item #	OD	length	ID	identification & description
MUC9405	10-1/16"	8-9/16"	6"	50 sq ft Clean and Clear (no core)
MUC9407	10-1/16"	16-1/8"	6"	75 sq ft Clean and Clear (no core)
MUC9410	10-1/16"	23-5/8"	6"	100 sq ft Clean and Clear (no core)
MUC9415	10-1/16"	31-1/8"	6"	150 sq ft Predator, Clean and Clear (no core, 5 bands)
MUC9419	10-1/16"	31-1/8"	6"	200 sq ft Clean and Clear (no core, 5 bands)
MUC9475	9-15/16"	14-1/4"	(T: 5-13/16"; B: 6-1/16")	75 sq ft Jacuzzi CFR-75 (no core)
MUC9480	10"	14-9/16"	6" (bar handle)	80 sq ft Jacuzzi
MUC9481	10"	20-1/16"	6" (bar handle)	120 sq ft Jacuzzi
MUC9499	9-1/4"	19-5/8"	3" w/molded gasket	120 sq ft Hayward, Muskin
MUC9650	9-15/16"	10"	(T: 5-13/16"; B: 6-1/16")	50 sq ft Jacuzzi
MUC9699	9-15/16"	19-7/8"	(T: 5-13/16"; B: 6-1/16")	100 sq ft Jacuzzi

4CH Series

item #	OD	length	ID	identification & description
MU4CH24	4-5/8"	9-3/4"	(T: handle; B: 1-1/2" MPT)	25 sq ft top load, 4/cs
MU4CH30	4-5/8"	11-7/8"	(T: handle; B: 1-1/2" MPT)	30 sq ft top load, 4 oz, 4/cs
MU4CH50	4-5/8"	14-3/4"	(T: handle; B: 1-1/2" MPT)	50 sq ft top load, 4/cs

6CH Series

item #	OD	length	ID	identification & description
MU6CH47	6"	9"	(T: handle; B: 1-1/2" MPT)	50 sq ft top load, 1/cs
MU6CH60	6"	16-1/8"	(T: handle; B: 1-1/2" MPT)	60 sq ft top load
MU6CH940	6"	8-1/4"	(T: semi-circle; B: SAE thread)	40 sq ft top load, 3 oz, 1/cs

7CH Series

item #	OD	length	ID	identification & description
MU7CH32	7"	8"	(T: handle; B: 1-1/2" MPT)	32 sq ft top load
MU7CH50	7"	14-3/4"	(T: handle; B: 1-1/2" MPT)	50 sq ft top load
MU7CH502	7"	14-3/4"	(T: handle; B: 2" MPT)	50 sq ft top load
MU7CH975	7"	10-1/2"	(T: handle; B: SAE)	55 sq ft top load

8CH Series

item #	description
MU8CH950	8" x 6" w/2" SAE thd Bullfrog

FG Series

item #	description	quantity/case
MUFG1236	10-3/4" x 19-3/8" Purex	8
MUFG1248	10-3/4" x 25-3/8" Purex	8
MUFG1260	10-3/4" x 31-5/16" Purex	8
MUFG2413	13-1/2" x 24" Anthony Replacement	15
MUFG2417	17-1/2" x 24" Anthony Replacement	15

Great Plains Supply • Pool & Spa Products Dealer Catalog

| **Kansas City** | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| **Houston** | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631 or 800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Hayward Super Pump®—Up Rated— Lenexa Only

110 cubic inch basket and Lexan see-thru strainer cover; swing-aside hand knobs. UL Listed, 1 year warranty on parts.

SP2605X7   3/4 HP Super Pump, 115/230v
SP2607X10   1 HP Super Pump, 115/230v
SP2610X15   1-1/2 HP Super Pump, 115/230v
SP2615X20   2 HP Super Pump, 115/230v

Super Pump Model No. Max Rated	Pump Output (GPM) vs. Total Resistance to Flow (Feet of Head)					
	20ft	30ft	40ft	50ft	60ft	70ft
SP2605X7	67	58	47	31	-	-
SP2607X10	85	76	65	50	27	-
SP2610X15	97	90	80	67	50	10
SP2615X20	116	111	99	85	70	51

Hayward Super II Pump—Up Rated— Houston Only

155 cubic inch basket and see-thru strainer cover with easy thread design; service-ease design gives simple access to all internal parts. UL Listed, 1 year warranty on parts.

SP3005X7AZ   3/4 HP Super II Pump, 115/230v
SP3007X10AZ   1 HP Super II Pump, 115/230v
SP3010X15AZ   1-1/2 HP Super II Pump, 115/230v
SP3015X20AZ   2 HP Super II Pump, 115/230v

Super II Pump Model No. Max Rated	Pump Output (GPM) vs. Total Resistance to Flow (Feet of Head)					
	20ft	30ft	40ft	50ft	60ft	70ft
SP3005X7AZ	70	60	50	40	30	15
SP3007X10AZ	80	70	65	55	50	35
SP3010X15AZ	-	95	90	80	75	60
SP3015X20AZ	-	120	115	100	90	75

Hayward Power Flo LX™ Above Ground Pump

6 foot cord, clear cover.

SP1580   1 HP Power•Flo LX, 115v
SP1580X15   1-1/2 HP Power•Flo LX, 115v

Power Flo LX Pump Model No. Max Rated	Pump Output (GPM) vs. Total Resistance to Flow (Feet of Head)				
	10ft	20ft	30ft	40ft	50ft
SP1580	86	86	75	58	27
SP1580X15	91	91	80	62	32

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

PUMPS

Hayward Residential Pumps

Hayward NorthStar™ Pump—Max Rated, Single Speed

NorthStar features high efficiency motor, CPVC unions, 220 cubic inch basket and Quad-Lock lid.

SP4007X10NS   1 HP NorthStar, 115/230v
SP4010X15NS   1-1/2 HP NorthStar, 115/230v
SP4015X20NS   2 HP NorthStar, 115/230v
SP4020X25NS   2-1/2 HP NorthStar, 230v
SP4025X30NS   3 HP NorthStar, 230v

Hayward NorthStar™ Pump—Full Rated, Single Speed
SP4020NS   2 HP NorthStar, 230v
SP4030NS   3 HP NorthStar, 230v

PUMPS

NorthStar Pump		Performance Data Flow at Total Head					
Model No. Max Rated	Model No. Full Rated	40ft	50ft	60ft	70ft	80ft	90ft
SP4007X10NS	SP4007NS	80	70	56	37	-	-
SP4010X15NS	SP4010NS	108	95	82	66	43	-
SP4015X20NS	SP4015NS	131	119	105	88	69	35
SP4020X25NS	SP4020NS	157	142	125	106	84	55
SP4025X30NS	-	179	162	146	128	109	85
-	SP4030NS	206	188	171	154	135	112

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Pentair Challenger High Flow Pump—Up Rated

Medium head, fiberglass-reinforced plastic body, clear Lexan lid with grip handle on strainer pot. 6" trap, 2" suction and discharge.

PF34-3232	3/4 HP Challenger, 115/230v
PF34-3233	1 HP Challenger, 115/230v
PF34-3234	1-1/2 HP Challenger, 115/230v
PF34-3240	2 HP Challenger, 115/230v
PF34-3229	2-1/2 HP Challenger, 230v only

Pentair Challenger High Head Pump— Energy Efficient, Full Rated

PF34-5209	3 HP Challenger, 1 phase, 208/230v
PF34-5300	5 HP Challenger, 3 phase, 230/460v
PF34-5210	5 HP Challenger, 1 phase, 230v

Note: Three phase pumps are not UL Listed.

Pentair WhisperFlo Pump—Full Rated

With see-thru Lexan lid; 2" suction and discharge.

PF01-1579	WF-3, 3/4 HP WhisperFlo, full-rated
PF01-1580	WF-4, 1 HP WhisperFlo, full-rated
PF01-1581	WF-6, 1-1/2 HP WhisperFlo, full-rated
PF01-1582	WF-8, 2 HP WhisperFlo, full-rated
PF01-1583	WF-12, 3 HP, 1 phase WhisperFlo, full-rated
PF01-1571	WK-12, 3 HP, 3 phase WhisperFlo, full-rated

Pentair WhisperFlo Pump—Up Rated

With see-thru Lexan lid; 2" suction and discharge.

PF01-1771	WF-23, 3/4 HP WhisperFlo, up-rated
PF01-1772	WF-24, 1 HP WhisperFlo, up-rated
PF01-1773	WF-26, 1-1/2 HP WhisperFlo, up-rated
PF01-1774	WF-28, 2 HP WhisperFlo, up-rated
PF01-1775	WF-30, 2-1/2 HP WhisperFlo, up-rated

Pentair WhisperFlo 2-Speed Pump—Up Rated

With see-thru Lexan lid; 2" suction and discharge.

PF01-2485	WFDS-24 , 1 HP 2-Speed WhisperFlo, up rated, 115v
PF01-2518	WFDS-26 , 1-1/2 HP 2-Speed WhisperFlo, up rated, 230v
PF01-1524	WFDS-28 , 2 HP 2-Speed WhisperFlo, up rated, 230v
PF01-1525	WFDS-30 , 2-1/2 HP 2-Speed WhisperFlo, up rated, 230v

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 **toll free 800-927-POOL (7665)** fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 **toll free 800-769-POOL (7665)** fax 713-773-9926

Pentair WhisperFlo XF High-Capacity Energy Efficient Pump

For commercial pools and residential pools with waterfalls, slides and other water features. Unions connect directly to 2.5″ or 3″ plumbing.

Pentair *Pool Products*™
*Because **reliability** matters most*

PF022010   WhisperFloXF, XFE-12 3HP, 1ph

PF022013   WhisperFloXF, XF-12, 3HP, 1ph

XF Performance Curves
Total Dynamic Head in Ft of H2O vs *Volumetric Flow rate in GPM*

XFE-12
XF-12 / XFDS-12
XFDS-12 Low Speed

Pentair Dynamo Above Ground Pump with Strainer Pot

Single speed, clear Lexan lid with grip handle on strainer pot.

PF34-0103   3/4 HP Dynamo, 115v only, without cord
PF34-0104   1 HP Dynamo, 115v only, without cord
PF34-0106   1-1/2 HP Dynamo, 115/230v, without cord
PF34-0194   3/4 HP Dynamo, 115/230v, with 3 ft. cord/stnd. plug
PF34-0197   1 HP Dynamo, 115/230v, with 3 ft. cord/stnd. plug
PF34-0210   1-1/2 HP Dynamo, 115/230v, with 3 ft. cord/stnd. plug

Dynamo
total head (FT) vs *flow rate (GPM)*

1 HP / 1½ HP
¾ HP
HIGH SPEED
1 HP / 1½ HP
¾ HP
LOW SPEED

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

PUMPS

Sta-Rite Max-E-Pro™ High Efficiency Pool/Spa Pumps

1-piece strainer and volute, High Head. 6" trap with Quick Lock lid, 2" connections with external threads for union kit. UL Listed.

SRP6RA6EL	1 HP Max-E-Pro, up-rated, 115/230v
SRP6RA6FL	1-1/2 HP Max-E-Pro, up-rated, 115/230v
SRP6RA6GL	2 HP Max-E-Pro, up-rated, 230v
SRP6EAA6GL	2-1/2 HP Max-E-Pro, up-rated, 230v
SRP6E6HL	3 HP Max-E-Pro, full rated, 230v
SRP6RA6YFL	1-1/2 x 1/4 HP Max-E-Pro, up-rated two-speed, 230v
SRP6RA6YGL	2 HP x 1/3 Max-E-Pro, up-rated two-speed, 230v
SRPKG188	Union Kit 2" slip

PUMPS

Max-E-Pro Performance

STA-RITE®

Professional

Sta-Rite Dyna-Pro Pump—Up Rated

1-piece strainer and volute, Medium Head, with self-priming diffuser and bronze wear ring. 6" trap, 2" suction and discharge, UL Listed.

SRMPRA6DL	3/4 HP Dyna-Glas, 115/230v
SRMPRA6EL	1 HP Dyna-Glas, 115/230v
SRMPRA6FL	1-1/2 HP Dyna-Glas, 115/230v
SRMPRA6GL	2 HP Dyna-Glas, 230v only
SRPKG188	Union Kit 2" slip

Dyna-Pro Pump Performance

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Waterway Residential Pump Wet Ends

1-1/2″ Center Discharge
WI310-1120   3/4 HP Center Discharge Wet End

2″ Hi-Flo Wet End
WI310-1130SD   1 HP Hi-Flo Wet End
WI310-1140SD   1-1/2 HP Hi-Flo Wet End
WI310-1141SD   2 HP Hi-Flo Wet End
WI310-1150SD   3 HP Hi-Flo Wet End
WI310-1160SD   4 HP Hi-Flo Wet End

2″ Executive — 48 Frame
WI310-1890   2 HP Executive Wet End
WI310-1900   3 HP Executive Wet End
WI310-1910   4 HP Executive Wet End
WI310-1920   4-1/2 HP Executive Wet End
WI310-1930   5 HP Executive Wet End

2″ Executive — 56 Frame
WI310-1720   2 HP Executive Wet End
WI310-1730   3 HP Executive Wet End
WI310-1740   4 HP Executive Wet End
WI310-1750   5 HP Executive Wet End

2-1/2″ Executive — 48 Frame
WI310-1820   2 HP Executive Wet End
WI310-1840   3 HP Executive Wet End
WI310-1860   4 HP Executive Wet End
WI310-1850   4-1/2 HP Executive Wet End
WI310-1830   5 HP Executive Wet End

2-1/2″ Executive — 56 Frame
WI310-1480   2 HP Executive Wet End
WI310-1500   3 HP Executive Wet End
WI310-1440   4 HP Executive Wet End
WI310-1510   5 HP Executive Wet End

See Section D for Corresponding Replacement Motors

PUMPS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631   or   800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Zodiac FloPro Pumps – Up Rated

Medium-head, high-flow pump with ergonomic cam-lock lid and adjustable base. Includes 2"unions. NSF Listed.

JYFHPM.75	¾ HP FloPro, 115/230v
JYFHPM1.0	1 HP FloPro, 115/230v
JYFHPM1.5	1- ½ HP FloPro, 115/230v
JYFHPM2.0	2 HP FloPro, 115/230v

FloPro (FHPM) Pump Curves

Zodiac PlusHP Pumps – Up Rated

High-head pump ideal for in-floor cleaning, spa-jet boosters, and solar systems. With ergonomic cam-lock lid and adjustable base; includes 2"unions. NSF Listed.

JYPHPM.75	¾ HP PlusHP, 115/230v
JYPHPM1.0	1 HP PlusHP, 115/230v
JYPHPM1.5	1- ½ HP PlusHP, 115/230v
JYPHPM2.0	2 HP PlusHP, 115/230v

PlusHP (PHPF/PHPM) Pump Curves

Zodiac Stealth Series Pumps – Up Rated

High-head pump with "Quiet Technology" design that controls flow dynamics within the pump for less noise. E+ Energy Efficient motor saves up to 20% on energy costs. Includes 2" x2- ½" quick connect unions. NSF Listed.

JYSHPM1.0	1 HP Stealth, 115/230v
JYSHPM1.5	1.5 HP Stealth, 115/230v
JYSHPM2.0	2 HP Stealth, 230v
JYSHPM2.5	2.5 HP Stealth, 230v
JYSHPM3.0	3 HP Stealth, 230v, with 2- ½" x3" quick connect unions

Stealth (SHPF/SHPM) Pump Curves

PUMPS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Variable Speed (VSRP) Pumps

Variable Speed (VSRP) pumps provide energy efficiency and cost savings while offering customized programmable options for multiple equipment and accessory needs.

Hayward TriStar Variable Speed Pump and Control

Six programmable speeds with integrated 24-hour time clock; separate wall mountable control panel for easy access. Complete with 8 ft. of cable to connect to pump. UL Listed.

SP322063EEV	TriStar 2.7 THP 3-Phase Pump, 208/230v
SP3220VSC	Stand-Alone Variable Speed Control
SP3220VSCAQL	Variable Speed Control for ProLogic

NOTE: The SP3220VSC Control unit is designed to be used exclusively with the TriStar 2.7 THP 3-Phase Pump; the control unit should not be used with any other pump

Pentair IntelliFlo® 4 x 160
Programmable Pump

With digital controls that allow programming of four different speeds (between 400 - 3,450 RPM's) for different jobs. Digitally communicates with IntelliTouch® and EasyTouch® control systems. 2" suction and discharge.

PF011013   IntelliFlo 4 x 160, variable speed pump.

Pentair IntelliFlo® 3.2 KW
High Performance Pump

With digital controls that allow programming of flow and speed. Reduces energy consumption and noise by 90%. Digitally communicates with IntelliTouch® control system. 2" suction and discharge.

PF011012   IntelliFlo 3.2 KW pump.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631	or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926	

Sta-Rite IntelliPro 4 x 160 High Performance Pump

Allows the programming of four various speeds ranging from 400 to 3450 RPMs to accomplish different tasks at lowest energy usage.

SRP6E6Y4HL   IntelliPro 4 x 160, Variable Speed Pump

Pentair *Pool Products*™

*Because **reliability** matters most*

PUMP PERFORMANCE CURVE

3450 rpm (Max speed)
3110 rpm (speed 4 default)
2350rpm (speed 3 default)
1500 rpm (speed 2 default)
750 rpm (speed 1 default)

TOTAL DYNAMIC HEAD (IN FEET)
FLOW RATE IN U.S. GPM

PUMPS

Zodiac ePump Variable Speed Pump and Control

600-3450 RPM range, energy-saving ECM permanent magnet TEFC motor and Stealth wet end. Interfaces with Aqualink Touch, RS OneTouch PDA Systems and the ePump Control. NSF Listed.

JYJEP1.5   1- ½ HP (0.25-2.2 HP) ePump Variable Speed Pump, 230v
JYJEP2.0   2 HP (0.25-2.7 HP) ePump Variable Speed Pump, 230v

Zodiac ePump Remote Controller

Includes two (2) timers and eight (8) speeds; LCD display and LED indicators; pump priming and freeze protection; global RPM limiter. Can be installed up to 200ft from pump.

JYJEP-R   ePump Remote Controller

ePump (JEP) Pump Curves

TOTAL DYNAMIC HEAD (FEET OF H₂O)

JEP-2.0 HP, 3450 RPM
JEP-1.5 HP, 3450 RPM
JEP-2.0 HP, 3000 RPM
JEP-1.5 HP, 3000 RPM
JEP-2.0 HP 2400 RPM
JEP-2.0 HP 1500 RPM
JEP-1.5 HP, 2400 RPM
JEP-2.0 HP 600 RPM
JEP-1.5 HP 600 RPM
JEP-1.5 HP 1500 RPM

FLOW GPM

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair Commercial Pumps

Pentair EQ Series™ High Performance Pumps

EQ Series high performance, all plastic pumps for commercial and large residential pools. Flow rates from 200 GPM to 700 GPM with heads from 5 feet to 90 feet, 6" x 4" operating at 1750 RPM to 3500 RPM, single phase or three phase. If you are replacing a cast iron or bronze pump and strainer, the EQ is a direct fit replacement for the Purex C Series or Sta-Rite model CSP.

Pentair *Pool Products*™
Because **reliability** matters most

Waterfall Models

Waterfall Models for water feature service with heads to 10 feet.

PF34-0026	EQW300, 3 HP, **1 phase**, 230/115v, 38/19 amp, 126 lbs
PF34-0027	EQW300, 3 HP, 3 phase, 460/230-208v, 3.9/7.9-8.4 amp, 106 lbs
PF34-0028	EQW500, 5 HP, **1 phase**, 230v, 23.4 amp, 126 lbs
PF34-0029	EQW500, 5 HP, 3 phase, 460/230-208v, 13.6/12.7/6.4 amp, 106 lbs.

EQ Series Single Phase Models

EQ Models for pool or spa service.

PF34-0030	EQ500, 5 HP, 1 phase, 230v, 19.6 amp, 126 lbs
PF34-0032	EQ750, 7.5 HP, 1 phase, 230v, 30.4 amp, 161 lbs

EQ Series Three Phase Models

EQ Models for pool or spa service.

PF34-0031	EQ500, 5 HP, 3 phase, 460/230-208v, 6.2/12.3-13.5 amp, 106 lbs
PF34-0033	EQ750, 7.5 HP, 3 phase, 460/230-208v, 9.1/18.3-20.1 amp, 116 lbs
PF34-0034	EQ1000, 10 HP, 3 phase, 460/230-208v, 12.2/24.3-27.1 amp, 126 lbs
PF34-0035	EQ1500, 15 HP, 3 phase, 460/230-208v, 17.8/36.0-40.0 amp, 161 lbs

EQ Series High Performance Pump Performance

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Pentair Waterfall Pump With Strainer

For low head applications that require 50-180 gpm @ 10 feet of head,
such as fountains, waterfalls and other special pool features. Select correct pump by desired
flow, not horsepower.

⟩⟩ Pentair Pool Products™
Because **reliability** matters most

PF34-0350	AFP-75, 75 gpm pump & strainer, 230/115v, 8/4 amp, 2" ports, 40 lbs
PF34-0351	AFP-120, 120 gpm pump & strainer, 230/115v, 8/4 amp, 2" ports, 40 lbs
PF34-0352	AFP-150, 150 gpm pump & strainer, 230/115v, 14/7 amp, 2" ports, 43 lbs
PF34-0353	AFP-180, 180 gpm pump & strainer, 230/115v, 14/7 amp, 3" suction & 2" discharge, 46 lbs

PUMPS

Waterfall Pump Performance

Pentair C Series Commercial Pump with Strainer

For pools or spas. The pump volute & strainer, 6" x 4" flanged connections are cast brass.

PF01-1651	CM-50, 5 HP, 1 phase, 230v, 24 amp, 352 lbs
PF34-7917	CM-75, 7-1/2HP, 1 phase, 230v, 37 amp, 375 lbs
PF01-1652	CMK-50, 5 HP, 3 phase, 460/230-208v, 13.0/6.5 amp, 336 lbs
PF01-1653	CMK-75, 7-1/2 HP, 3 phase, 460/230-208v, 18.4/9.2 amp, 346 lbs
PF01-1654	CMK-100, 10 HP, 3 phase, 460/230-208v, 25.3/12.7 amp, 374 lbs
PF01-1655	CMK-150, 15 HP, 3 phase, 460/230-208v, 37.6/18.8 amp, 396 lbs
PF01-1661	CHK-200, 20 HP, 3 phase, 460/230-208v, 49.0/24.6 amp, High Head, 474 lbs

C Series Commercial Pump Performance

(1) CMK-50 : 5 HP
(2) CMK-75 : 7.5 HP
(3) CMK-100 : 10 HP
(4) CMK-150 : 15 HP

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free **800-927-POOL (7665)**   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free **800-769-POOL (7665)**   fax 713-773-9926

Sta-Rite Commercial CSP Series Pump—Less Strainer

Cast Iron pump, self-priming pump with 1100 cubic inch strainer
and bronze impeller. 4" x 6" connections, maximum capacity to 750 gpm.

STA-RITE ®

Professional

SRCSPHK   7-1/2 HP CSP Series, 1 phase, 230v
SRCSPHK3   7-1/2 HP CSP Series, 3 phase, 230/460v
SRCSPHL   10 HP CSP Series, 1 phase, 230v
SRCSPHL3   10 HP CSP Series, 3 phase, 230/460v
SRCSPHM3   15 HP CSP Series, 3 phase, 230/460v
SRCSPHN3   20 HP CSP Series, 3 phase, 230/460v

To make a complete unit, add:
SRPKG184   Strainer with Basket

Note: Motors wound for 230v will NOT operate on 208v—you need a specially wound motor. Please call for a price quote. For Epoxy Coating for wetted surfaces, add $600 to the price of the pump.

Sta-Rite CSP Series Commercial Pump Performance

BEST EFFICIENCY SIZING

TOTAL HEAD IN FEET

CSPHN3
CSPHM3
CSPHK/CSPHK3
CSPHL/CSPHL3

U.S. GALLONS PER MINUTE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Little Giant Submersible Pumps

Water Wizard removes water within 1/8" of surface. UL Listed.

LI505025   5-MSP, with 25' cord, 1200 gph, manual on/off/ 1" FNPT outlet with garden hose adapter.

LI505350   5-ASP-LL, with 18' cord, above pump with low water level (2"-3"), automatic activation.

LI505701   5.5-ASP "Snappy John," with 25 ft cord, able to pump water containing solids up to 3/8" in diameter.
                Float switch for low water level (2"-3") automatic activation; 1-1/4" FNPT outlet with adapter.

LI508058   8-CIM "Big John," with 25 ft cord, 4/10 HP, pressure actuated on/off switch disengages in 1"-4" of water;
                1-1/2" FMPT discharge with 1-1/4" FNPT adapter.

Little Giant 5-MSP   *Little Giant 5-ASP-LL*

PUMPS

PUMPS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City **913-492-1520**   toll free **800-927-POOL (7665)**   fax **913-492-2631** or **800-927-4286**
Houston   **713-773-9000**   toll free **800-769-POOL (7665)**   fax **713-773-9926**

Goldline by Hayward
Pro Logic Control System
Available for single body of water, as well as pool/spa combinations. Systems control up to 16 relays, 8 valves, and 2 heaters. All functions are controlled with one-button access from the totally self-contained load center. Other features are variable speed pump interface and control, laminar and lighting support. Optional controllers include the full function and waterproof AquaPod, wired or wireless full function indoor or protected outdoor control panel, wireless rechargeable remote and 6- or 8-Ftn spa-side remotes.

Automated Pool Management is now easier to properly size to the job with Goldline's Pick n' Mix program.

Pro Logic Base System
(P = Pool Only; PS = Pool/Spa Combo)

AQPL-P4   4-Ftn Single Body of water; 3 valves, 1 heater
AQPL-PS4   4-Ftn Pool/Spa – 4 Valves, 2 heaters
AQPL-PS8   8-Ftn Pool/Spa – 4 Valves, 2 heaters

ProLogic Options and Accessories
Wireless and Wired Remote Control

AQL2-POD   Aqua Pod Wireless Handheld Remote
AQL2-SSRF   Wireless Spa-Side, 6-Ftn
AQL2-BASERF   Wireless Base (req. if using wireless)
AQL2-TBRF-P4   Wireless Tabletop Control for P-4, black
AQL2-TBRF-PS4   Wireless Tabletop Control for PS-4, black
AQL2-TBRF-PS8   Wireless Tabletop Control for PS-8, black
AQGVA-24   Valve Actuator, 24V, .75A, 15 ft cable

Goldline Aqua Rite Salt Chlorine Generators
Uses salt to safely, effectively, and automatically produce chlorine in the pool and eliminates the need to buy, store, and add harsh chlorine products manually. Goldline salt chlorine generators a microprocessor that automates all functions; digital display, super chlorination function, and locking weatherproof enclosure. Interfaces with AquaLogic control systems. UL Listed and NSF certified.

Salt Chlorination is available on its own or combined with Pro Logic Control Systems with Goldline's Pick n' Mix program.

Aqua Rite Electronic Chlorine Generator
For In-Ground pools up to 40,000 gallons; can combine multiple units for larger pools. Professional-grade unit that is also simple for the homeowner to operate features digital salt display and 8 diagnostic indicators and super chlorination function. One unit works for 120v or 240v. Optional *Sense and Dispense* ORP and pH sensor is an economical approach to achieve accurate chlorination levels on in ground pools.

AQR   Aqua Rite
AQR-PRO   Aqua Rite Pro
AQR-PRO-SD   Aqua Rite Pro with Sense and Dispense option (AQL-CHEM)

Aqua Rite Salt Chlorination Turbo Cell
Now in three sizes to enable appropriate sizing for optimum efficiency, maximum flow rates and cost-effective chlorination. Turbo Cells automatically generate chlorine from salt and self clean by periodically reversing polarity.

AQT-CELL-15   Turbo Cell for up to 40,000 gallons, 15ft cord
AQT-CELL-9   Turbo Cell for up to 25,000 gallons, 15ft cord
AQT-CELL-3   Turbo Cell for up to 15,000 gallons, 15ft cord

Aqua Rite Chemistry Automation
AQL-CHEM   Sense and Dispense chemistry kit – pH and ORP sense, ORP dispense
AQL-CHEM2   pH Dispense, 120v Solenoid Valve for CO2

Aqua Trol Salt Chlorine Generator for Above Ground Pools
For above ground pools up to 18,000 gallons, unit features digital salt display and 7 diagnostic indicators, 24-hour timer for filter pump control, and the same Turbo Cell technology.

AQTROL-RJ   Aqua Trol with cell mounted directly to the return jet and NEMA straight blade
AQTROL-HP   Aqua Trol with fittings for hose connections or 2"PVC pipe and NEMA straight blade
AQTROL-HPTL   Aqua Trol with fittings for hose connections or 2"PVC pipe, NEMA straight blade, and
               twist lock line cord and outlet

CONTROLLERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Intermatic Time Clocks

Intermatic Time Clocks

T-Series Pump Control Only, 24 Hour Dial

On/Off switch—NEMA Type 3 switch, rain-tight indoor/outdoor plastic closure. 250v maximum heater circuit.

IMT101P	125v Time Clock, SPST, 40 amp
IMT104P	208-277v Time Clock, DPST, 40 amp
IMT101M	125v SPST Time Clock Mechanism only
IMT104M	208-277v DPST Time Clock Mechanism only
IMP1101P	Portable Timer for Above Ground applications, 120v, 15 amp, 24 hr, with 3' cord
IMT103P	125v Time Clock, DPST, 40 amp
IMT103M	125v DPST Time Clock Mechanism only

T-Series Pump Control with Heater Delay, 24 Hour Dial

On/Off switch—NEMA Type 3 switch, rain-tight indoor/outdoor plastic closure. 250v maximum heater circuit.

IMT101P201	125v Time Clock with Heater Delay, SPST, 40 amp
IMT104P201	208-277v Time Clock with Heater Delay, DPST, 40 amp
IMT12404R	208-277v 2-Time Clocks in one unit with Heater Delay, DPST, 40 amp
IMT32404R	Control Panel Enclosure, includes T104M201 and T104M; 230v, 100amp, DPST/DPST.

PF-Series Freeze Protection Controls

Multi-circuit freeze protection control with two time switches; field selectable thermostat range from 44ºF to 32ºF; provision to install switches or GFCI receptacle.

IMPF1202T	Freeze Protection Control, 240v, for pools with cleaner requiring 2 time clocks

INTERMATIC

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Len Gordon On/Off Controls
Buttons sold separately.

LG923100-001   ES-Combo, 120/240v, 20 amp, 1 or 2 HP
LG921305-001   AS-Multi Combo-95, 120/240v, 20 amp, 1 or 2 HP, Controls single
                   or 2-speed pumps; time clock adaptable
LG922005-001   AS-2-95, 240v, 20 amp, 2 HP

Len Gordon Two Speed Control
LG923305-001   3F-95, Low, Off & High, 120/240v, 20 amp, operates 2-speed pump or two
                   pieces of equipment sequentially with 1 button; uses momentary switch

Len Gordon Time-Delay Control
LG921805-0001   AS-TD Combo-95, on/off with 10-minute delay, 120/240v, 20 amp, 1 or 2 HP

Len Gordon Four-Function Control
Complete four-function spa control. One button sequences any two pieces of equipment up to 2 HP; will work in conjunction with Freeze Control.

LG910100-001   FF-1094, Requires external time clock for 2-speed pumps. 120/240v,
                   20 amp, 1 or 2 HP
LG910106-001   FF-1094TC, Built-in time clock operates single or 2-speed pumps.
                   120/240v, 20 amp, 1 or 2 HP
LG910108-001   FF-1094LTC, with auxiliary circuit. Second button required to operate
                   an auxiliary pump, blower or light

All controls come with tubing.
Buttons sold separately.
Electrical items are non-returnable.

Len Gordon Air Buttons for Controls
LG950401-000   #4 Button, "Lite Touch," white, standard finish, requires 1-1/4"
                   diameter mounting hole
LG950410-000   #4 Gunite Button, "Lite Touch," white, requires 1-1/4" diameter
                   mounting hole.
LG951001-000   #10 Button, "Power Touch," white "smooth," requires 1-3/4"
                   diameter mounting hole
LG951601-000   #15 "Classic Touch" Trim Kit, white buttons. Also available in metal
                   (various finishes) or colors which are special order only.

CONTROLLERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free **800-927-POOL (7665)**   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free **800-769-POOL (7665)**   fax 713-773-9926

Pentair EasyTouch Controls

Pentair EasyTouch Control Systems

Available for single body of water, as well as pool/spa combinations with shared equipment. Systems control 4 or 8Aux functions. All functions are controlled with one-button access from the totally self-contained load center. Other features are variable speed pump interface and control, laminar and lighting support, and heat pump integration. Optional controllers include 4- or 8-Ftn wired or wireless indoor control panel, 4 button wireless remote and 4- or 10-Ftn spa-side remotes.

Pentair
Pool Products™

*Because **reliability** matters most*

EasyTouch Base System

No transformer for salt cell

PF520591	4-Ftn Single Body of water; no actuators, no transformer for salt cell
PF520538	4-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators; no transformer for salt cell
PF520703	8-Ftn Single Body of water; no actuators, no transformer for salt cell
PF520540	8-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators, no transformer for salt cell

EasyTouch with Intellichlor Transformer and Cell

PF520592	4-Ftn Single Body of water; no actuators – IC20 cell
PF520593	4-Ftn Single Body of water; no actuators – IC40 cell
PF520704	8-Ftn Single Body of water; no actuators – IC20 cell
PF520705	8-Ftn Single Body of water; no actuators – IC40 cell
PF520542	4-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators – IC20 cell
PF520543	4-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators – IC40 cell
PF520544	8-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators – IC20 cell
PF520545	8-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators – IC40 cell
PF521150	8-Ftn Pool/Spa – equipment shared between pool & spa with 2 actuators – IC60 cell

EasyTouch Optional Accessories

PF520092	4-Ftn Spa Side Remote, White, 100 ft. cord (additional colors and cords available)
PF520094	4-Ftn Spa-side Remote, White, 150Ft
PF520149	10-Ftn Spa Side Remote, Bisque, 150 ft. cord (colored faceplate kits available)
PF520272	Temp Sensor
PF520546	Wireless Control for 4 Circuits – Programmable Controller
PF520547	Wireless Control for 8 Circuits– Programmable Controller
PF520548	ID Panel for 4 Circuits– Programmable Controller
PF520549	ID Panel for 8 Circuits– Programmable Controller
PF520148	QuickTouch 4-Ftn Wireless Remote

Pentair IntelliChlor Salt Chlorine Generator

Uses salt to safely, effectively and automatically produce chlorine in the pool and eliminates the need to buy, store, and add harsh chlorine products manually. IntelliChlor features full diagnostic capabilities, including cell life tracking and performance data (production settings, hours of operation, chlorine output, cell cleaning cycles, salt readings and water temperature averages), push-button operation and easy-view displays; automatic shut-off and on-time cycling help to maximize cell life; interfaces with IntelliTouch, EasyTouch and SunTouch control systems. UL Listed and NSF approved.

IntelliChlor for InGround Pools

PF520554	IntelliChlor IC20 for pools up to 20,000 gal
PF520555	IntelliChlor IC40 for pools up to 40,000 gal
PF521105	IntelliChlor IC60 for pools up to 60,000 gal
PF520556	IntelliChlor Power CenterPentair IntelliTouch® Control Systems

IntelliChlor for Above Ground Pools

Runs only when pump is on.

PF520888	IntelliChlor IC15 for pools up to 15,000 gal, includes power generator

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631	or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926	

CONTROLLERS

Pentair IntelliTouch

Available for single body of water, as well as pool/spa combinations with shared equipment. Systems offer the flexibility to control from 5 to 40 functions to control and combine equipment and features. Personality Kits provide complete pool and spa controls that are fully programmable. Every circuit has a countdown timer, ability to do one- time-use programs, variable speed pump, salt generation and lighting interfaces, laminar and lighting support, and heat pump integration. In addition, there are various options available including light dimming, smart home interface, spa-side remote switches, valve actuators for water flow control, additional indoor wired or wireless user interface control panels, and even telephone remote control.

Ordering an IntelliTouch Control System
For a complete system that fits the individual needs of each backyard design

Step 1: IntelliTouch Enclosure Kits

PF520136   **Load Center** - Includes built-in sub panel (125 AMPS) capable of holding up to eight 1-inch breakers. Also includes five (5)- 25 AMP 3 HP relays, 120V/240V transformer with secondary side circuit protection. Multiple knockouts for ½"to 1" conduit; GFCI side knock out. Dimensions: 17" W x 24" H.

PF520137   **Power Center** – Does not include a circuit breaker base. Users should choose this enclosure if they already have existing circuit breakers/sub-panel for their equipment. Dimensions: 17" W x 17" H

Step 2: IntelliTouch Personality Kits

PF520506   **i5+3S** – 4-Ftn Single Body – 3Aux Circuits and Heater for individual body of water

PF520508   **i9+3S** – 9-Ftn Single Body – 8Aux Circuits and Heater for individual body of water

PF520505   **i5+3** – 5-Ftn Pool/Spa with shared filtration system with 2-actuator valves (included)

PF520507   **i7+3** – 7-Ftn Pool/Spa with shared filtration system with 2-actuator valves (included)

PF520509   **i9+3** – 9-Ftn Pool/Spa with shared filtration system with 2-actuator valves (included)

PF52051   **i10+3D** – 9-Ftn Pool/Spa with dual sets of equipment (10 pump and/or lighting circuits & 2 heaters)

Step 3: IntelliTouch Interface Kits

Multiple interface kits can be used

PF520138   **Indoor Control Panel**: 3.75" monochrome backlit LCD control panel connects to Personality Board in Load Center. Up to four (4) can be used per system.

PF520500   **PC Interface**: Includes a Protocol Interface adapter and wireless router that connects to existing Desktop or Laptop PC. Allows control of IntelliTouch pool/spa systems via PC (requires a Pentium4 PC with Ethernet connection and Windows XP operating system).

PF520502   **In-Wall Touch Screen**: Includes in-wall color touch screen with Ethernet (RJ45) connection, a Protocol Interface Adapter and wireless router. The Tablet is custom configured for IntelliTouch systems.

PF520503   **Wireless Tablet**: Includes Wireless Digital Tablet with color touch screen, a Protocol Interface Adapter and wireless router. The Tablet is custom configured for IntelliTouch systems.

PF520906   **MobileTouch Wireless Remote:** Wireless control panel with transceiver.

IntelliTouch Accessories

PF263045   Valve Actuator
PF520272   Temp Sensor
PF520094   4-Ftn Spa-side Remote, White, 150 Ft
PF520148   QuickTouch 4-Ftn Wireless Remote
PF520149   10-Ftn Spa-side Remote, with faceplates, white, 150 Ft

CONTROLLERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Zodiac AquaLink Controls

Zodiac AquaLink RS Pool/Spa Combination Control System

Automates any pool or pool & spa combination system that shares equipment, dual equipment system that shares a heater; variable speed pump interface and control, smart color lighting logic, plus chlorinator option that purifies pools up to 40,000 gallons.

Zodiac AquaLink Touch

Simple, customizable programming and control of filter, pump (including variable speed pump control and programming), heater and up to 32 AUX on a 7"diagonal, full color touch panel with digital picture frame and slideshow capability, wireless handheld indoor control panel with desktop charging base, Salt Chlorine Generator and colored lighting interface, ESP (Energy Savings Program) Link will automatically adjust filtration, purification, lighting, cleaning and sprinklers based on seasonal needs of pool & spa.

Zodiac AquaLink OneTouch

Indoor programming and control of filter, pump (including variable speed pump control and programming), heater, and up to 31 auxiliary circuits, on a 4.5" control panel, Salt Chlorine Generator and colored lighting interface, ESP (Energy Savings Program) Link will automatically adjust filtration, purification, lighting, cleaning and sprinklers based on seasonal needs of pool or spa. Optional 4- or 8-function spa side remotes or wireless (AquaPalm) remote.

Zodiac PDA

Simple, wireless programming and control of filter, pump (including variable speed pump control and programming), heater, and up to 7 auxiliary circuits, wireless control of thermostats, display of water and air temperatures, Salt Chlorine Generator and colored lighting interface; optional 4-function wired spa side remote.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

CONTROLLERS

Ordering an AquaLink Control System
For a complete system that fits the individual needs of each backyard design.

Jandy

Step 1: Order System Level

Pool & Spa Combo Systems
For use with Pool & Spa Combinations sharing one set of equipments
(actuators included)

JYRS-PS4	RS4 Pool/Spa Combo - Pump, Heater +4 Aux
JYRS-PS6	RS6 Pool/Spa Combo - Pump, Heater +6 Aux
JYRS-PS8	RS8 Pool/Spa Combo - Pump, Heater +8 Aux
JYPDA-PS4	PDA 4 Pool/Spa Combo(includes handheld) - Pump, Heater +4 Aux
JYPDA-PS6	PDA 6 Pool/Spa Combo(includes handheld) - Pump, Heater +6 Aux
JYPDA-PS8	PDA 8 Pool/Spa Combo(includes handheld) - Pump, Heater +8 Aux

Pool & Spa Only Systems
For use with Pool and Spa only utilizing one set of equipment

JYRS-P4	RS 4 Pool or Spa only - Pump, Heater +4 Aux
JYRS-P6	RS 6 Pool or Spa only - Pump, Heater +6 Aux
JYRS-P8	RS 8 Pool or Spa only - Pump, Heater +8 Aux
JYPDA-P4	PDA 4 Pool or Spa Only (includes handheld) - Pump, Heater +4 Aux
JYPDA-P8	PDA 8 Pool or Spa Only (includes handheld) - Pump, Heater +8 Aux

Step 2: Order Power Center

JY6613	Standard Power Center
JY6613AP	PureLink Standard Power Center w/ Salt Water Chlorinator
JY6614-LD	Sub-panel Power Center, 12 Breaker Base
JY6614AP-L	PureLink Sub Panel Power Center, 12 Breaker Base with Salt Water Chlorinator
JYAPUREM	AquaPure Power Pack, Foundation Power Center (for use w/PS4 and P4)

Step 3: Order PureLink Salt Water Cell Kit

JYPLC700	Cell Kit, pools up to 12,000 gal, 16ft cable
JYPLC1400	Cell Kit, pools up to 40,000 gal, 16ft cable

Step 4: Order Control System User Interface
(PDA Handheld User Interface included with PDA System Levels)

JY7953	AquaLink RS OneTouch, Wired, white
JY7954	AquaLink RS OneTouch, Wired, black
JYRSOTRF	AquaLink RS OneTouch, Wireless, black
JYTCHLNK-RF	AquaLink Touch, Desktop, wireless indoor controller w/charger & Jbox
JY6887	All Button, Wired, Only P8
JY6891	All Button, Wired, Only P4

Step 5: Order Accessories
For All Button, OneTouch, or Touch Panel interfaces – NOT compatible with PDA systems.

JY7443	4-Ftn Spa Side, white, 150ft
JY7444	4-Ftn Spa Side, black, 150ft
JY7227	8-Ftn SpaLink, white, 150ft
JY7888	8-Ftn SpaLink, black, 150ft
JY6587	Incandescent Light Dimming Module
JY6908	AquaLink RS Surge Protection Kit

CONTROLLERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Notes

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	**913-492-1520**	**toll free 800-927-POOL (7665)**	**fax 913-492-2631 or 800-927-4286**
Houston	**713-773-9000**	**toll free 800-769-POOL (7665)**	**fax 713-773-9926**

CONTROLLERS

Century®
A.O. SMITH
ELECTRICAL PRODUCTS
COMPANY

Square Flange, Single Speed, Up Rated

CEB856	1/2 HP, 115/230v, 4.0/8.0 amp
CEB2852	3/4 HP, 115/230v, 5.4/10.8 amp
CEB2853	1 HP, 115/230v, 7.1/14.2 amp
CEB2854	1-1/2 HP, 115/230v, 8.0/16.0 amp
CEB855	2 HP, 230v, 10.0 amp
CEB840	2-1/2 HP, 230v, 11.5 amp

energy efficient

Square Flange, Single Speed, Full Rated

CEB2847	3/4 HP, 115/230v, 7.1/14.2 amp
CEB2848	1 HP, 115/230v, 8.0/16.0 amp
CEB2849	1-1/2 HP, 230v, 10.0 amp
CEB2748	2 HP, 230v, 11.5 amp

Square Flange, 2-Speed, Full Rated

CEB981	3/4—1/8 HP, 115v, 14.6/4.7 amp
CEB982	1—1/6 HP, 230v, 7.2/3.0 amp
CEB2983	1-1/2—1/4 HP, 230v, 10.0/3.5 amp
CEB984	2—1/3 HP, 230v, 11.0/4.0 amp
CEB985	2—1/3 HP, 230v, 10.4/3.3 amp

Square Flange, Single Speed, Uprated

AOUSQ1052	1/2 HP Square Flange, 115/230v, 8.2/4.1 amp
AOUSQ1072	3/4 HP Square Flange, 115/230v, 11.8/5.9 amp
AOUSQ1102	1 HP Square Flange, 115/230v, 14.8/7.4 amp
AOUSQ1152	1-1/2 HP Square Flange, 230v, 19.2/9.6 amp
AOUSQ1202	2 HP Square Flange, 230v, 10.4 amp
AOUSQ1252	2-1/2 HP Square Flange, 230v, 11.2 amp
AOSQ1302	3 HP Square Flange, 1 phase, 230v, 15.4 amp
AOQ3302	3 HP Square Flange, 3 phase, 230/460v, 9.7/4.9 amp

energy efficient

Threaded Shaft, Single Speed—NEMA C Flange, Full Rated

CEB126	1/2 HP Threaded Shaft, 115/230v, 4.4/8.8 amp
CEB127	3/4 HP Threaded Shaft, 115/230v, 6.0/12.0 amp
CEB128	1 HP Threaded Shaft, 115/230v, 7.2/14.4 amp
CEB129	1-1/2 HP Threaded Shaft, 115/230v, 9.2/18.4 amp
CEB130	2 HP Threaded Shaft, 230v, 10.5 amp

Threaded Shaft, 2-Speed—NEMA C Flange, Full Rated

CEB975	1—1/8 HP, 230v, 6.3/2.3 amp
CEB977	1-1/2—1/5 HP, 230v, 8.9/3.1 amp
CEB979	2—1/4 HP, 230v, 10.6/3.2 amp

Threaded Shaft, Single Speed—NEMA C Flange

AOST1052	1/2 HP Threaded Shaft, 115/230v, 10.6/5.3 amp
AOST1072	3/4 HP Threaded Shaft, 115/230v, 14.6/7.3 amp
AOST1102	1 HP Threaded Shaft, 115/230v, 17.0/8.5 amp
AOST1152	1-1/2 HP Threaded Shaft, 115/230v, 21.6/10.8 amp
AOST1202	2 HP Threaded Shaft, 230v, 11.2 amp

energy efficient

ELECTRICAL

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

A.O. Smith/Century Motors

Threaded Shaft, NEMA C Flange for Hayward NorthStar, Full Rated – *Hoston Only*

CEUSN1102   1 HP, 208-230/115v, 6.0-5.5/11 amp
CEUSN1152   1-1/2 HP, 208-230/115v, 8.5-7.8/15.6 amp
CEUSN1202   2 HP, 208-230/115v, 11-10.2/20.4 amp
CEUSN1252   2-1/2 HP, 208-230v, 13-11.8 amp
CEUSN1302   3 HP, 208-230v, 16-14.8 amp

⊘S Century®
A.O. SMITH
ELECTRICAL PRODUCTS
COMPANY
A DIVISION OF A. O. SMITH CORPORATION

Threaded Shaft, 2-Speed — "Thru-Bolt" 56Y-Frame

CEB232   1- .18 HP, 230v, 6.4/2.6 amp
CEB2233   2- .25 HP, 230v, 8.0/3.0 amp
CEB2234   3- .30 HP, 230v, 10.0/3.5 amp
CEB2235   4- .50 HP, 230v, 12.0/4.4 amp
CEB236   5- .63 HP, 230v, 16.4/4.8 amp

Replacement Pump Motor Guide

NEMA "C" Flange (56C) - Keyed Shaft		NEMA "C" Flange (56J) - Threaded Shaft	
Aqua Flo	Bronze	Aqua Flo	Dominator
	C-face	Polaris	Booster Pump
Jacuzzi Bros	Dominator	Hayward	Super Pump
Pentair	Bronze		Super Pump II
	HydroPump		Max-Flo
Sta-Rite	Bronze		

NEMA Square Flange (56Y)		"Thru-Bolt" (48Y)	
Aqua Flo	Dominator	Aqua Flo	Flo-Master
Pentair	Challenger		Tub-Master
	Pinnacle	Hayward	Power Flo
	Whisperflo	Pentair	Dynamo
Sta-Rite	Dura-Glas		OptiFlo
	Dura-Glas II	Waterway	Hi-Flo
	Max-E-Glas		Super Flo
	Max-E-Glas II	Sta-Rite	ABG-series
	Dyna-Glas		JS-series

Keyed Shaft, Single Speed—NEMA C Flange, Full Rated

CEB121   3/4 HP Keyed Shaft, 115/230v, 6.0/12.0 amp
CEB122   1 HP Keyed Shaft, 115/230v, 7.2/14.4 amp
CEB123   1-1/2 HP Keyed Shaft, 115/230v, 9.2/18.4 amp
CEB124   2 HP Keyed Shaft, 230v, 10.5 amp
CEB125   3 HP Keyed Shaft, 230v, 14.1 amp

Specialty Pool Cleaner Motors

CEB625   3/4 HP Horizontal Mount, 115/230v, 6.4/12.8 amp, Polaris
CEB667   3/4 HP Horizontal Mount, 115/230v, 6.0/12.0 amp, Letro

Split Phase, Single Speed—"Thru-Bolt" 48-Frame

CEBN23SS   1/2 HP Split Phase, 115v, 7.2 amp
CEBN24SS   3/4 HP Split Phase, 115v, 9.8 amp
CEBN25SS   1 HP Split Phase, 115v, 12.0 amp
CEBN35   1-1/2 HP Split Phase, 115/230v, 8.0/16.0 amp
CEBN40   2 HP Split Phase, 115/230v, 10.0/20.0 amp

ELECTRICAL

Great Plains Supply • Pool & Spa Products Dealer Catalog
Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Split Phase, 2-Speed – "Thru-Bolt" 48-Frame

CEBN36   3/4—.10 HP Split Phase, 115v, 8.8/2.6 amp
CEBN37   1—.12 HO Split Phase, 115v, 11.0/2.9 amp
CEBN50   1-1/2—1/4 HP Split Phase, 115v, 16.4/4.4 amp
CEBN34   1-1/2—1/6 HP Split Phase, 230v, 8.0/2.6 amp
CEBN51   2—1/4 HP Split Phase, 230v, 10.5/2.6 amp
CEBN61   2—1/4 HP Split Phase, 230v, 8.5/2.8 amp
CEBN62   3—3/8 HP Split Phase, 230v, 12.0/3.5 amp

Guardian SVRS-Approved Motors

Guardian is listed to the ASME A112.19.17 SVRS standard for suction lift applications and is an electrical type SVRS, meaning it releases the entrapment victim by sensing the entrapment condition and shutting off the motor. Guardian is completely integrated into the motor circuit, and there are no external parts or connections to the plumbing or electrical system.

Threaded Shaft, Single Speed – NEMA C Flange

AOSTG1102   1HP, 115/230v, 18.6/9.3 amp, 1.50SF
AOUSTG1102   1HP, 115/230v, 15.0/7.5 amp, 1.10SF
CEBG128   1HP, 230/115v 7.2/14.4 amp, 1.40SF
AOUSTG1152   1-1/2HP, 115/230v, 18.6/9.3 amp, 1.00SF
CEBG129   1-1/2HP, 230/115v, 9.2/18.4 amp, 1.30SF

Square Flange, Single Speed, 56Y Frame

CEBG848   1HP, 230/115v, 8.0/16.0 amp, 1.65SF
CEBG853   1HP, 230/115v, 7.1/14.2 amp, 1.25SF
CEBG854   1-1/2HP, 230/115v, 8.0/16.0 amp, 1.10SF
CEBG855   2HP, 230v, 10.0 amp, 1.10SF

Square Flange, Single Speed, 48Y Frame

AOUSQG1072 3/4HP, 115/230v, 11.8/5.9 amp, 1.27SF
AOUSQG1102 1HP, 115/230v, 14.8/7.4 amp, 1.25SF
AOUSQG1152 1-1/2HP, 115/230v, 19.2/9.6 amp, 1.10SF

NOTE: Guardian motors will not prevent eviscerations, hair, object, or partial limb entrapment and is designed for suction lift applications.

ELECTRICAL

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Hayward Underwater Lighting

Hayward ColorLogic 4.0 LED Pool Lights

Provides brighter, more vivid colors and light shows, and is energy efficient. 7-light shows and 5-fixed colors (can be customized to 101 different colors), along with synchronized lighting with speed, motion and brightness control. Other features include 15 seconds of white light at start-up and the ability to synchronize 2 or more lights.

SP527SLED30   ColorLogic 4.0 LED Pool Light, stainless steel face ring, 120V 30' cord
SP527SLED50   ColorLogic 4.0 LED Pool Light, stainless steel face ring, 120V 50' cord
SP527SLED100 ColorLogic 4.0 LED Pool Light, stainless steel face ring, 120V 100' cord
SP527SLED150 ColorLogic 4.0 LED Pool Light, stainless steel face ring, 120V 150' cord

Hayward ColorLogic 2.5 LED Pool Lights

For 12V applications

SP527SLED50   ColorLogic 2.5 LED Pool Light, stainless steel face ring, 12V 50' cord
SP527SLED100 ColorLogic 2.5 LED Pool Light, stainless steel face ring, 12V 100' cord

Hayward DuraLite for Pools

Clear lens, Plastic face ring.

SP571N30   DuraLite, 300w, 12v, 30' cord
SP571N50   DuraLite, 300w, 12v, 50' cord

Hayward DuraNiche

For AstroLite, AstroLite II, and ColorLogic Pool and Spa Lights.

SP600U   3/4" or 1" Concrete Niche, large
SP607U   3/4" or 1" Vinyl/Fiberglass Niche, large
SP601U   3/4" or 1" Concrete Niche, small

HAYWARD®

HAYWARD
ColorLogic™
Pool

ELECTRICAL

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631** **or** **800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Pentair FIBER*works*® Fiberoptic Lighting

For swimming pools, spas, steps, fountains, and landscaping. Lighting is softer with no glare and no electricity at the pool or spa. System plugs into standard GFI 120 volt AC outlet. Select desired illuminator and purchase light system(s) required for job separately.

Pentair FIBERworks® PG2000

FIBER*works* PG2000 with 600 fiber capacity are available in white light only, or models with seven water-enhancing colors. Manual units are pre-wired for IntelliTouch operation. Color synchronized models feature the revolutionary FreedomSync technoloy requiring no wires or conduit between units. PG2000 FreedomSync units automatically color synchronize with "SAm" and "SAL."

PF840240	White light only
PF840241	7-color, manual switch, IntelliTouch Compatible
PF840242	7-color, synchronized, manual switch, IntelliTouch Compatible, with FreedomSync for SAm and SAI lights.

Pentair IntelliBrite 5g Color LED Pool and Spa Lights

Automated color-changing pool and spa light with LED technology provides vivid colors and light shows, and it is energy efficient. 7-light shows and 5-fixed colors (can be customized to 101 different colors), along with synchronized lighting with speed, motion and brightness control. Other features include 15 seconds of white light at start-up and the ability to synchronize 2 or more lights. Special reflector design directs light to the pool bottom for increased intensity and minimum glare. Lens can be rotated 180o to create wide beam or narrow beam pattern. With stainless steel light ring.

PF601000	IntelliBrite 5g Color Pool LED Light, 120v 30' cord
PF601001	IntelliBrite 5g Color Pool LED Light, 120v 50' cord
PF601002	IntelliBrite 5g Color Pool LED Light, 120v 100' cord
PF640050	IntelliBrite 5g Color Spa LED Light, 120v 30' cord
PF640051	IntelliBrite 5g Color Spa LED Light, 120v 50' cord
PF640052	IntelliBrite 5g Color Spa LED Light, 120v 100' cord
PF601010	IntelliBrite 5g Color Pool LED Light, 12v 30' cord
PF601011	IntelliBrite 5g Color Pool LED Light, 12v 50' cord
PF601012	IntelliBrite 5g Color Pool LED Light, 12v 100' cord
PF640053	IntelliBrite 5g Color Spa LED Light, 12v 30' cord
PF640054	IntelliBrite 5g Color Spa LED Light, 12v 50' cord
PF640055	IntelliBrite 5g Color Spa LED Light, 12v 100' cord

Pentair *Pool Products*™

*Because **reliability** matters most*

ELECTRICAL

IntelliBrite 5g White LED Pool Light – *special order only*

IntelliBrite 5g technology with the purest whitest illumination in LED. More energy efficient than traditional incandescent lighting, and LED technology provides longer life. 500 Watt equivalency; with stainless steel face ring.

PF601300	IntelliBrite 5g White Pool LED Light, 500W equivalency, 120v 30'cord
PF601301	IntelliBrite 5g White Pool LED Light, 500W equivalency, 120v 50'cord
PF601302	IntelliBrite 5g White Pool LED Light, 500W equivalency, 120v 100'cord
PF601303	IntelliBrite 5g White Pool LED Light, 500W equivalency, 120v 150'cord

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Pentair Underwater Lighting

Pentair Amerlite Pool Light

Clear lens, stainless steel face ring.

AP78458100   Amerlite, 500W, 120v, 50' cord
AP78456300   Amerlite, 500W, 120v, 100' cord
AP78438100   Amerlite, 300w, 12v, 50' cord

Pentair AquaLight Pool & Spa Light

Halogen bulb, clear lens, stainless steel face ring.

AP77168100   AquaLight, 250W, 120v, 50' cord
AP77360300   AquaLight, 250W, 120v, 100' cord
AP77118100   AquaLight, 100W, 120v, 50' cord
AP77310100   AquaLight, 100W, 120v, 100' cord

Pentair Stainless Steel Niches for Pools

Stainless steel housing, brass hub, internal/external bonding lugs.

AP78210400   3/4" top hub for Concrete
AP78210500   1" top hub for Concrete
AP78232400   3/4" rear hub for Vinyl/Fiberglass, standard 10 hold pattern
AP78232500   1" rear hub for Vinyl/Fiberglass, standard 10 hold pattern

Pentair Stainless Steel Niches for Spas

Stainless steel housing, brass hub, internal/external bonding lugs.

AP78243200   3/4" top hub for Concrete
AP78243300   1" top hub for Concrete
AP78242200   3/4" rear hub for manufactured pools & spas

Pentair Gunite Plastic Niches

High Strength PVC construction includes rebar tie-backs, plastic ring
for secure sealing, gunite/plaster shield and reducer bushings.

PF79206600   small PVC niche, 1" rear hub for gunite
PF79206700   large PVC niche, 1" rear hub for gunite

Pentair QuickNiche for Vinyl Liner Pools

Mounts and seals like a vinyl inlet fitting, with a rubber gasket
overmolded on seal ring; built-in current-collecting ring from
maximum safety; fits standard niche panel. UL Listed.

PF620004   QuickNiche plastic niche for Vinyl

Swimquip Replacement Pool Lights

8-1/4" diameter with notched light lens and gasket.

SR50860050   Swimquip Light, 500W, 120v, 50' cord
SR50860100   Swimquip Light, 500W, 120v, 100' cord

ELECTRICAL

Pentair *Pool Products*™

Because reliability matters most

STA-RITE®

Professional

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Zodiac WaterColors LED Pool Lights

Energy efficiency in an ultra-slim profile (3.24" Depth). Choose from nine (9) colors and five (5) light shows; stainless steel housing; ETL Listed.

JYCPHVLEDS30   WaterColors LED Pool Light, 120v, 30' cord
JYCPHVLEDS50   WaterColors LED Pool Light, 120v, 50' cord
JYCPHVLEDS100   WaterColors LED Pool Light, 120v, 100' cord
JYCPHVLEDS150   WaterColors LED Pool Light, 120v, 150' cord

Zodiac WaterColors LED Spa Lights

Energy efficiency in an ultra-slim profile (3.23" Depth). Choose from nine (9) colors and five (5) light shows; stainless steel housing; ETL Listed.

JYCSHVLEDS30   WaterColors LED Spa Light, 120v, 30'cord
JYCSHVLEDS50   WaterColors LED Spa Light, 120v, 50'cord
JYCSHVLEDS100   WaterColors LED Spa Light, 120v, 100'cord
JYCSHVLEDS150   WaterColors LED Spa Light, 120v, 150'cord

Zodiac ProNiche – for Gunite

Injection molded PVC; 1" rear outlet with 45º sweep elbow fitting and ¾" reducer; internal and external bonding lugs. Includes rebar tie-backs and plaster shield.

JYPLNICLRG   ProNiche Large plastic niche for gunite, 8.75" Depth
JYPLNICSM   ProNiche Small plastic niche for gunite, 7.23" Depth

Zodiac ProNiche – for Vinyl/Fiberglass

Injection molded PVC; 1" rear outlet with 45º sweep elbow fitting and ¾" reducer; internal and external bonding lugs. Mounts & seals like vinyl inlet fittings with zero wall panel exposure.

JYPLNICVFLRG   ProNiche Large plastic niche for vinyl/fiberglass, 8.75" Depth

ELECTRICAL

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Underwater Lighting Accessories

Lighting Accessories

ANBT15   Butyl Tape, 15 ft roll
MV2135   Potting Kit for Wet Niche
PT104F   Zinc Sacrificial Anode for salt water pools

Adapter Rings

Use to adapt a new fixture, meets current NEC specs, to most niches
made for discontinued, obsolete fixtures.

AL500B   CP Brass, for Hayward/Starlight 9" minimum niche opening
AL500C   CP Brass, for Amerlite, 9" minimum niche opening
AL500S   Screws for Light Rings (set of 3)

Light Wedge

Provides pilot screw hole for old niches; also wedges light to niche.
Can be used to retrofit old style niches with new style lights.

PT132   Light Wedge

Junction Boxes

AP78310600   Brass base w/polycarbonate cover, (3) 3/4" taps
AP78310700   Brass base w/polycarbonate cover, 3/4" x 1" x 3/4"

Transformers

UL Listed with automatic internal circuit breaker, 120v Primary with 12v/13v/14v Secondary Taps.

IMPX300   12v transformer for 300w maximum

Replacement Light Bulbs

AP79131100   500W, 120v, T3, 118mm
AP78881100   250W, 120v, T3, 78mm
AP78880800   150W, 12v, T3, 83mm
LP1   500W, 120v, R-40, medium base
LP2   400W, 120v, G-30, medium base
LP3   300W, 12v, R-40, medium base
LP4   300W, 12v, PAR 56, screw term, 7" diameter sealed beam
LP5   100W, 12v, R-20, medium base
LP6   100W, 120v, R-20, medium base
LP11   250W, 120v, Q-clear, double contact
LP12   100W, 120v, Q-clear, double contact
LP14   250W, 120v, Q-clear, Mini Can
LP15   100W, 120v, Q-clear, Mini Can
LPGH8   50W, 12v, Q-clear, 2-PIN
LPGE912   12W, 12v, wedge base

LP1   *LP2*   *LP4*

LP9   LP11   LP14

ELECTRICAL

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Coates Inline and Compact Electric Spa Heaters

Stainless Steel tank, replaceable incoloy elements, close-differential thermostat, manual reset hi-limit, and element "on" light. Compact spa heater also has built-in flow switch and "on" light. UL Listed, 1-1/2" male NPT connections.

CA1.5ILS	1.44 KW, Inline Spa Heater, 120v, 12 amp
CA6ILS	5.75 KW, Inline Spa Heater, 240v, 25 amp
CA12406ST	5.5 KW, Inline Spa Heater, 240v, 23 amp
CA12411ST	11.0 KW, Inline Spa Heater, 240v, 46 amp

Inline   *Compact*

Coates Commercial Electric Pool & Spa Heaters

Stainless Steel tank, replaceable incoloy elements, close-differential thermostat, manual reset hi-limit, and heavy duty contactor. With built-in flow switch. UL Listed, two-year warranty on stainless steel tank.
*** NOTE: These are Special Order Items. Allow minimum 10 working days.*

240 Volt/Single Phase

CA12412CE	12 KW Electric Heater, 240v, 1 Phase, 51 amp
CA12415CE	15 KW Electric Heater, 240v, 1 Phase, 64 amp
CA12418CE	18 KW Electric Heater, 240v, 1 Phase, 77 amp
CA12424CPH	24 KW Electric Heater, 240v, 1 Phase, 102 amp
CA12430CPH	30 KW Electric Heater, 240v, 1 Phase, 128 amp
CA12436PHS-3	36 KW Electric Heater, 240v, 1 Phase, 153 amp
CA12445PHS	45 KW Electric Heater, 240v, 1 Phase, 191 amp
CA12454PHS-4	54 KW Electric Heater, 240v, 1 Phase, 225 amp
CA12457PHS	57 KW Electric Heater, 240v, 1 Phase, 238 amp

240 Volt/Three Phase

CA32412CE	12 KW Electric Heater, 240v, 3 Phase, 30 amp
CA32415CE	15 KW Electric Heater, 240v, 3 Phase, 37 amp
CA32418CE	18 KW Electric Heater, 240v, 3 Phase, 45 amp
CA32424CPH	24 KW Electric Heater, 240v, 3 Phase, 59 amp
CA32430CPH	30 KW Electric Heater, 240v, 3 Phase, 74 amp
CA32436PHS-3	36 KW Electric Heater, 240v, 3 Phase, 89 amp
CA32445PHS	45 KW Electric Heater, 240v, 3 Phase, 111 amp
CA32454PHS-4	54 KW Electric Heater, 240v, 3 Phase, 130 amp
CA32457PHS	57 KW Electric Heater, 240v, 3 Phase, 137 amp

NOTE: 208v and 480v available, POA.

Electric Heater Sizing Guide

Model #	KW	Voltage	Phase	Amps	BTU/Hr
CA1.5L	1.44	120	1	12	4,915
CA12406ST	5.5	240	1	23	18.766
CA6IL	5.75	240	1	24	19,625
CA12411ST	11.0	240	1	46	37,530

Spa Water Volume
When the rate of recovery and the spa heat-up time are important, or when the spa is used infrequently, determine the proper heating size with the following calculations:

Capacity of Spa in Gallons = Length x Width x Avg. Depth x 7.5 (gal./cu.ft.)
Desired Temperature rise per Hour = deg.F
KW Required = $\dfrac{\text{Gallon Capacity x 8.3 (lbs./gal.) x temperature rise in deg. F/Hr}}{3413}$

Heating Capacity in Gallons per Hour (GPH)

Heater (KW)	5 deg.F/Hr	10 deg.F/Hr	15 deg.F/Hr	20 deg.F/Hr	25 deg.F/Hr
1.44	118gph	50gph	39gph	—	—
5.75	472gph	236gph	157gph	118gph	95gph
11	902gph	451gph	301gph	226gph	189gph

COATES

HAYWARD®

Hayward H-Series Low NOx Heaters — *Houston Only*

Forced Draft System for Inground Pools and Spas meet the Texas Natural Resource Conservation Commission Code for NOx Emissions standards. Features include a standard cupro nickel heat exchanger with a low profile appearance, lighter weight design, independent left or right side electric, water and gas connections plus 2" x 2-1/2" CPVC union connections. For Indoor/Outdoor use.

SPH250FDN	250,000 BTU Electronic Ignition Natural Gas Low Nox
SPH350FDN	350,000 BTU Electronic Ignition Natural Gas Low Nox
SPH400FDN	400,000 BTU Electronic Ignition Natural Gas Low Nox
SPH250FDP	250,000 BTU Electronic Ignition Propane Low Nox
SPH350FDP	350,000 BTU Electronic Ignition Propane Low Nox
SPH400FDP	400,000 BTU Electronic Ignition Propane Low Nox

HEATERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Pentair MasterTemp™ High Performance Gas Fired Heater

Energy efficient and certified for low NOx emissions; electronic ignition and rotating digital display. Features dual thermostats, temperature safety lockout, and compact, rustproof composite cabinet.

PF46-0730   200,000 BTU Electronic Ignition MasterTemp—Natural Gas
PF46-0732   250,000 BTU Electronic Ignition MasterTemp—Natural Gas
PF46-0734   300,000 BTU Electronic Ignition MasterTemp—Natural Gas
PF46-0736   400,000 BTU Electronic Ignition MasterTemp—Natural Gas

PF46-0731   200,000 BTU Electronic Ignition MasterTemp—LP Gas
PF46-0733   250,000 BTU Electronic Ignition MasterTemp—LP Gas
PF46-0735   300,000 BTU Electronic Ignition MasterTemp—LP Gas
PF46-0737   400,000 BTU Electronic Ignition MasterTemp—LP Gas

PF46-0775   400,000 BTU ASME Electronic Ignition MasterTemp—Natural Gas

Pentair UltraTemp Heat Pumps

Transfer heat from outside air to pool or spa to provide up to 80% more energy efficient heating alternatives in regions where they are practical. Units are charged with non-ozone depleting refrigerant, R410A, and have a 100% pure titanium heat exchanger, AutoSet to control water temperature and circulation, automatic defrost feature, and intuitive, menu-driven LCD control board. Compatible with all automated control packages. Almond Cabinet.

PF460932   UltraTemp 110, 108K/101K BTU
PF460933   UltraTemp 120, 125K/117K BTU
PF460935   UltraTemp 120 H/C, 125K/117K BTU; 71K Cool
PF460937   UltraTemp 120C, 125K/115K BTU, 3 phase

Pentair *Pool Products*™
*Because **reliability** matters most*

HEATERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631   or   800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Sta-Rite Max-E-Therm® Pool or Spa Gas Fired Heater

Energy efficient and certified for low NOx emissions, unit features dual thermostats, temperature safety lock-out, unique patented burner technology, and 6 position control panel. The round Dura-Glas resin cabinet is rust-proof, with plastic manifold and CPVC union connectors. One-step, one orifice conversion from Natural to Propane conversion kit is available.

SR200NA	200,000 BTU Electronic Ignition Max-E-Therm – Natural Gas
SR250NA	250,000 BTU Electronic Ignition Max-E-Therm – Natural Gas
SR300NA	300,000 BTU Electronic Ignition Max-E-Therm – Natural Gas
SR400NA	400,000 BTU Electronic Ignition Max-E-Therm – Natural Gas
SR200LP	200,000 BTU Electronic Ignition Max-E-Therm – Propane
SR250LP	250,000 BTU Electronic Ignition Max-E-Therm – Propane
SR300LP	300,000 BTU Electronic Ignition Max-E-Therm – Propane
SR400LP	400,000 BTU Electronic Ignition Max-E-Therm – Propane
SR46-0763	400,000 BTU ASME Electronic Ignition Max-E-Therm – Natural Gas

Sta-Rite Max-E-Therm Heater Accessories

Vertical Venting – Negative Pressure
SR77707-0076   4" x 6" metal flue collar
SR77707-0077   4" x 8" metal flue collar

Horizontal or Vertical Venting – Positive Pressure
SR77707-0086   Appliance adapter, s.s. - mfg by Heat Fab Venting
SR77707-0087   Appliance adapter, s.s. - mfg by Z-Flex US Venting

Conversion Kits — Natural Gas to LPG
SR77707-1461   Conversion Kit NG-LPG 200K Pool & Spa
PF460741   Conversion Kit NG-LPG 250K Pool & Spa
PF460755   Conversion Kit NG-LPG 300K Pool & Spa
SR77707-1451   Conversion Kit NG-LPG 333K Pool & Spa
SR77707-1441   Conversion Kit NG-LPG 400K Pool & Spa

Conversion Kits — LPG to Natural Gas
SR77707-1431   Conversion Kit LPG-NG 200K Pool & Spa
PF460742   Conversion Kit LPG-NG 250K Pool & Spa
PF460756   Conversion Kit LPG-NG 300K Pool & Spa
SR77707-1421   Conversion Kit LPG-NG 333K Pool & Spa
SR77707-1411   Conversion Kit LPG-NG 400K Pool & Spa

STA-RITE®

Professional

HEATERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Raypak Heaters

Raypak Gas Heaters
Raypak Gas Heaters feature non-corrosive copper or cupro-nickel waterways, with Capron resin headers, 2" CPVC unions, wind resistant cabinet and vent, no condensation to harm heater, plus high fuel efficiency. Raypak is an ISO 9001 registered manufacturer. Every Raypak gas pool heater is plumbed and test fired before it is packed for shipment.

Raypak Millivolt Heaters — *Lenexa Only*
With mechanical thermostat. Completely field serviceable, small footprint.

RKPR206AMN   Millivolt 199,500 BTU—Natural Gas
RKPR266AMN   Millivolt 266,000 BTU—Natural Gas
RKPR336AMN   Millivolt 332,500 BTU—Natural Gas
RKPR406AMN   Millivolt 399,000 BTU—Natural Gas

Raypak Digital Electronic Ignition Heaters — *Lenexa Only*
With dual thermostats, constant readout of pool temperature with push button adjustment, self diagnostics. Compatible with most major two or three wire pool control systems.

RKPR206AEN   Digital Electronic Ignition 199,500 BTU—Natural Gas
RKPR266AEN   Digital Electronic Ignition 266,000 BTU—Natural Gas
RKPR336AEN   Digital Electronic Ignition 332,500 BTU—Natural Gas
RKPR406AEN   Digital Electronic Ignition 399,000 BTU—Natural Gas

RKPR206AEP   Digital Electronic Ignition 199,500 BTU—LP Gas
RKPR266AEP   Digital Electronic Ignition 266,000 BTU—LP Gas
RKPR336AEP   Digital Electronic Ignition 332,500 BTU—LP Gas
RKPR406AEP   Digital Electronic Ignition 399,000 BTU—LP Gas

RKPR206AENASME   Digital Electronic Ignition & ASME 199,500 BTU—Natural Gas
RKPR266AENASME   Digital Electronic Ignition & ASME 266,000 BTU—Natural Gas
RKPR336AENASME   Digital Electronic Ignition & ASME 332,500 BTU—Natural Gas
RKPR406AENASME   Digital Electronic Ignition & ASME 399,000 BTU—Natural Gas

RKPR206AEPASME   Digital Electronic Ignition & ASME 199,500 BTU—LP Gas
RKPR266AEPASME   Digital Electronic Ignition & ASME 266,000 BTU—LP Gas
RKPR336AEPASME   Digital Electronic Ignition & ASME 332,500 BTU—LP Gas
RKPR406AEPASME   Digital Electronic Ignition & ASME 399,000 BTU—LP Gas

Raypak Digital Electronic Low NOx Heaters — *Houston Only*
Outdoor Top included. LCD digital display provides accurate temperature.

RKPR207AEN   Digital Low NOx 199,500 BTU—Natural Gas
RKPR267AEN   Digital Low NOx 266,000 BTU—Natural Gas
RKPR337AEN   Digital Low NOx 332,000 BTU—Natural Gas
RKPR407AEN   Digital Low NOx 399,000 BTU—Natural Gas

RKCR207AENASME   Digital Low NOx & ASME 199,500 BTU—Natural Gas
RKCR267AENASME   Digital Low NOx & ASME 266,000 BTU—Natural Gas
RKCR337AENASME   Digital Low NOx & ASME 332,000 BTU—Natural Gas
RKCR407AENASME   Digital Low NOx & ASME 399,000 BTU—Natural Gas

Note: Low NOx heaters may be ordered for Propane fuel. To order change the Order Number suffis from AEN (Natural Gas) to AEP (Propane).

HEATERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Raypak Indoor Drafthoods

RK009838   Drafthood for 206/207
RK009839   Drafthood for 266/267
RK009840   Drafthood for 336/337
RK009841   Drafthood for 407/407

Raypak D2 Power Vent for Indoor Use

RK009832   D2 Power Vent for 206-267
RK009833   D2 Power Vent for 336-407

Raypak Versa 130 Spa or Above Ground Pool Heater

Millivolt control system. 1-1/2" bronze headers, single thermostat. Outdoor grate top or indoor draft hood.

RKPR130AMN   130,000 BTU Millivolt Versa 130 & Top—Natural Gas
RKPR130AMP   130,000 BTU Millivolt Versa 130 & Top—LP Gas

Raypak Versa 055 Spa Heater

Millivolt control system. 1-1/2" bronze headers, single thermostat. Outdoor grate top or indoor draft hood.

RKB55BMN   50,000 BTU Millivolt Versa 055 & Top— Natural Gas
RKB55BMP   50,000 BTU Millivolt Versa 055 & Top—LP Gas

Raypak Spa-Pak Electric Spa Heaters

Compact design for easy installation, UL approved for outdoor or indoor use. 1-1/2" ports. Hi-limit manual reset and safety pressure switch included.

RKELS5522   5.5 kW, 240v, 1 phase, 30 amp service required.
RKELS11022   11.0 kW, 240, 1 phase, 50 amp service required.

HEATERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Raypak Heaters & Heater Accessories

Raypak Residential Heat Pumps

By transferring the heat from the atmosphere to the pool, heat pumps provide optimum energy efficiency in regions where they are practical, using up to 80% less energy. Raypak heat pumps feature a Titanium heat exchanger and scroll compressor.

Raypak Classic Series Heat Pumps

With digital controls, Single Phase, 208/230v, 60 cycle

RK013306	R5350ti-E, Standard 95/92K BTU, Digital Controls
RK013307	R6350ti-E, Deluxe 117/113K BTU Digital Controls
RK013331	R8350ti-E, Deluxe 133/125K BTU Digital Controls

Raypak Classic Series Heat Pumps

With analog controls, Single Phase, 208/230v, 60 cycle

RK013319	R5350ti-A, Standard 95/92K BTU, Analog Controls
RK013320	R6350ti-A, Deluxe 117/113K BTU, Analog Controls
RK013334	R8350ti-A, Deluxe 133/125K BTU, Analog Controls

Raypak Specialty Model Heat Cool Pumps

With digital controls, Single Phase, 208/230v, 60 cycle

RK013309	R6350ti-EHC, Heat Cool, 110/104K BTU, Digital Controls
RK013336	R8350ti-EHC, Heat Cool, 133,000/125,000 BTU, Digital Controls

Raypak 3-Phase Heat Pumps

Three Phase, 208/230v, 60 cycle

RK013412	R8353ti-E, Digital Control, 133/125K BTU, 3 Phase
RK013431	R8353ti-E, Analog Control, 133/125K BTU, 3 Phase
RK013342	R8353ti-EHC, Heat Cool, Digital Control, 133/125K BTU, 3 Phase

HEATERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631**   or   **800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Pool Fountains

Ocean Blue Fountains

Portable pool fountain runs off return line. Works on both Above-Ground and Inground pools.

MC180006   Flower Fountain
MC180010   Grecian Fountain

Polaris Waterstars Fountains

Portable pool fountain runs off return or discharge line. Works on both Above-Ground and Inground pools.

PV1110000   Waterstars WF (wall-mounted) Fountain
PV740000   Waterstars Floating Fountain

Water Features

Pentair MagicStream Laminar Jets

Create clear, uniform arcs of moving water that originate from either your pool deck or surrounding landscape. LED light source provides brilliant colors for evening viewing. Water streams can reach up to 7ft high and project outward up to 8 ft into water feature. Laminars ship fully assembled. LED requires 12v power. Choose from Black (B), Grey (G), or Tan (T).

PF580001_   Laminar LED

Pentair Deck Jet

Water effects can be cast into concrete decks & gunite pool walls, mounted in the sidewall of aboveground and vinyl-lined pools, or blended into surrounding landscapes. Streams reach up to 8ft and direction can be adjusted. Includes five interchangeable water effect eyeballs and construction shield.

PF580000   Deck Jet

Pentair Deck Jet II

Creates graceful arcs of water that enter the pool with a gentle splash. Jets install flush with pool deck. Height adjustable up to 6ft and adjustable 360º.

PF580003   Deck Jet II

Custom Cascades Standard 1-1/2" Lip Straight Waterfall

Attaches directly into pool plumbing with dual inlets.
Operates on pool filter pump.
CV100012   1 foot standard waterfall
CV100018   1-1/2 foot standard waterfall
CV100024   2 foot standard waterfall
CV100036   3 foot standard waterfall
CV100048   4 foot standard waterfall

Custom Cascades Extended 6" Lip Straight Waterfall

Extended lip for applications incorporating thick materials, such as brick or glass block, or radius walls. Can be custom cut in the field for curves and irregular shapes.
CV200012XL   1 foot extended lip waterfall
CV200018XL   1-1/2 foot extended lip waterfall
CV200024XL   2 foot extended lip waterfall
CV200036XL   3 foot extended lip waterfall
CV200048XL   4 foot extended lip waterfall

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pool Fountains

Zodiac Sheer Descent Waterfalls

Produces a clear arc of water projecting away from the pool wall. Flow can be adjusted effects ranging from almost silent glass-like sheet of water to rushing mountain spring waterfall. X-Baffle, PVC construction. Available in White (W), Gray (G), or Clear (C) finish.

JY1101_	1ftSheer Descent Waterfall, 1" standard lip – Back Feed
JY1118_	18in Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1102_	2ft Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1103_	3ft Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1104_	4ft Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1105_	5ft Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1106_	6ft Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1107_	7ft Sheer Descent Waterfall, 1" standard lip– Back Feed
JY1108_	8ft Sheer Descent Waterfall, 1" standard lip– Back Feed

Also available in 6" or 12" Extended Lip Back Feed, or 1" Standard or 6" or 12" Extended Lip Bottom Feed. Call for Quote.

Zodiac Sheer Arc Waterfalls

Projects upward at a 45º angle and then naturally arcs and descends to the pool surface. Can be positioned just above waterline, thus eliminating the need for a raised bond beam – perfect for vinyl liner pools. Clear Lip.

JY1201CSA	1ft Sheer Arc Waterfall, 6" extended lip – Back Feed
JY1218CSA	18in Sheer Arc Waterfall, 6" extended lip – Back Feed
JY1202CSA	2ft Sheer Arc Waterfall, 6" extended lip – Back Feed

Zodiac Laminar Jets with LED

Produce clear or lighted arcs of water (easily adjusted at the deck to create arcs up to 7ft high and up to 8ft projection into pool) as they silently enter pool or spa. Laminars come standard with built-in 12v LED light module; interface with Aqualink RS and PDA controllers to synchronize with LED Pool & Spa Lights.

JYJLLED	Laminar Jet with lid, deck ring, canister & LED Light Module, and 100'electrical cable
JYJLFBR	Laminar Jet with lid, deck ring, canister & Fiber Optic Ready module

Zodiac Deck Jets

Create shimmering arcs of water from deck into pool or spa. Can be installed in almost any combination, and can be adjusted 360o. Packed in set of four jets; pressure plug and 2- ½" diameter polished bronze composite deck cover plates included.

JYJDJ2004	Deck Jets, 4 per pack

Zodiac Mini Jets

Creates shimmering arcs of water and can be mounted in the deck or pool wall.

JYFCMJ1050	FlowControl, Adjustable Nozzle MiniJet with adjustment tool.
JYFFJ	Standard MiniJet Niche with Comet Nozzle for gunite pools. Includes cover plate.
JYFFMJ-VL	MiniJet Niche with Comet Nozzle for vinyl pools
JYFFMJ-FN1	MiniJet Fan Nozzle (3/8")
JYFFMJ-FN2	MiniJet Fan Nozzle (1/2")

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	**913-492-1520**	**toll free 800-927-POOL (7665)**	**fax 913-492-2631 or 800-927-4286**
Houston	**713-773-9000**	**toll free 800-769-POOL (7665)**	**fax 713-773-9926**

Skimmers for Concrete Pools

SR86504404   U-3 Skimmer with lid, ring & basket, 2" SKT with 1-1/2" SKT reducer, white
SR86505404   U-3 Skimmer with lid, ring & basket, 2" SKT with 1-1/2" SKT reducer, tan
SP1082   Auto-Skim with square frame & lid, 2" FIP, 5-1/4" throat
PF50-6300   Bermuda Skimmer, 2" slip, white
PF50-6302   Bermuda Skimmer, 2" slip, tan
PF50-6365   Bermuda Skimmer, 2" slip, black

U-3 Skimmer

FITTINGS

Skimmers for Fiberglass Pools

BH50W1006   Baker Hydro Prefab Deluxe with control plate

Auto-Skim

Skimmers for Vinyl Liner Pools

SP10851OM   Auto-Skim thru-wall, 12-1/4" throat, 1-1/2" FIP
SP10841OM   Auto-Skim thru-wall, 8-1/2" throat, 1-1/2" FIP

*Wide Mouth
Dyna-Skim*

Skimmers for Above Ground Pools

SP1091WM   Wide Mouth Dyna Skim, 1'1/2" FPT
SP1094   Dyna Skim, 1-1/2" FPT, with skim vac

Skimmers for Spas

SP1099S   Hayward Front access, 1-1/2" SKT x 2" Slip

Front Access

Skimmer Accessories

SP1084P1   Extension collar for SP1082, 1084, 1086
SP1070P   Extension collar for U-3 Skimmer
SR86500169   U-3 Skimmer frame & lid, White
SR86500159   U-3 Skimmer frame & lid, Tan
SR86500079   Float valve assembly for U-3 Skimmer

Above Ground Vacuum Plates

SP1094D   For 1094, 1095, with elbow hose connection
SP11041   For SP1090, 91, 92, with elbow hose connection
SP11054   Deluxe for SP1090, 91, 92, with straight hose connection

SP11041

Inground Vacuum Plates

SP1106   For SP1082, 84, 85, 75, Deluxe, with hose connection
SP1107   For SP1082, 84, 85, 75, with hose connection
SP11071   For SP1089, with elbow hose connection
SR86500042 For U-3 Skimmer

Vacuum Fittings & Adapters

SP1022S   1-1/2" SKT x 2" MIP, plastic
FRA410900   1-1/2" FIB x 2" MIP x 1-1/2" hose, CP brass
SP1091-Z-7   1-1/2" MIP x 1-1/4" x 1-1/2" combo hose male (smooth) adapter

SP11054

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   toll free **800-927-POOL (7665)**   fax **913-492-2631** or **800-927-4286**
Houston   **713-773-9000**   toll free **800-769-POOL (7665)**   fax **713-773-9926**

FITTINGS

Main Drains for Vinyl and Fiberglass Pools
ASME/ANSI A112.19.8 approved

SPWG1048AV	Hayward 8" diam. Main Drain, 1-1/2"FIP side x 1-1/2"FIP btm
SPWG1049AV	Hayward 8" diam. Main Drain, 2"FIP side x 1-1/2"FIP btm

Main Drains for Concrete Pools
ASME/ANSI A112.19.8 approved

SPWG1052AV	Hayward 8" diam. Main Drain, 2"FIP side x 1-1/2"FIP btm
PF500110	Pentair 8" diam. Main Drain, 2" side x 1-1/2" btm
PF500120	Pentair 8" diam. Main Drain w/2" dual btm ports
WI640-2320	Pentair 8" diam. Main Drain w/2" dual btm ports, White
WI640-2321	Pentair 8" diam. Main Drain w/2" dual btm ports, Black
AS32CDFL101	AquaStar 32" channel drain w/3-ports (2-1/2"spgx2"sktx2"NPT), White

Main Drains for Commercial
ASME/ANSI A112.19.8 approved

LWSG0909W	Lawson Aquatics 9"x9" PVC Sump & Grate, 4" Side Port, White
LWSG1212W	Lawson Aquatics 12"x12" PVC Sump & Grate, 6" Side Port, White
LWSG1818W	Lawson Aquatics 18"x18" PVC Sump & Grate, 8" Side Port, White

Main Drain Frames & Grates
ASME/ANSI A112.19.8 approved

ASLP8AV101	AquaStar 8" diam. Low Profile Frame & Anti-Vortex Grate, White
ASRLP8AV101	AquaStar 8" diam. Retro Low Profile Frame & Anti-Vortex Grate, White
SPWG1048EWBLK	Hayward 8" diam. Replacement Frame and Anti-Vortex Grate, Black
PF500100	Pentair 8" diam. Replacement Frame and Anti-Vortex Grate, Black
PF500108	Pentair 8" diam. Replacement Frame and Anti-Vortex Grate, White
WI640-2310	Waterway 8" diam. Replacement Frame and Anti-Vortex Grate, White
WI640-2311	Waterway 8" diam. Replacement Frame and Anti-Vortex Grate, Black
SGDS360	Stingl 11" diam. Drain Cover will retrofit 5-1/2" to 8"diam. Sumps
SGDS360M	Stingl 10-3/8" diam. Drain Cover will retrofit 5" to 8"diam. Sumps
ASRWAV9101	AquaStar 9"9" Retro Frame & Anti-Vortex Grate, White
ASWAV9101	AquaStar 9"9" Frame & Anti-Vortex Grate, White
LWFGD0909W	Lawson Aquatics 9"x9" Frame & Anti-Vortex Grate, White
ASRWAV12101	AquaStar 12"x12" Retro Frame & Anti-Vortex Grate, White
ASWAV12101	AquaStar 12"x12" Frame & Anti-Vortex Grate, White
SPWG1032	Hayward 12"x12" Frame & Anti-Vortex Grate, White
LWFGD1212W	Lawson Aquatics 12"x12" Frame & Anti-Vortex Grate, White
AS1216101	AquaStar 16"x16" Frame & Anti-Vortex Grate, White
ASR1216101	AquaStar 16"x16" Retro Frame & Anti-Vortex Grate, White
ASWAV18101	AquaStar 18"x18" Frame & Anti-Vortex Grate, White
SPWG1033	Hayward 18"x18" Frame & Anti-Vortex Grate, White
LWFGD1818W	Lawson Aquatics 18"x18" Frame & Anti-Vortex Grate, White
AS24101	AquaStar 24"x24" Frame & Anti-Vortex Grate, White
ASWAV24101	AquaStar 24"x24" Frame & Anti-Vortex Grate, White

Hydrostatic Relief Valves

SP1056	1-1/2" MIP, spring-loaded, plastic
SP1056T	Installation & Removal Tool for SP1056, 20/cs
SB4352	1-1/2" Heavy Duty Brass, Commercial
FRA414520	1-1/2" Brass
SP1055	1-1/2" / 2" FIP Sump Collector (pebble) tube, 12" long slotted

SP1055

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Automatic Water Leveler

LLT40F	Letro Auto Fill with Fluid Master Valve
MP1953J-TAN	Auto-Lev Automatic Water Leveler
GPLX2110	Levolor electronic water leveler, 110v

Letro Auto Fill

FITTINGS

Inlet & Eyeball Fittings

SR84290000	1-1/2" SKT eyeball inlet, with gunite shield & orifice kit
SR84170000	Floor Inlet Fitting
PF54-2419	1-1/2" FIP x 2" MIP inlet wall fitting only, black
SP1022	1-1/2" FIP x 2" MIP inlet wall fitting only, white
SP1022S	1-1/2" SKT x 2" MIP inlet wall fitting only, white
SP1023	1-1/2" FIP x 2" MIP inlet with nut, for vinyl liner
SP1023S	1-1/2" Slip x 2" MIP inlet with nut, for vinyl liner
SP1026	1-1/2" MIP grate insert for pool wall outlets
SP1408	1-1/2" FIP wall fitting for vinyl liner
SP1420	1-1/2" MIP eyeball assy with 1" diam rubber nozzle
SP1419A	1-1/2" MIP eyeball assy with slotted hole
SP1419B	1-1/2" MIP eyeball assy with 3/8" hole
SP1419C	1-1/2" MIP eyeball assy with 1/2" hole
SP1419D	1-1/2" MIP eyeball assy with 3/4" hole
SP1419E	1-1/2" MIP eyeball assy with 1" hole
PF54-0022	1-1/2" MIP eyeball assy with 3/4" hole, black
PF54-2002	Economy Insider, 1-1/2" slip
PF54-2423	Insider for Concrete, 2" slip, white
PF54-2424	Insider for Concrete, 2" slip, black

Sta-Rite eyeball inlet

SP1026

SP1408

SP1420

Waterway Specialty Jets

WI210-6080	Fixed Direction Deluxe Jet, Internal, Old Style white
WI210-6081	Fixed Direction Deluxe Jet, Internal, Old Style black
WI210-6090	Roto Deluxe Jet, Internal, Old Style white
WI210-6091	Roto Deluxe Jet, Internal, Old Style black
WI210-6070	Pulsator Deluxe Jet, Internal, Old Style white
WI210-6071	Pulsator Deluxe Jet, Internal, Old Style black
WI212-8050G	Fixed Direction Deluxe Jet Internal, white
WI212-8051G	Fixed Direction Deluxe Jet Internal, black
WI212-8057G	Fixed Direction Deluxe Jet Internal, grey
WI212-8010G	Roto Deluxe Jet Internal, white
WI212-8011G	Roto Deluxe Jet Internal, black
WI212-8017G	Roto Deluxe Jet Internal, grey
WI212-8120G	Twin Roto Deluxe Jet Internal, white
WI212-8121G	Twin Roto Deluxe Jet Internal, black
WI212-8127G	Twin Roto Deluxe Jet Internal, grey
WI210-3700	Poly Gunite Jet Tee Body Assy, 1-1/2" x 2" slip, Old Style
WI210-3710	Poly Gunite Jet Tee Body Assy, 1-1/2" x 2" slip
WI210-8750	Monster Poly Jet, Caged style
WI218-1770A	Wrench/Test Plug Combo Fitting

Adjustable Jet

Pulsator Jet

Roto Deluxe Jet

Monstor Jet

Praher Ball Valves

PH150010	1-1/2" SKT, single entry ball valve, PVC
PH200010	2" SKT, single entry ball valve, PVC
PH120119	2" SKT, single entry Economy True Union
PHOV3-2010	2" 2-port w/flow indicator handle

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 **toll free 800-927-POOL (7665)** fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 **toll free 800-769-POOL (7665)** fax 713-773-9926

Valves / Unions

Spears Ball Valves

LS2412-007W	3/4" SKT, Deluxe PVC
LS2412-010W	1" SKT, Deluxe PVC
LS2411-015W	1-1/2" FIP, Deluxe PVC
LS2412-015W	1-1/2" SKT, Deluxe PVC
LS2411-020W	2" FIP, Deluxe PVC
LS2412-020W	2" SKT, Deluxe PVC
LS2412-030W	3" SKT, Deluxe PVC
LS2412-040W	4" SKT, Deluxe PVC

Jandy Diverter Valves — CPVC "Never Lube"

JY4715	1-1/2" - 2", 3-port, 3-way
JY4724	1-1/2" - 2", 2 port, straight thru
JY4717	2" - 2-1/2", 3-port, 3-way
JY4716	2" - 2-1/2", 2 port, straight thru

Pentair Diverter Valves

With field adjustable stop positions.

PF263035	1-1/2" slip ID/2" slip OD, CPVC, 3-way
PF263027	2" slip ID/2-1/2" slip OD, CPVC, 2-way
PF263026	2" slip ID/2-1/2" slip OD, CPVC, 3-way

Check Valves

RB172316	1-1/2" SKT x 2" SP PVC Spring, 1/2#, air blower
RB172288	1-1/2" SKT x 2" SP PVC Spring, 2#, inline chlorinators
WI600-7000	2" SKT — 2-1/2" spig, 90º body, CPVC
WI600-7010	2" SKT — 2-1/2" spig, straight body, CPVC
PF263042	2" slip, straight body, CPVC

Swing Check Valves

LS1520-15	1-1/2" SKT, white
LS1520-C15	1-1/2" SKT, clear
LS1520-20	2" SKT, white
LS1520-C20	2" SKT, clear

Single Union Check Valves

PH200CV050	2" SU with 1/2# spring, clear
PH200CV1000	2" SU with 10# spring, clear

Slice Valves

PH150GATE	1-1/2" ID Slip, PVC
PH200GATE	2" ID Slip, PVC

PVC Unions

WI4004030	1-1/2" MPT x 1-1/2" Slip
SP14952S	1-1/2" SKT x 1-1/2" SKT
W1400-5080	2" MPT x 2" slip

High Temperature Transition Adapter Unions

Designed to install into pump volute and suction connection to prevent the failure of high temperature build-up in pump volutes; provides easy installation while supplying a union connection for future servicing needs. Maximum service specifications – 176ºF @ 50psi.

PH075-906	Heat Resistant Union, ¾" MIP x SKT w/ oring, 25/case
PH150-906	Heat Resistant Union, 1-1/2" MIP x SKT w/ oring, 25/case
PH200-906	Heat Resistant Union, 2" MIP x SKT w/ oring, 25/case

Great Plains Supply • Pool & Spa Products Dealer Catalog

| **Kansas City** | **913-492-1520** | **toll free 800-927-POOL (7665)** | **fax 913-492-2631 or 800-927-4286** |
| **Houston** | **713-773-9000** | **toll free 800-769-POOL (7665)** | **fax 713-773-9926** |

Anderson Test Plugs

AN105N	1/2" pipe
AN112N	3/4" pipe
AN120N	1" pipe, 3/4" socket
AN135N	1-1/4" pipe, 1" socket
AN145N	1-1/2" pipe
AN150N	1-5/8" pipe
AN155N	2" pipe
AN745	1-1/2" economy hook
AN755	2" economy hook
AN555	2" inflatable

Pacific Echo Flexible PVC Pipe, NSF-61 listed material

PE050	1/2" x 100 ft, 100 PSI
PE075	3/4" x 50 ft, 100 PSI
PE100	1" x 50 ft, 100 PSI
PE150	1-1/2" x 50 ft, 100 PSI
PE200	2" x 50 ft, 90 PSI

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Notes

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Inter-Fab Duro-Beam Fiberglass Diving Boards

For light to moderate duty use. Weight limit: 250 lbs. Two tapered wood runners laminated to a skid-resistant acrylic skin; fiberglass reinforced. Can be used with Duro-Spring, La Mesa, or U-Frame jump stands. Drilled with (2) holes, 12" centers. Price includes mounting kit.

IFDB6WW	6 foot Duro-Beam Diving Board, white
IFDB8WW	8 foot Duro-Beam Diving Board, white
IFDB10WW	10 foot Duro-Beam Diving Board, white

Inter-Fab Techni-Beam Fiberglass Diving Boards

For moderate to heavy-duty use. Weight limit: 250 lbs. 14" wide solid wood core and flexible sides. Can be used with any 2-hole stand. Drilled with (2) holes, 12" centers. Price includes mounting kit.

IFTB6WW	6 foot (14" wide) Techni-Beam Diving Board, white
IFTB8WW	8 foot (14" wide) Techni-Beam Diving Board, white
IFTB10WW	10 foot (14" wide) Techni-Beam Diving Board, white
IFTB12WW	12 foot (14" wide) Techni-Beam Diving Board, white

Inter-Fab Olympian Fiberglass Diving Boards

For heavy-duty use. Weight limit: 250 lbs. Solid wood core. Drilled with (2) holes, 12" centers. Price includes mounting kit.

IFOLY6WW	6 foot Olympian Diving Board, white
IFOLY8WW	8 foot Olympian Diving Board, white

Inter-Fab Duro-Spring Fiberglass Diving Boards

For light to moderate duty. Weight limit: 250 lbs. 12" wide solid wood core and flexible sides. Drilled with (3) hole pattern. Price includes mounting kit

IFDS6WW	6 foot (12" wide) Duro-Spring Diving Board, white
IFDS8WW	8 foot (12" wide) Duro-Spring Diving Board, white

S.R. Smith FibreDive Fiberglass Boards – *Houston Only*

With tapered wood runners laminated to acrylic skin. Drilled with (2) holes, 12" centers; includes mounting kit.

SS66-209-266S-21	6 foot (17-1/4" wide) FiberDive Board, white
SS66-209-268S-21	8 foot (17-1/4" wide) FiberDive Board, white
SS66-209-270S-21	10 foot (17-1/4" wide) FiberDive Board, white

S.R. Smith Frontier III Fiberglass Boards – *Houston Only*

With solid wood core and flexible sides. Drilled with (2) holes, 12" centers; includes mounting kit.

SS66-209-596S-2	6 foot (17-1/4" wide) Frontier III Board, white
SS66-209-598S-2	8 foot (17-1/4" wide) Frontier III Board, white

DECK EQUIPMENT

INTER-FAB
i n t e r - f a b . c o m

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Commercial Diving Boards

Inter-Fab Commercial Fiberglass Diving Boards
Diving board with solid wood core, flexible sides and reinforcement at the fulcrum. Drilled with (2) holes, 12" centers. Price includes mounting kit.
Special order, drop ship only.

IFCOM10WW   10 foot Commercial Diving Board, white
IFCOM12WW   12 foot Commercial Diving Board, white
IFCOM14WW   14 foot Commercial Diving Board, white
IFCOM16WW   16 foot Commercial Diving Board, white

S. R. Smith Commercial Frontier III Plus Fiberglass Boards
Diving board with solid wood core, flexible sides and reinforcement at the fulcrum. Drilled with (2) holes, 12" centers. Price includes mounting kit.
Special order, drop ship only.

SS66-209-610S2   10 foot (17-1/4" wide) Frontier III Plus Fiberglass board, white
SS66-209-6122   12 foot (17-1/4" wide) Frontier III Plus Fiberglass board, white
SS66-209-6142   14 foot (19-1/4" wide) Frontier III Plus Fiberglass board, white
SS66-209-6162   16 foot (19-1/4" wide) Frontier III Plus Fiberglass board, white

S. R. Smith Olympian Commercial Aluminum Boards
I-beam extrusions are epoxy glued with welded-end construction. Price includes mounting kit. ***Special order, drop ship only.***

SS66-209-3102   10 foot x 18 inch Olympian Aluminum board, white
SS66-209-3122   12 foot x 18 inch Olympian Aluminum board, white
SS66-209-3142   14 foot x 20 inch Olympian Aluminum board, white
SS66-209-3162   16 foot x 20 inch Olympian Aluminum board, white

Duraflex Commercial Aluminum Boards
Tapered from tip to fulcrum, with thickness maintained from fulcrum to butt.
Special order, drop ship only. Allow 4-6 weeks for delivery.

DF66-231-324   14 foot Duraflex Commercial Aluminum board
DF66-231-326   16 foot Duraflex Commercial Aluminum board

Maxiflex Commercial Aluminum Boards
Double-tapered from tip of fulcrum, with constant thickness over fulcrum range, and from fulcrum to butt. Maxiflex B has perforated top surface to reduce aerodynamic drag. ***Special order, drop ship only. Allow 4-6 weeks for delivery.***

DF66-231-330   16 foot Maxiflex B Commercial Aluminum board

DECK EQUIPMENT

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City **913-492-1520** **toll free 800-927-POOL (7665)** **fax 913-492-2631 or 800-927-4286**
Houston   **713-773-9000** **toll free 800-769-POOL (7665)** **fax 713-773-9926**

Active Diving Bases
Spring is derived from the diving base. For users who desire more pronounced spring action.

Inter-Fab Duro-Spring Jump Stands
Economy base for light to moderate use. Powder-coated spring. Use with Duro-Beam board.

IFDSS6	6 foot Duro-Spring Jump Stand
IFDSS8	8 foot Duro-Spring Jump Stand

Inter-Fab Techni-Spring Jump Stand
Premium base for aggressive or heavy use. Powder-coated steel stand with leaf spring that mounts to column base. Column base anchors to sub-concrete jig. Jig included. Use Techni-Spring or Olympian board to complete unit.

IFTSS6	6 foot Techni-Spring Jump Stand
IFTSS8	8 foot Techni-Spring Jump Stand
IFTSBF	Techni-Spring Fiberglass Base

Inter-Fab Edge Diving System
Totally composite base and spring eliminates rust issues on salt chlorine-generated pools. Fits all Inter-Fab TechniSpring jigs and competitors' comparable base jigs. Board and Base available in selected colors (special order only).
NOTE: must order 3 parts for a complete Edge Base and Board combination.

IFEDGE-6WW	6 foot Edge Dive Board, white
IFEDGE-8WW	8 foot Edge Dive Board, white
IFEDGE-SPRING-GR	Spring for Edge Composite Dive Stand
IFEDGE-BASE	Base for Edge Composite Dive Stand

Passive Diving Bases
Spring is derived from the diving board, not the base. For pool owners who want a diving board but desire less pronounced spring action.

Inter-Fab La Mesa Fiberglass Diving Stand
Premium base for aggressive or heavy use. Acrylic exterior with reinforced Fiberglass inside. Includes jig. Use with Duro-Beam, Techni-Beam, or Olympian Board to complete unit.

IFLAM6	6 foot La Mesa Diving Stand
IFLAM8	8 foot La Mesa Diving Stand
IFLAM10	10 foot La Mesa Diving Stand

S.R. Smith Flyte Deck II Fiberglass Stand *– Houston Only*
Acrylic exterior with reinforced fiberglass inside. Includes jig.

SS70-209-7362	6 foot Flyte Deck stand, white
SS70-209-7382	8 foot Flyte Deck stand, white
SS70-209-7402	10 foot Flyte Deck stand, white

INTER-*FAB*
i n t e r - f a b . c o m

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Diving Stands

Inter-Fab Stainless Steel U-Frame
Economy base for light to moderate use. 1.9" OD x .049 ID, with 6" radius bends. Use with Duro-Beam, Techni-Beam, Olympian, or Commercial Board to complete unit. Available in 5 powder coated finishes (special order only).

IFDBU12049   18 inch Stainless Steel U-Frame
IFDBU24049   24 inch Stainless Steel U-Frame

Inter-Fab T-7 Diving System
Innovative sleek shape and styling blends well with natural environments. Board is 7 feet long, rated to 300 lbs. and fits any diving pool; optional edge waterfall and lighting system available. Available in gray only.

IFT7   T-7 Dive Stand, Complete
IFT7EDGEGR   Edge Waterfall, attaches to T7 dive board
IFT7EDGEFGR   Edge Waterfall with Fiberoptics, attaches to
                 T7 dive board
IFT7EDGELGR   Edge Waterfall with LED Lights, attaches to
                 T7 dive board

Inter-Fab Jump Rocks
Available for use with 6ft, 8ft, and 10ft boards. Manor House emulates the look of hand-laid stacked stone, and is available in Desert Sandstone or Gray/Brown Cobblestone (hues may vary). Boulder Springs emulates naturally occurring boulders, and is available in Sandstone, Slate Gray, Light Granite, or Sunset Red (hues may vary). Diving Board sold separately.
Special Order on a Direct Ship basis. Price includes freight.

IFBSJR   Boulder Springs Jump Rock.
                 Includes IFDBU12049 U-Frames.
IF6050   Manor House Jump Rock.
                 Includes IFDBU12049 U-Frames.
Note: Inter-Fab Jump Rocks are not compatible with other manufacturers U-Frames.

S. R. Smith Steel Diving Stands-1/2, 3/4 & 1 Meter
White steel diving stand with mounting jig and fulcrum pad. Use either Fibre Dive or Frontier II boards to complete unit. *Special order. Allow 2 weeks for delivery; includes freight to our warehouse. Diving Stand Only*.

SS70-209-501   1/2 Meter Stand for 8 foot board
SS70-209-502   1/2 Meter Stand for 10 foot board
SS70-209-510   3/4 Meter Stand for 10 foot board
SS70-209-512   3/4 Meter Stand for 12 foot board
SS70-209-520   1 Meter Stand for 10 foot board
SS70-209-522   1 Meter Stand for 12 foot board

S. R. Smith Stainless Steel Handrails for Steel Stands
NOTE: All 1 Meter Stands must have handrails (ANSI/NSPI regulations). Special order. Allow 2 weeks for delivery.

SS71-209-550   Handrail for 8 foot board, w/hardware
SS71-209-551   Handrail for 10 foot board, w/hardware
SS71-209-552   Handrail for 12 foot board, w/hardware

DECK EQUIPMENT

INTER-FAB
inter-fab.com

S.R.Smith Inc.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free 800-927-POOL (7665)**   **fax** 913-492-2631 **or** 800-927-4286
Houston   713-773-9000   **toll free 800 .769-POOL (7665)**   **fax** 713-773-9926

Elite Slides
G-Force Slide

6ft high (72″ at seating area) and innovative 360º design brings amusement park excitement to the backyard. Zoom Flume water delivery system (1″ water stub recommended), provides optimum slide ride. Fully molded treads provide safe access to Slide Flume. No rust; polyethylene and PVC construction. 250lb. weight limit; available in Summit Gray only **Special Order.** Recommended Deck Area* is 8′6″ x 7′2″.

IFG4C   G-Force Slide, complete

X-Stream Slide

6ft high (72.5″ at seating area) and 2-turn ride available in either Left Turn (L) or Right Turn (R) assembly (please specify when ordering). Zoom Flume water delivery system (1″ water stub recommended), provides optimum slide ride, and fully molded treads provide safe access to Slide Flume. No rust; polyethylene and PVC construction. 250lb. weight limit; available in Summit Gray only. Recommended Deck Area* is 13′0″ x 7′0″.

IFXSG_SS   X-Stream Slide, specify Left Turn (L) or Right Turn (R)

Standard Slides

Wild Ride Slide

6.5ft high (77.5″ at seating area) and Zoom Flume water delivery system provides (1″ water stub recommended) a water park-like experience for the backyard. Durable and long lasting acrylic construction, available in either Left Turn (L) or Right Turn (R) assembly (please specify when ordering), with stainless steel rails and deck flanges. 250lb. weight limit; available in white (in stock), blue, tan, or gray (special order). Recommended Deck Area* is 12′0″ x 5′0″.

IFWRSC_SS   Wild Ride Slide, specify Left Turn (L) or Right Turn (R)

White Water Slides

4ft high (48.5″ at seating area) and Zoom Flume water delivery system (1″ water stub recommended) discretely sits below a 6ft privacy fence. Durable and long lasting acrylic construction; available in either Left Turn (L) or Right Turn (R) assembly (please specify when ordering), with stainless steel rails and deck flanges. 250lb. weight limit; available in white (in stock), blue, tan, or gray (special order). Recommended Deck Area* is 12′0″ x 5′0″.

IFWWSC_SS   White Water Slide, specify Left Turn (L) or Right Turn (R)

position of slide on deck can affect the amount of deck space required.

DECK EQUIPMENT

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Zoomerang Slide

3ft (37" at seating area) and Zoom Flume water delivery system (1" water stub recommended) discretely is designed for aboveground or inground pools with decks and a minimum water depth of 3'6", and sits below a 6ft privacy fence. Durable and long lasting acrylic construction is available in Right Turn only; with stainless steel rails and legs. 200lb. weight limit; available in white only. Recommended Deck Area* is 8'0" x 4'0".

IFZMCRSS   Zoomerang Right Curve Slide, white

Slide Rock

4ft high (48.5" at seating area) White Water Slide is paired with Boulder Springs simulated rock accent panels to provide the fun of a slide with the beauty of a rockscape. Zoom Flume water delivery system (1" water stub recommended); durable and long lasting acrylic construction; available in Right Turn configuration, with coordinating tan or gray powder coated rails. 250lb. weight limit; Rock color choices are light granite, dark granite, rustic sandstone or sunset red; flume choices are white, gray, or tan. Recommended Deck Area* is 12'0" x 5'0".

IF5200-SS   Boulder Springs Slide Rock Complete – Tan
IF5300-SS   Boulder Springs Slide Rock Complete – Gray
IF7920-SS   Edgestone Slide Rock Complete – Tan
IF7930-SS   Edgestone Slide Rock Complete – Gray
IF5610-SS   Riverstone Slide Rock Complete – Twilight Sky/Gray
IF5620-SS   Riverstone Slide Rock Complete – Granite Medley/Gray
IF5630-SS   Riverstone Slide Rock Complete – Granite Medley/Tan
position of slide on deck can affect the amount of deck space required.

Build Your Own Slide (BYOS)

Incorporate one-of-a-kind slides as a feature for the custom backyard design. BYOS provides easy slide solutions to builders incorporating handcrafted rock work or concrete formations into the backyard pool setting. Zoom Flume water delivery system provides optimum slide ride. Easy Quotation and design process includes CAD drawing and construction anchoring system.

Build Your Own Slide (BYOS) - 1

Custom slide designs are configured via CAD drawing utilizing 10 choices of flume shape. 10"-deep x 18.75" inside width Flume offers 15º and 30º slope, 24" & up sonotube size, and single water delivery. Available in 7 colors total, including 4-granite upgrade colors (Pebble, Cappuccino, Fashion Gray and Mont Blanc) and 3-standard (gray, summit gray, and tan) that will blend into most designs. 250 lb weight limit; optional handrails. **For Residential Use Only.**

Build Your Own Slide (BYOS) 2

Custom slide designs are configured via CAD drawing utilizing 7 choices of flume shape. 15"-deep x 24.125" inside width Flume offers 20º slope, 18" & up sonotube size, and double water delivery. Available in 7 colors total, including 4-granite upgrade colors (Pebble, Cappuccino, Fashion Gray and Mont Blanc) and 3-standard (gray, summit gray, and tan) that will blend into most designs. 350 lb weight limit; standard handrails. **For Residential Use Only.**

INTER-FAB
i n t e r - f a b . c o m

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Inter-Fab Pool Basketball Game

Comes with Backboard, Rim (with Breakaway Rim Feature), Net, Ball, Pump & Needle.
Support legs come standard in stainless steel; upgrade to 5 designer powder coat colors
(special order only).

IFWSBBALLGB-C	Basketball Game, complete with In-Deck Bronze Anchors
IFWSBANCBRONZE	Basketball Game, In-Deck Bronze Anchor only
IFWSBBALL-G	Basketball Game, stainless steel support legs only
IFWSBASKETBALL2	Backboard, Rim, Net, Ball, Pump & Needle

Inter-Fab Pool Volleyball Game

Comes with durable 16'long x 3'high tournament style Net, Ball, Pump & Needle. Support legs come
standard in stainless steel; upgrade to 5 designer powder coat colors *(special order only).*

IFWSVBALLGB-C	Volleyball Game, complete with In-Deck Bronze Anchors
IFWSVANCBRONZE	Volleyball Game, In-Deck Bronze Anchor only
IFWSVBALL-G	Volleyball Game, stainless steel support legs, Net, Ball, Pump & Needle

ADA Approved Pool Lifts

The Americans with Disabilities Act (ADA) is a comprehensive civil rights law that prohibits discrimination on the basis
of disability. The ADA requires that newly constructed and altered state and local government facilities, places of public
accommodation, and commercial facilities be readily accessible to, and usable by, individuals with disabilities. Recreational
facilities, including swimming pools, wading pools, and spas, are among the facilities required to comply with the ADA. The
newly revised ADA regulations will take effect on March 15, 2011, and compliance with the regulations will be required no later
than March 15, 2012.
Copies of recreation facility accessibility guidelines can be obtained at
www.access-board.gov or by calling 1-800-872-2253.

INTER-FAB
inter-fab.com

Inter-Fab i-Lift

Battery powered (up to 90 lifts on a single battery charge) and ADA Compliant, i-Lift is designed
for semipermanent in-deck installation by anchor for all commercial and public pools and spas
(installs with two (2) men in 1.5 man-hours). Operating system is rotationally and vertically powered,
and rotates 360º, clockwise and counterclockwise, for easy transfer. I-Lift accommodates a setback
of 6" to 22", and works within a water draft range of 0" to 12"; works with pool gutters. Aluminum
actuator motor and ram system is specifically designed for outdoor use; includes wireless remote
and manual override control switch. 350 lb weight limit. Can be made portable by adding i-Lift Mate.

IFILIFT	i-Lift ADA-compliant pool lift (includes one remote and standard deck anchor)
IFILIFT-UPGRADE	i-Lift Upgrade Kit (includes removable armrest, headrest, footrest, and second remote)
IFILIFT-COVER	i-Lift Cover
IFIMATE	i-Lift Mate (makes unit portable)

SR Smith aXs Lift

24 Volt battery powered (approximately 30 lifts on a single battery charge) and ADA
Compliant, aXs is designed for semi-permanent in-deck installation by anchor for all commercial
and public pools and spas. Operating system is rotationally and vertically powered, and provides
360º rotation for easy transfer. Includes 4-button waterproof control and manual override control
switch. 300 lb weight limit.

SSAXS1000	aXs ADA-compliant pool lift (includes deck anchor & cap)

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

DECK EQUIPMENT

Ladders & Rails/Accessories

DECK EQUIPMENT

Inter-Fab Stainless Steel Ladders and Rails
Ultra Protect Sealant adds protection from surface rust. Available in 5 powder coated finishes by special order only.

Inter-Fab Stainless Steel Ladders-Residential
Durable .049" wall stainless steel construction. Anchors mount 17.5" behind tile line.

IFL3E049P	3 Tread Ladder with High Impact Plastic Tread, for vinyl pools
IFL3E049S	3 Tread Ladder with sure-step tread, for vinyl pools
IFL2049S	2 Tread Ladder, 24" with sure-step tread
IFL3049S	3 Tread Ladder, 24" with sure-step tread
IFL4049S	4 Tread Ladder, 24" with sure-step tread

Residential Ladder

Inter-Fab Stainless Steel Ladders-Commercial
Durable .065" wall stainless steel construction and cross brace welds.
Anchors mount 17.5" behind tile line.

IFCOML3CB24065S	3 Tread Commercial Ladder, 24" with sure-step tread
IFCOML4CB24065S	4 Tread Commercial Ladder, 24" with sure-step tread

Commercial Ladder

Inter-Fab Stainless Steel Deck Mounted Stair Rail

IFD3D50049	50" span, 3 Bend Stair Rail
IFD4BD049	55" span, Dip to Pool 4 Bend Stair Rail, with brace
IFD3BD049	54" span, 3 Bend Stair Rail with brace

Deck Mounted Stair Rail

Inter-Fab Stainless Steel 2-Bend Handrail

IFD2S4049	48", 2-bend handrail
IFD2S5049	60", 2-bend handrail

Inter-Fab Stainless Steel 3-Bend Handrail

IFD3S6049	72", 3-bend handrail

2-Bend Handrail

Inter-Fab Stainless Steel Grabrails

IFG4DO49	Ring Style Grab Rail, each
IFG4DO49C	Ring Style Grab Rail, complete
IFGAESS	Escutcheon "Gibraltar" Rail, each
IFGASET	Anchor Assembly, double
IFSPA1625	Spa Rail

Gibraltar Rail

S.R. Smith Stainless Steel Deck Mounted Stair Rail – *Houston Only*

SSDMS100A	51", 3-bend stair rail, no crossbrace
SSDMS102A	54", 4-bend dip to pool rail with crossbrace
SSDMS103A	54", 4-bend stair rail with crossbrace, no dip to pool

S.R. Smith Stainless Steel 2-Bend Handrail – *Houston Only*

SS2HR-4049	48", 2-bend, .049 wall handrail
SS2HR-5049	60", 2-bend, .049 wall handrail
SS2HR-6049	72", 2-bend, .049 wall handrail

S.R.Smith Inc.

S.R. Smith Stainless Steel Grabrails – *Houston Only*

SSF4H-102	Figure 4 grab rail, carton of two
SSRRH-100B	Gibraltar grab rail, pair, includes anchor and escutcheons
SSRRH-100	Gibraltar grab rail only, each
SS34-306A	Gibraltar anchor assembly only, pair

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631	or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926	

Recessed In-Wall Steps, Plastic

CM25578-000	In-wall steps, white, set of 3
WI532-2010	In-wall steps, white, set of 3

Deck Anchors and Flanges

PMPS4019C	Wedge Anchor, Aluminum, 4" deep
PMPS4019B	Wedge Anchor, Brass, 4" deep
PMPS4019ABZ	Wedge Anchor, Nickel Bronze, 4" deep
PMPS4019P	Wedge Anchor, Plastic, 4" deep
SS34-306A	Gibraltar style double anchor assembly, bronze
SS8415A	Gibraltar style bronze wedge with stainless steel bolts
SS8420	Gibraltar style double escutcheon plate, Chrome, each
PMPC4008A	Channel set for handrails, 8" c-c, with 2-PS4019C aluminum anchors
PMPC4008B	Channel set for handrails, 8" c-c, with 2-PS4019B bronze anchors
PMPC4020A	Channel set for ladders, 20" c-c, with 2-PS4019C aluminum anchors
PMPC4020B	Channel set for ladders, 20" c-c, with 2-PS4019B bronze anchors
PMPF2115L	Ladder Flange, Aluminum, for Above Ground, 1-1/2" tube
PMPF3119A	Slide Flange, Aluminum with mounting hardware

Escutcheons

PMPE0019W	White cycolac escutcheon plate, round
PMPE0019C	Chrome plated cycolac escutcheon plate, round
PMPE0019S	Stainless steel escutcheon plate, round, for 1.9" rail
SSEP100FPW	Stainless steel escutcheon plate, round, for 1.9" rail, powder coated white

DECK EQUIPMENT

Great Plains Supply • Pool & Spa Products Dealer Catalog

| **Kansas City** | **913-492-1520** | **toll free 800-927-POOL (7665)** | **fax 913-492-2631 or 800-927-4286** |
| **Houston** | **713-773-9000** | **toll free 800-769-POOL (7665)** | **fax 713-773-9926** |

Feherguard Solar Reels

DECK EQUIPMENT

Feherguard Deluxe 20" Diameter Mobile "Wheels" Reel System

Travels over patio stones or grass. System includes tube with self-tapping screws.

FEFG1B/IG20	20" Wheels, heavy duty anodized tube, for pools up to 20' x 40'
FEFG1B/L20M	20" Wheels, standard mill finish tube, for pools up to 20' x 40'
FEFG1B/L18	20" Wheels, deluxe anodized tube, for pools up to 18' x 36'
FEFG1B/L18M	20" Wheels, standard mill finish tube, for pools up to 18' x 36'
FEFG1B/L16M	20" Wheels, standard mill finish tube, for pools up to 16' x 32'

Feherguard "Blanket Handler Plus" Reel System

Economical stationary system with locking casters. Includes tube with self-tapping screws.
5 year limited warranty.

FEBH/IG20	Blanket Handler Plus, heavy duty anodized tube, for pools up to 20' x 40'
FEBH/L20M	Blanket Handler Plus, standard mill finish tube, for pools up to 20' x 40'
FEBH/L18	Blanket Handler Plus, deluxe anodized tube, for pools up to 18' x 36'
FEBH/L18M	Blanket Handler Plus, standard mill finish tube, for pools up to 18' x 36'
FEBH/L16M	Blanket Handler Plus, standard mill finish tube, for pools up to 16' x 32'

Feherguard "Blanket Handler XL" Reel System

Engineered to handle the extra size and weight demands of large solar blankets with minimum effort. 4" diameter locking tubes. 5 year limited warranty.

FEBH/LC25	Blanket Handler XL, extra heavy dudy anodized tube, for pools up to 25' x 50'

Feherguard "Lift Off & Swing" Reel System

Removal design with smooth turning handles at both ends. Includes anodized tube with self-tapping screws.

FEFG7B/L18	Above Ground system, deluxe anodized tube, for pools up to 18' diam.
FEFG7B/L18M	Above Ground system, standard mill finish tube, for pools up to 18' diam.
FEFG7B/L24M	Above Ground system, standard mill finish tube, for pools up to 24' diam.
FEFG7B/L28M	Above Ground system, standard mill finish tube, for pools up to 28' diam. (special order)
FEFG7B/L30M	Above Ground system, standard mill finish tube, for pools up to 30' diam. (special order)

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Feherguard "Surface Rider" Reel System

Entire system lifts off with blanket, leaving pool top clear. Completely portable; no drilling or bolting to top rail. For pools without full decking. 5 year limited warranty.

FESRS18   Surface Rider system for pools w/top seat up to 18' diameter
FESRS24   Surface Rider system for pools w/top seat up to 24' diameter

FESRSII-18   Surface Rider system for for tubular top rail pools, up to 18' diameter
FESRSII-24   Surface Rider system for for tubular top rail pools, up to 24' diameter

Blanket Installation Accessories

Packaged for retail.

FEFGFASKIT   Tube & Blanket Fastening Kit, 6/box
FEFGWPS   White protective sheet, 24' x 42"/pouch
FEFGPFS   Tube & Blanket Fasteners, 10 pak
FEFGRS26   Reel Strapping, 10–26" straps
FEFGRS50   Reel Strapping, 50' roll
FEFGBS2X6   Blanket Straps, 2 x 54"/pouch
FEFGMPR   Mid-grip pull rope (35' rope, 2 clips, 2 straps)
FEFG002   Wheel stops for "Wheels"
FEFG614   Cone for FG7B (For Swing Only)

DECK EQUIPMENT

FeherGuard

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631   **or**   800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Notes

DECK EQUIPMENT

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	**913-492-1520**	toll free **800-927-POOL (7665)**	fax **913-492-2631** or **800-927-4286**	
Houston	**713-773-9000**	toll free **800-769-POOL (7665)**	fax **713-773-9926**	

Space Age™ Diamond Solar Bubble

12 MIL "Extra Heavy" Solar-Cell Floating Pool Cover
With white protective cover. Five year limited warranty.

MCS121224	12' x 24' Rectangle solar blanket *
MCS121428	14' x 28' Rectangle solar blanket *
MCS121530	15' x 30' Rectangle solar blanket *
MCS121632	16' x 32' Rectangle solar blanket *
MCS121636	16' x 36' Rectangle solar blanket *
MCS121836	18' x 36' Rectangle solar blanket
MCS121840	18' x 40' Rectangle solar blanket
MCS122040	20 x 40' Rectangle solar blanket
MCS122044	20' x 44' Rectangle solar blanket
MCS122440	24' x 40' Rectangle solar blanket
MCS122444	24' x 44' Rectangle solar blanket
MCS122650	26' x 50' Rectangle solar blanket

12 MIL "Extra Heavy" Solar-Cell Floating Spa Cover
Five year limited warranty, UPS Shippable.

MC120606	6' x 6' spa solar blanket
MC120808	8' x 8' spa solar blanket
MC121010	10' x 10' spa solar blanket

Blue/Blue Diamond Solar Bubble

8 MIL "Heavy" Solar-Cell Floating Pool Cover
With white protective cover. Three year limited warranty.

MC81224D	12' x 24' Rectangle solar blanket *
MC81530D	15' x 30' Rectangle solar blanket *
MC81625D	16' x 25' Rectangle solar blanket *
MC81632D	16' x 32' Rectangle solar blanket *
MC81636D	16' x 36' Rectangle solar blanket *
MC81833D	18' x 33' Rectangle solar blanket *
MC81836D	18' x 36' Rectangle solar blanket
MC82040D	20' x 40' Rectangle solar blanket
MC82440D	24' x 40' Rectangle solar blanket
MC82444D	24' x 44' Rectangle solar blanket
MC812RDD	12' Round solar blanket *
MC816RDD	16' Round solar blanket *
MC818RDD	18' Round solar blanket *
MC821RDD	21' Round solar blanket *
MC824RDD	24' Round solar blanket *
MC828RDD	28' Round solar blanket
MC830RDD	30' Round solar blanket
MC833RDD	33' Round solar blanket

* UPS Shippable

Solar Blanket Repair Tape

SBBS124	Bugstrip: solar blanket and winter cover repair tape. UV and chemical resistant. 3" x 5' roll.

PROtech
Pool Chemicals and Equipment

The Sun's Rays
Top of blanket
Aluminium Underside
Pool Base

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Pentair Prowler Robotic In-Ground Pool Cleaner

Two-Way cleaning performance utilizes a powerful vacuum action to remove fine particles and larger debris; the integrated filtration system captures dirt and debris in the handy collection bag and reduces run time of primary filtration system by 25%. Cleans any size, shape and type of standard residential pool; cleans and scrubs most pool steps.

PFP80710   Prowler 710 Robotic Inground Pool Cleaner with 50 ft Cable
PFP80720   Prowler 720 Robotic Inground Pool Cleaner with 60 ft Cable
PFP80730   Prowler 730 Robotic Inground Pool Cleaner with 75 ft Cable

Polaris 9300 Sport Robotic Cleaner

Premium In-Ground Robotic cleaner with easy to clean filter canister and 60 ft floating cable. Works in pools up to 50 ft long. Includes alloy caddy.

PVF9300   9300 Sport Robotic Cleaner

Polaris 9300xi Sport Robotic Cleaner

Premium In-Ground Robotic cleaner with easy to clean filter canister, 70 ft floating cable and Remote Control. Works in pools up to 60 ft long. Includes alloy caddy.

PVF9300xi   9300xi Sport Robotic Cleaner and Remote Control

Zodiac Baracuda MX-8 Suction-side Robotic Cleaner

Premium suction-side In-Ground Robotic cleaner with easy to clean filter canister and streamlined body design that allows units to more easily climb walls. Includes 36 ft of feed hose.

JYMX8   MX8 Suction Robotic Cleaner

Automatic Pool Cleaners – Pressure

Letro Platinum Automatic In-Ground Pool Cleaner

Pressure-side cleaner works in all In-Ground pools (including under pool cover) exposed to higher loads of leaves and debris. Operates independently from pool system through a separate return line. Large throat, quick disconnect bag, belt driven wheels and built in back-up valve. Booster pump sold and packaged separately.

LL105PM   Platinum cleaner, Head and Hose only
LLA01N   Letro Booster Pump

Letro Legend Automatic In-Ground Pool Cleaner

Pressure-side cleaner works in all In-Ground pools (including under pool cover) and operates independently from pool system through a separate return line. Large intake throat and high-capacity bag. Booster pump sold and packaged separately.

LL505G   Legend cleaner, Head and Hose only, grey
LLA01N   Letro Booster Pump

Polaris 380 Vac-Sweep

Pressure-side cleaner works in all In-Ground pools (including under pool cover) and operates independently from pool system through a separate return line. Large throat, quick disconnect bag, belt driven wheels and built in back-up valve. Booster pump sold and packaged separately.

PVF3 380   Vac-Sweep, Head and Hose only
PVPB4-60   Booster Pump with 60 Hz motor
PVPB4-60Q   Halcyon Booster Pump with 60 Hz Quiet motor – optional upgrade

MAINTENANCE

Pentair *Pool Products*™
*Because **reliability** matters most*

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Polaris 360 Vac-Sweep
Pressure-side cleaner works in all In-Ground pools (including under pool cover) and operates on pool circulation pump. Ready to connect to 1.5" dedicated pressure cleaner line. Includes 31ft feed hose.

PVF1   360 Vac Sweep, complete

Polaris 280 Vac-Sweep
Pressure-side cleaner works in all In-Ground pools (including under pool cover) and operates independently from pool system through a separate return line. Double jets, larger bag and enlarged bottom opening provide optimum cleaning. Booster pump sold and packaged separately.

PVF5T   Vac-Sweep, Head and Hose only
PVPB4-60   Booster Pump with 60 Hz motor
PVPB4-60Q   Halcyon Booster Pump with 60 Hz Quiet motor – optional upgrade

Polaris 165 Vac-Sweep
Pressure-side cleaner works in all In-Ground vinyl or fiberglass pools. Operates on pool circulation pump; ready to connect to 1.5" threaded return line. Includes 32ft of float hose.

PV6-120-00   165 Vac-Sweep, complete

Polaris Turbo Turtle
Pressure-side cleaner works in all aboveground vinyl or fiberglass pools. Operates on pool circulation pump; ready to connect to 1.5" threaded return line. Includes 24 ft of float hose.

PV6-130-00T   Turbo Turtle, complete

Polaris 65 Vac-Sweep
Pressure-side cleaner works in all aboveground vinyl or fiberglass pools. Operates on pool circulation pump; ready to connect to 1.5" threaded return line. Includes 24 ft of float hose.

PV6-130-00   65 Vac Sweep, complete

Poolvergnuegen Pressure Return-Side PoolCleaner
Pressure-side cleaner ideal for all pool surfaces and shapes. Runs optimally at 11-15psi with little increase in back pressure. High quality pressure hoses snap together with no-leak, no-coil hose swivels. Energy Efficient – no booster pump required.

PN4P   Poolvergnuegen PoolCleaner

Automatic Pool Cleaners - Suction

Hayward AquaBug Automatic Pool Cleaner
Suction-side cleaner for level depth In-Ground vinyl, and above-ground pools with flat or dished bottoms. Includes 32 ft feed hose.

SP500   AquaBug Cleaner

Kreepy Kruiser Automatic In-Ground Pool Cleaner
Suction-side cleaner offers superior vacuum power and extra-wide mouth to capture large debris with quiet operation without getting stuck or thrown off course by main drains, tight corners, eyeball fittings or lights.

KR60400   Kreepy Kruiser Cleaner

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Automatic Pool Cleaners

Kreepy Krauly Automatic In-Ground Pool Cleaner
Suction-side cleaner for In-Ground gunite, vinyl or fiberglass pools.

KR70406   Kreepy Krauly Cleaner for In-Ground Gunite pools
KR70405   Kreepy Krauly Cleaner for Vinyl or Fiberglass pools

Kreepy-Krauly E-Z Vac Automatic Above Ground Pool Cleaner
Suction-side cleaner for above ground pools will clean banked coves.

KR50600   E-Z Vac Above Ground Cleaner

Poolvergnuegen 2-Wheel Suction-Side PoolCleaner
Suction-side cleaner uses existing pump and plugs into either a designated suction port or skimmer. Ideal for most average sized pools up to 28 ft. Includes 33 ft feed hose. Made in USA.

PN2S   2-wheel PoolCleaner

Poolvergnuegen 4-Wheel Suction-Side PoolCleaner
Suction-side cleaner uses existing pump and plugs into either a designated suction port or skimmer. Ideal for most larger sized pools up to 33 ft. Includes 40 ft feed hose. Made in USA.

PN4S   4-wheel PoolCleaner

Sta-Rite SandShark Automatic In-Ground Pool Cleaner
Suction-side cleaner utilizes squeegee-like fins to dislodge dirt and debris. Ideal for all In-Ground pools.

SRGW7900   SandShark Cleaner

Sta-Rite 'Lil Shark Automatic Above Ground Pool Cleaner
Suction-side cleaner uses a dual band of bristles for scrubbing action. Effective on vinyl in flat or dishbottom aboveground pools.

SRGW8000   'Lil Shark Cleaner

POOLVERGNUEGEN

STA-RITE®

Professional

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

PROtech Vacuum Hose

PROtech Deluxe Vacuum Hose
Deluxe blue & black spirally-wound hose with swivel cuff. 3-year warranty.

PRD15025	1-1/2" x 25' Deluxe blue & black w/swivel cuff
PRD15030	1-1/2" x 30' Deluxe blue & black w/swivel cuff
PRD15035	1-1/2" x 35' Deluxe blue & black w/swivel cuff
PRD15040	1-1/2" x 40' Deluxe blue & black w/swivel cuff
PRD15045	1-1/2" x 45' Deluxe blue & black w/swivel cuff
PRD15050	1-1/2" x 50' Deluxe blue & black w/swivel cuff

PROtech Heavy Duty Vacuum Hose
Heavy duty blue & white I-Helix spirally-wound hose with swivel cuff. 5-year warranty.

PRHD15030	1-1/2" x 30' Heavy Duty blue & white w/swivel cuff
PRHD15035	1-1/2" x 35' Heavy Duty blue & white w/swivel cuff
PRHD15040	1-1/2" x 40' Heavy Duty blue & white w/swivel cuff
PRHD15045	1-1/2" x 45' Heavy Duty blue & white w/swivel cuff
PRHD15050	1-1/2" x 50' Heavy Duty blue & white w/swivel cuff
PRHD20050	2" x 50' Heavy Duty blue & white w/swivel cuff

PROtech Deluxe Vacuum Hose for Above Ground
Deluxe blue & black spirally-wound hose with swivel cuff. 3-year warranty.

PRD12525	1-1/4" x 25' Deluxe blue & black with swivel cuff
PRD12530	1-1/4" x 30' Deluxe blue & black with swivel cuff
PRD12535	1-1/4" x 35' Deluxe blue & black with swivel cuff

Heavy Silver Filter Hose

ACX430	1-1/4" x 3' heavy silver filter hose (60/cs) each
ACX440	1-1/4" x 6' heavy silver filter hose (25/cs) each
ACY793	1-1/2" x 3' heavy silver filter hose (40 cs) each
ACY794	1-1/2" x 6' heavy silver filter hose (35/cs) each
ACY797	1-1/2" x 12' heavy silver filter hose (15/cs) each

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Vacuum Heads

Maintenance Equipment for Residential Use

Vacuum Heads for Concrete Pools

MC130020   Ocean Blue Flexible Vac Head, 12/bx
RB201112   Rainbow #188 12" Flexible Vac Head, 6/cs
RB201388   Rainbow #203 SuperFlex economy 14" Flexible Vac Head, 6/cs

Vacuum Heads for Vinyl Pools

MC130030   Ocean Blue Triangular Vac Head, 12/cs
MC130035   Ocean Blue Transparent Triangular Vac Head, 12/cs
RB201350   Rainbow #193 Oval Vac Head, fits 1.25" or 1.5" hose, 6/cs
RB201392   Rainbow #194 Econo Tri-Vac, fits 1.25" or 1.5" hose, 6/cs
RB201398   Rainbow #196 Clear View Vac Head, fits 1.25" or 1.5" hose, 6/cs

Vacuum Heads for Spas

RB201146   Rainbow #204 MiniVac
           Venturi jet action designed for use with garden hose or fits 1.25"
           or 1.5" hose. Includes debris bag, hose adapter, brush and
           nozzle attachments; shut-off valve and snap-adapt handle. 12/cs

Leaf Traps

JY2233   Jandy Leaf Master with fine mesh bag
JY1221   Jandy Leaf Master bag only, fine mesh
RB211036   Rainbow #185 Large Leaf Eater, with wheels and
           brushes in display box, works with garden hose or auto
           pool cleaner hose. Includes swivel wheels and brushes.
           3/cs
RB211084   Rainbow #186 1-1/2" Snap Open Leaf Trap with Debris Bag, use
           with vac heads or automatic suction-side pool cleaner. 6/cs

MAINTENANCE

#188 Flex Vac

#193 Oval Vac

#196 Clear View

#194 Tri-Vac

#214 Pro-Vac

#222 Pro-Vac

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631 or 800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Leaf Skimmers and Rakes

MC120010	Ocean Blue Aluminum Leaf Skimmer, 24/bx
MC120020	Ocean Blue Heavy Duty Leaf Skimmer with Long Wear Mesh Screen, 12/cs
MC120050	Ocean Blue Leaf Skimmer with 48" pole, 24/cs
MC125010	Ocean Blue Aluminum Leaf Rake with deep bag, 24/cs
MC125015	Ocean Blue Aluminum Leaf Rake with deep bag & plastic handle, 24/cs

PPPCSTD	Pelican Featherweight Leaf Rake, 16"deep bag, yellow rim for underwater visibility
PPSSSLT	Red Baron Spa Scoop, 14" frame and 18"deep silt bag
PPULSTD	Red Baron Ultra-Lite Leaf Rake, 18" frame, 16"deep standard mesh bag

RB121026	Rainbow #119 Leaf Skimmer, aluminum handle; raised lip for scraping, 12/cs
RB121106	Rainbow #122 Leaf Rake, aluminum rod; net with squeegee, 12/cs
RB121126	Rainbow #123 Econo Leaf Rake, aluminum rod; raised lip, 12/cs

#119

Brushes

PC218	18" Plastic Back Brush, curved, 12/cs
PC218C	18" Metal Back Brush, curved, 12/cs
RB111316	Rainbow 18" Metal Back Brush with poly bristles, 12/cs
MC110030	Ocean Blue 20" Flexible Plastic Brush, curved, 12/cs
PC105SS	5" Metal Back Algae Brush, stainless steel bristles, 12/cs
PC109SS	9" Metal Back Algae Brush, stainless steel bristles, 12/cs

#126

Poles

RB191066	Rainbow 2-pc Telescopic Pole, metal cam, 4' to 7-1/2', 12/cs
RB191306	Rainbow 2-pc Telescopic Pole, EZ Lock cam, 8' to 15-1/2', 12/cs
RB191106	Rainbow 1-pc Straight Pole with pole cap, full 12' length, 12/cs
RB191116	Rainbow 1-pc Straight Pole with pole cap, full 16' length, 12/cs
SL1500	Skimlite 2-pc Telescopic Pole with EliptiLock, 8' to-15', 12/cs
SL0408	Skimlite 2-pc Telescopic Pole with outside lock assy, 4' to-8', 12/cs
SL0612	Skimlite 2-pc Telescopic Pole with outside lock assy, 6' to 12', 12/cs
SL0815	Skimlite 2-pc Telescopic Pole with outside lock assy, 8' to-15', 12/cs

#122

Thermometers

MC150025	Ocean Blue Chrome Plated Thermometer
RB141036	Rainbow #127 Tube Thermometer
RB141106	Rainbow #133 Floating Thermometer

#117

Maintenance Equipment for Service and Commercial Use

Vacuum Heads for Service and Commercial Use

RB201126	Rainbow #250 Swivel Wheel Vac Head, 19"body, 1-1/2" swivel hose connection while 2"hose fits body, 4/cs

ProVac

With metal swivel handle on stainless steel shaft, adjustable wheels, swivel connection for 1-1/2" vac hose while 2" fits directly on body.

RB201276	Rainbow #214 ProVac, 14" body, 8 wheels, 6/cs
RB201286	Rainbow #222 ProVac, 22" body, 12 wheels
RB201296	Rainbow #229 ProVac, 29" body, 16 wheels
RB201298	Rainbow #241 Super ProVac, 41" body, 22 wheels, dual manifold with handle joining assy.

#127   *#133*

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 **toll free** 800-927-POOL (7665) **fax** 913-492-2631 **or** 800-927-4286
Houston 713-773-9000 **toll free** 800-769-POOL (7665) **fax** 713-773-9926

Leaf Skimmers and Rakes for Service and Commercial Use

PPRBTD   Red Baron Tuff Duty Leaf Rake, 20" deep net, low drag traditional size
             mesh; red rim for underwater visibility
PPSSSLT   Red Baron Spa Scoop, 14" frame and 18"deep silt bag

RB121196   Rainbow #126 Heavy Duty Leaf Skimmer, aluminum rod and frame; deep
             net is replaceable, 12/cs
RB121216   Rainbow #126R Heavy Duty Replacement Net and Frame, 12/cs
RB121230   Rainbow #117 Pro Leaf Rake, aluminum rod; heavy duty deep net with
             squeegee is replaceable, 12/cs
RB121232   Rainbow #117R Pro Leaf Rake Replacement Frame and Squeegee, 12/cs

SLSS10   Skimlite DURAPRO Leaf Rake with 10" pocket and leafing edge
SLSS16   Skimlite DURAPRO Leaf Rake with 16" pocket and leafing edge
SLSS88   Skimlite DURAPRO Leaf Rake with 16" coarse pocket and leafing edge
SLM16   Skimlite M-16 Heavy Duty Leaf Rake w/16" pocket and leafing edge
SLM80   Skimlite M-16 Heavy Duty Leaf Rake w/16"coarse pocket and leafing edge

Brushes for Service and Commercial Use

PC218C   18" Metal Back Brush, curved, 12/cs
RB111358   Rainbow 18" Metal Back Brush, with blended nylon and stainless steel
             bristles, 12/cs
PC924   24" Metal Back Brush, straight
PC936   36" Metal Back Brush, curved
PC105SS   5" Metal Back Algae Brush, stainless steel bristles, 12/cs
PC109SS   9" Metal Back Algae Brush, stainless steel bristles, 12/cs
PC118SS   18" Metal Back Algae Brush, stainless steel bristles, 12/cs
PC193P   10" Acid Brush, wood back, 12/cs
PC197   10" Acid Brush, dual surface, 12/cs
PC20035   60" Wood Handle, tapered end
PC20225   60" Wood Handle, threaded plastic end

Poles for Service and Commercial Use

1-pc Straight Poles - Aluminum

SL112   Skimlite 12' straight Heavy Duty Aluminum Pole
SL116   Skimlite 16' straight Heavy Duty Aluminum Pole

1-pc Straight Poles - Fiberglass

RB191104   Rainbow 16' straight Fiberglass Pole

2-pc Telescopic Poles - Aluminum

SL9018   Skimlite 2-pc Heavy Duty Professional 9000 Aluminum Telescopic Pole
             with Dually lock assy, extends to 8' length
SL3008   Skimlite 2-pc Heavy Duty Aluminum Telescopic Pole with Eliptilock,
             extends to 16' length
SL3500   Skimlite 2-pc DURAPRO Aluminum Telescopic Pole with Dual Lock,
             extends to 16' length
RB191090   Rainbow 2-pc Aluminum Telescopic Pole, metal cam, extends to 23-1/2'
             length
RB191088   Rainbow 2-pc Aluminum Telescopic Pole, EZ Lock cam, extends to 23-1/2'
             length
SL5012   Skimlite 2-pc Heavy Duty Professional 5000 Aluminum Telescopic Pole,
             nylon outside lock, extends to 24' length
SL9024   Skimlite 2-pc Heavy Duty Professional 9000 Aluminum Telescopic Pole
             with Dually lock assy, extends to 24' length
SL5016   Skimlite 2-pc Heavy Duty Professional 5000 Aluminum Telescopic Pole,
             nylon outside lock, extends to 32' length

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

2-pc Telescopic Poles - Fiberglass

RB191092   Rainbow 2-pc Fiberglass Telescopic Pole, EZ Lock Cam, extends to 16' length
SK8016   Skimlite 2-pc Heavy Duty Fiberglass Telescopic Pole with nylon outside lock,
               extends to 16' length
RB191101   Rainbow 2-pc Fiberglass Telescopic Pole, EZ Lock Cam, extends to 22' length

3-pc Poles

SL324   Skimlite EZ Ship set of 3-8ft poles in UPS mailer – makes 16' or 24' straight
               pole
SL3006   Skimlite 3-pc Aluminum Telescopic Pole with EliptiLock, 6' to-18'

Maintenance Accessories

RB221026   Rainbow #153 Rescue Hook, 12/cs
RB201409   Rainbow #152 Snap Adapt metal vac head handle
RB201556   Rainbow #170 Delrin spring clip, 3/pak
RB221036   Rainbow #145 Pole Hanger, ABS, 24/cs
RB221046   Rainbow #165 Hose Hanger, ABS, 24/cs

Rescue Equipment

RB221026   Rainbow #153 Rescue Hook, 12/cs
JBP20   20" Ring Buoy, 6/cs
JBJB20   20" Ring Buoy, US Coast Guard Approved, 6/cs
JBP25   25" Ring Buoy, 6/cs
JBJB24   24" Ring Buoy, US Coast Guard Approved, 6/cs

Pool & Spa Signs

NSSW3   "Artificial Respiration"
RB231100   "CPR"
NSTC21   "Emergency Notice"
NSSW40   "Emergency Shutoff Switch"
NSSW6   "Emergency Use"
NSSW20   "No Diving Allowed"
NSSW44   "No Glassware"
NSSW1   "No Lifeguard on Duty"
NSSW15   "Pool Capacity"
NSSW10   "Pool Closed"
NSSW41   "Pool Hours"
NSSW2   "Pool Rules"
NSSW27   "Public Pool Use Notice"

NOTICE

NSSW27

POOL RULES

NSSW2

NSSW3

WARNING: NO LIFE GUARD ON DUTY
CHILDREN UNDER 14 SHOULD NOT USE POOL WITHOUT AN ADULT IN ATTENDANCE.
STATE LAW

NSSW1

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Inlays, Inc. Ceramic Pool Markers

Frost-proof white tile with black message.
Picture tiles are white with red slash-circle on black message.

INLAYS, INC.

Smooth Waterline Depth Markers — 6" x 6" Ceramic

Four-inch numbers and two-inch letters; black print on white
background. English and Metric available; Frost Resistant.

INC6100_0	6" x 6" smooth ceramic marker, "0 ft"–"9 ft"
INC6110_0	6" x 6" smooth ceramic marker, "0"–"11"
INC610506	6" x 6" smooth ceramic marker, "6 in"
INC6125_0	6" x 6" smooth ceramic marker, "0."–"4."
INC6130_0	6" x 6" smooth ceramic marker, "0 m"–"9 m"
INC611500	6" x 6" smooth ceramic marker, "No Diving" picture tile
INC613500	6" x 6" smooth ceramic marker, "FT"
INC613505	6" x 6" smooth ceramic marker, "IN"
INC611505	6" x 6" smooth ceramic marker, "No Running" picture tile

Non-Skid Deck Depth Markers — 6" x 6" Ceramic

Four-inch numbers and two-inch letters; black print on white
background. English and Metric available; Frost Resistant.

INC6200_0	6" x 6" non-skid ceramic marker, "0 ft"–"9 ft"
INC6210_0	6" x 6" non-skid ceramic marker, "0"–"11"
INC620506	6" x 6" non-skid ceramic marker, "6 in"
INC6225_0	6" x 6" non-skid ceramic marker, "0."–"4."
INC6230_0	6" x 6" non-skid ceramic marker, "0 m"–"9 m"
INC621500	6" x 6" non-skid ceramic marker, "No Diving" picture tile
INC621505	6" x 6" non-skid ceramic marker, "No Running" picture tile
INC622000	6" x 24" (4 tiles) non-skid ceramic marker, "No Diving"
INC623500	6" x 6" non-skid ceramic marker, "FT"
INC623505	6" x 6" non-skid ceramic marker, "IN"

Smooth Waterline (Top Print) Depth Markers – 6" x 6" Ceramic — *Houston Only*

Complies with Texas Safety Code for new pool construction. Characters are printed at top of tile
for increased visibility at the water level. Four-inch characters; black print on white background;
Frost Resistant. ***Metric available, special order only.***

INCCT6110__	6" x 6" smooth top print ceramic marker, "0" – "12"
INCCT613500	6" x 6" smooth top print ceramic marker, "FT"
INCCT613505	6" x 6" smooth top print ceramic marker, "FT"

Vinyl StickOns Pool Markers

3M skid-resistant vinyl for deck surfaces (not recommended for waterline applications). Installation kit
must be used for all applications.

INV6200_0	6" x 6" non-skid vinyl marker, "0 ft"–"9 ft"
INV620506	6" x 6" non-skid vinyl marker, "6 in"
INV6225_0	6" x 6" non-skid vinyl marker, "0."–"4."
INV6230_0	6" x 6" non-skid vinyl marker, "0 m"–"9 m"
INV621500	6" x 6" non-skid vinyl marker, "No Diving" picture tile
INV622000	6" x 24" non-skid vinyl marker, "No Diving"
INV004001	Installation Kit, includes adhesive and edge sealer, for up to 40 tiles

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Tempered Glass Overlays Pool Markers

For in-pool horizontal and waterline applications, can be applied over existing tile. Installation kit must be used for all applications.

ING6100_0   6" x 6" smooth glass marker, "0 ft"–"9 ft"
ING610506   6" x 6" smooth glass marker, "6 in"
ING6125_0   6" x 6" smooth glass marker, "0."–"4."
ING6130_0   6" x 6" smooth glass marker, "0 m"–"9 m"
ING611500   6" x 6" smooth glass marker, "No Diving" picture tile
ING004000   Installation Kit, includes caulk adhesive and notched applicator

Smooth Waterline Plastic Stickons

4-1/4" x 5-1/2" plastic peel and stick tiles adhere to stainless, vinyl and fiberglass walls. 1/16" thickness provides a thin profile with radius corners. No installation kit needed

INP4100_0   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, "0 ft" – "9 ft"
INP41050_   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, "0 in" – "9 in"
INP4110_0   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, "0" – "9"
INP411500   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, No Diving picture tile
INP413500   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, "FT"
INP413505   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, "IN"
INP413510   4-1/4" X 5-1/2" Smooth Plastic Stickon marker, "M"

METRIC CONVERSION TABLE

1' =0.3m	5'6" =1.7m	10' =3.0m
1'6" =0.5m	6' =1.8m	10'6" =3.2m
2' =0.6m	6'6" =2.0m	11' =3.4m
2'6" =0.8m	7' =2.1m	11'6" =3.4m
3' =0.9m	7'6" =2.3m	12' =3.7m
3'6" =1.1m	8' =2.4m	12'6" =3.8m
4' =1.2m	8'6" =2.6m	13' =4.0m
4'6" =1.4m	9' =2.7m	13'6" =4.1m
5' =1.5m	9'6" =2.9m	14' =4.3m

6 IN

NO DIVING

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Rope and Floats

US25600	1/4" x 600' rope, spool
US37600	3/8" x 600' rope, spool
US50600	1/2" x 600' rope, spool
US75300	3/4" x 300' rope, spool
RB181226	16' x 3/8" rope, rope hook and fid, 5–3" x 5" floats
RB181216	18' x 3/8" rope, rope hook and fid, 7–3" x 5" floats
RB181206	20' x 3/8" rope, rope hook and fid, 9–3" x 5" floats
RB181016	Rope float, 3" x 5" blue/white (100/box)
RB181086	Rope float, 5" x 9" blue/white (24/box)
RB181116	Rope float, 5" x 9" white (24/box)
RB181486	#74 Float Keeper for 5" x 9" float and 3/4" rope

Rope Hooks—Chrome Plated Brass

PMPH52	Posi-Lok, 3/8" & 1/2"
PMPH53	Posi-Lok, 3/4"
PMPH51H	3/4" CP Brass clamp type, SP47, each
PMPH52H	1/2" CP Brass clamp type, SP45, each

PMPH53

PMPH51H

Rope Anchors—Chrome Plated Brass

PMPI76B#	Rope Anchor, flat oval eye w/bracket and gasket
PMPI70#	Rope Eye, oval coping mount
PMPI72B	Removable Eye for vinyl liners
PMPI77	Eyebolt assembly, SP34, for steel or fiberglass
PMPI74	Eyebolt assembly with lead expansion anchor, for concrete

Front View

PMP170

PMP174

Cup Anchors

FRA411410	CP Brass cup anchor with adjustable eyebolt
FRA411440	CP Brass racing anchor, flush, with adjustable eyebolt
FR2400220	Eyebolt only, CP Brass, 1/2"
SB5504	Eyebolt only, CP Brass, 3/4" thread
PMPH82	Cup Anchor with Adjustable Eye for Lifeline
SR9145-0000	Cup Anchor – white cycolac

Rescue Equipment

JBP20	20" ring buoy (6/box)
JBJB20	20" ring buoy, US Coast Guard Approved (6/box)
JBP25	25" ring buoy (6/box)
JBJB24	24" ring buoy, US Coast Guard Approved (6/box)
LP60	60 ft throw line with loop and ball float
RB221026	#153, Rescue hook (12/box)

MAINTENANCE

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 **toll free** 800-927-POOL (7665) **fax** 913-492-2631 **or** 800-927-4286
Houston 713-773-9000 **toll free** 800-769-POOL (7665) **fax** 713-773-9926

Safety Anti-Entrapment Protection
In December 2007, the Virginia Graeme Baker Act, which requires public pool and spa operators to install specific safety devices to prevent further injury and loss of life due to entrapment, was signed into law. Full details of the requirements of the VGB Act can be found as www.cpsc.gov.

Anti-Entrapment Main Drain Frames & Grates
Complies with ASME/ANSI A112.19.8

Main Drains for Vinyl and Fiberglass Pools
ASME/ANSI A112.19.8 approved

SPWG1048AV   Hayward 8" diam. Main Drain, 1-1/2"FIP side x 1-1/2"FIP btm
SPWG1049AV   Hayward 8" diam. Main Drain, 2"FIP side x 1-1/2"FIP btm

Main Drains for Concrete Pools
ASME/ANSI A112.19.8 approved

SPWG1052AV   Hayward 8" diam. Main Drain, 2"FIP side x 1-1/2"FIP btm
PF500110   Pentair 8" diam. Main Drain, 2" side x 1-1/2" btm
PF500120   Pentair 8" diam. Main Drain w/2" dual btm ports
WI640-2320   Pentair 8" diam. Main Drain w/2" dual btm ports, White
WI640-2321   Pentair 8" diam. Main Drain w/2" dual btm ports, Black

AS32CDFL101   AquaStar 32" channel drain w/3-ports (2-1/2"spgx2"sktx2"NPT), White

Main Drains for Commercial
ASME/ANSI A112.19.8 approved

LWSG0909W   Lawson Aquatics 9"x9" PVC Sump & Grate, 4" Side Port, White
LWSG1212W   Lawson Aquatics 12"x12" PVC Sump & Grate, 6" Side Port, White
LWSG1818W   Lawson Aquatics 18"x18" PVC Sump & Grate, 8" Side Port, White

Main Drain Frames & Grates
ASME/ANSI A112.19.8 approved

ASLP8AV101   AquaStar 8" diam. Low Profile Frame and Anti-Vortex Grate, White
ASRLP8AV101   AquaStar 8" diam. Retro Low Profile Frame and Anti-Vortex Grate, White
SPWG1048EWBLK   Hayward 8" diam. Replacement Frame and Anti-Vortex Grate, Black
PF500100   Pentair 8" diam. Replacement Frame and Anti-Vortex Grate, Black
PF500108   Pentair 8" diam. Replacement Frame and Anti-Vortex Grate, White
WI640-2310   Waterway 8" diam. Replacement Frame and Anti-Vortex Grate, White
WI640-2311   Waterway 8" diam. Replacement Frame and Anti-Vortex Grate, Black

SGDS360   Stingl 11" diam. Drain Cover will retrofit 5-1/2" to 8"diam. Sumps
SGDS360M   Stingl 10-3/8" diam. Drain Cover will retrofit 5" to 8"diam. Sumps

ASRWAV9101   AquaStar 9"9" Retro Frame and Anti-Vortex Grate, White
ASWAV9101   AquaStar 9"9" Frame & Anti-Vortex Grate, White
LWFGD0909W   Lawson Aquatics 9"x9" Frame and Anti-Vortex Grate, White

ASRWAV12101   AquaStar 12"x12" Retro Frame and Anti-Vortex Grate, White
ASWAV12101   AquaStar 12"x12" Frame and Anti-Vortex Grate, White
SPWG1032   Hayward 12"x12" Frame and Anti-Vortex Grate, White
LWFGD1212W   Lawson Aquatics 12"x12" Frame and Anti-Vortex Grate, White

AS1216101   AquaStar 16"x16" Frame and Anti-Vortex Grate, White
ASR1216101   AquaStar 16"x16" Retro Frame and Anti-Vortex Grate, White

ASWAV18101   AquaStar 18"x18" Frame and Anti-Vortex Grate, White
SPWG1033   Hayward 18"x18" Frame and Anti-Vortex Grate, White
LWFGD1818W   Lawson Aquatics 18"x18" Frame and Anti-Vortex Grate, White

SAFETY

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Safety Anti-Entrapment Protection

Stingl SR-500 Safety Vacuum Release System (SVRS)

Monitors vacuum on the suction side of pool or spa pump (vacuum monitored 128 times per second; power monitored 50/60 times per second). When blockage occurs in main drain or skimmer, a sudden rise in vacuum will cause the SR-500 to shut down pump operation and activate an audible alarm. Pump will remain off with alarm sounding until manually reset. Also can act as pool controller with programmable timer, or as stand alone SVRS working in conjunction with existing pool controller.

GPSR500   Stingl model SR-500 SVRS

Vac-Alert VA2000 Safety Vacuum Release System (SVRS)

Reacts in less than a second to quickly release dangerous pump suction vacuum. A total mechanical, non-electric safety system, easy to install, adjust and test. On Commercial Applications with 3" or larger pipe diameter, Vac-Alert recommends using the VA2000S, even if the pump is installed above water level.

VC2000L   Vac Alert SVRS Suction Lift
                 For pump suction lines where the pump is installed above
                 the water level.
VC2000S   Vac Alert SVRS Submerged Suction
                 For pump suction lines where the pump is installed below
                 the water level.

Vacless Pool and Spa Safety Vacuum Release System (SVRS)

Automatic Breathers provide immediate vacuum relief upon entrapment by allowing atmospheric air to rapidly fill the pump pot causing it to lose prime. Upon release of an entrapment, the valve will automatically reset allowing the pump to re-prime.

VLSVRS10ADJ   Vacless automatic adjustable, automatic reset center.
                 Adjustable valves are factory preset & easily field
                 adjusted to the vacuum levels presnt on lengthier pipe
                 configurations.

SAFETY

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Guardian SVRS-Approved Motors

Guardian is listed to the ASME A112.19.17 SVRS standard for suction lift applications and is an electrical type SVRS, meaning it releases the entrapment victim by sensing the entrapment condition and shutting off the motor. Guardian is completely integrated into the motor circuit, and there are no external parts or connections to the plumbing or electrical system.

Threaded Shaft, Single Speed – NEMA C Flange

AOSTG1102	1HP, 115/230v, 18.6/9.3 amp, 1.50SF
AOUSTG1102	1HP, 115/230v, 15.0/7.5 amp, 1.10SF
CEBG128	1HP, 230/115v 7.2/14.4 amp, 1.40SF
AOUSTG1152	1-1/2HP, 115/230v, 18.6/9.3 amp, 1.00SF
CEBG129	1-1/2HP, 230/115v, 9.2/18.4 amp, 1.30SF

Square Flange, Single Speed, 56Y Frame

CEBG848	1HP, 230/115v, 8.0/16.0 amp, 1.65SF
CEBG853	1HP, 230/115v, 7.1/14.2 amp, 1.25SF
CEBG854	1-1/2HP, 230/115v, 8.0/16.0 amp, 1.10SF
CEBG855	2HP, 230v, 10.0 amp, 1.10SF

Square Flange, Single Speed, 48Y Frame

AOUSQG1072	3/4HP, 115/230v, 11.8/5.9 amp, 1.27SF
AOUSQG1102	1HP, 115/230v, 14.8/7.4 amp, 1.25SF
AOUSQG1152	1-1/2HP, 115/230v, 19.2/9.6 amp, 1.10SF

NOTE: E-Mod motors will not prevent eviscerations, hair, object, or partial limb entrapment and is designed for suction lift applications.

SAFETY

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free **800-927-POOL (7665)** fax 913-492-2631 or **800-927-4286**
Houston 713-773-9000 toll free **800-769-POOL (7665)** fax **713-773-9926**

Safety Cover Order Form

Customer ID #_____

Page_____ Of_____

Distributor Name:_____ Job Name:_____

Dealer Name:_____ PO#_____

Address:_____ Ship With Other Orders?_____

City:_____ ST:_____ Zip:_____ Shipping Instructions: Pick Up? ☐ Drop Ship? ☐

Contact:_____ Ship To:_____

Phone:_____ _____

Fax:_____ _____

☐ **ORDER** ☐ **QUOTE** If nothing is checked, we will assume this is a quote only!

Standard Pool Shapes

Rectangle

Grecian

Lazy L *(Right Shown)*

Diag. 1
Diag. 2
☐ **Lazy L Right**
☐ **Lazy L Left**

True L *(Left Shown)*

☐ **True L Right**
☐ **True L Left**

True Oval

Roman

Material And Color:

Dura-Mesh

Green ☐ Blue ☐ Black ☐

Solid

Green ☐ Blue ☐

Pump ☐ Window Mesh Panel ☐

Advanced Grade Mesh

Green ☐ Blue ☐ Black ☐

Kaleido*scapes!* Solid

Color #1_____

Color #2_____

Color #3_____

Pump ☐ Window Mesh Panel ☐

Overlap:

12" ☐ 15"* ☐
18"* ☐ 24"* ☐

* Additional Charges May Apply

Spacing:

5 x 5 ☐ 3 x 3 ☐

Step / Swimout Sizes:

#1 _____ X _____

#2 _____ X _____

#3 _____ X _____

Does The Pool Have Radius or Diagonal Corners?

Diagonal Radius

Less Than 4' (corners are not cut) ☐

4' or Greater (corners are cut) ☐

Dimension_____

Provide drawing on inside to show step location.

In the event the cover ordered does not meet ASTM Standards, Merlin Industries may request that a waiver be signed

All Safety Covers are Special Order. Fill out these forms completely for a quote and/or order.
Covers are NOT returnable——Allow 4-6 weeks for delivery.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Job Name _____ Page _____ Of _____

Obstructions and Special Information

☐ Rock Boulders from Point_____ to Point_____ and Point_____ to Point_____   ☐ Up and Over ☐ Cable

☐ Gravel or Stone from Point_____ to Point_____ and Point_____ to Point_____   ☐ Lawn Stakes ☐ Tubes

☐ Waterfall   from Point_____ to Point_____ and Point_____ to Point_____   ☐ Up and Over ☐ Cable

☐ Raised Wall   from Point_____ to Point_____ Length of Raised Wall_____   ☐ Up and Over ☐ Cable

☐ Grass Area   from Point_____ to Point_____ and Point   to Point   ☐ Lawn Stakes ☐ Tubes

☐ Planter   from Point_____ to Point_____ and Point_____ to Point_____   ☐ Lawn Stakes ☐ Tubes

☐ Other_____from Point_____ to Point_____ and Point_____ to Point_____   ☐ Up and Over ☐ Tubes

☐ Raised Spa   from Point_____ to Point_____   ☐ Up and Over ☐ Cable

☐ Wood Deck   from Point_____ to Point_____ and Point_____ to Point_____

Special or Extra Hardware Needed

☐ Brass Flanges   *Entire Pool*   *or Qty* _____   ☐ Standard Springs   *Entire Pool*   *or Qty*_____

☐ Aluminum Tubes   *Entire Pool*   *or Qty* _____   ☐ Short Springs   *Entire Pool*   *or Qty*_____

☐ Lawn Stakes   *Entire Pool*   *or Qty* _____   ☐ Commercial Springs   *Entire Pool*   *or Qty*_____

☐ Wood Deck Anchors   *Entire Pool*   *or Qty* _____   ☐ Other _____ *Entire Pool*   *or Qty*_____

☐ Installation Tool   Cover Includes one *or Qty* _____   ☐ Installation Instructions

Important: Please Draw "A-B" line in relationship to pool.   Number points clockwise around pool.

Important: "A-B" Line, or extension of, CANNOT intersect or come within 3' of Pool. "A" should be left of "B" looking at pool.

All Safety Covers are Special Order. Fill out these forms completely for a quote and/or order.
Covers are NOT returnable——Allow 4-6 weeks for delivery.

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Safety Cover Order Form

Job Name _____ Page_____Of_____

	A	B			A	B			A	B			A	B
1				24				47				70		
2				25				48				71		
3				26				49				72		
4				27				50				73		
5				28				51				74		
6				29				52				75		
7				30				53				76		
8				31				54				77		
9				32				55				78		
10				33				56				79		
11				34				57				80		
12				35				58				81		
13				36				59				82		
14				37				60				83		
15				38				61				84		
16				39				62				85		
17				40				63				86		
18				41				64				87		
19				42				65				88		
20				43				66				89		
21				44				67				90		
22				45				68				91		
23				46				69				92		

Please Provide Descriptions: Handrails, Slides, Handrails, Dive Rock, Planters, Etc.   **Obstacles On Pool**

	A	B				A	B	
a			_____		h			_____
b			_____		i			_____
c			_____		j			_____
d			_____		k			_____
e			_____		l			_____
f			_____		m			_____
g			_____		n			_____

IMPORTANT!   The Distance From "A" to "B" is _____Ft._____In.

Longest Length_____from Point #_____ to Point #_____ Is there 3' of Deck? Yes☐ No☐ _____Ft._____In.

Widest Width_____ from Point #_____ to Point #_____ Does pool require a cut-out?   Yes☐ No☐

Cross Dimension 1 from Point #_____ to Point #_____ Does the pool have a spa?   Yes☐ No☐

Cross Dimension 2 from Point #_____ to Point #_____ Does spa require a separate cover? Yes☐ No☐

All Safety Covers are Special Order. Fill out these forms completely for a quote and/or order.
Covers are NOT returnable——Allow 4-6 weeks for delivery.

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 | or | 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 | | |

Ocean Blue Solid Blue Overlap Liners for 48" and 52" Walls

20 gauge vinyl

MC1548SBO	15 ft Round Solid Blue Overlap Liner
MC1848SBO	18 ft Round Solid Blue Overlap Liner
MC2448SBO	24 ft Round Solid Blue Overlap Liner
MC2748SBO	27 ft Round Solid Blue Overlap Liner
MC3048SBO	30 ft Round Solid Blue Overlap Liner
MC3348SBO	33 ft Round Solid Blue Overlap Liner
MC1525SBO	15 x 25 ft Oval Solid Blue Overlap Liner
MC1530SBO	15 x 30 ft Oval Solid Blue Overlap Liner
MC1632SBO	16 x 32 ft Oval Solid Blue Overlap Liner
MC1833SBO	18 x 33 ft Oval Solid Blue Overlap Liner

Ocean Blue Printed Bottom Overlap Liners for 48" and 52" Walls

20 gauge vinyl

MC1548PBO	15 ft Round Print Bottom Overlap Liner
MC1848PBO	18 ft Round Print Bottom Overlap Liner
MC2448PBO	24 ft Round Print Bottom Overlap Liner
MC2748PBO	27 ft Round Print Bottom Overlap Liner
MC3048PBO	30 ft Round Print Bottom Overlap Liner
MC3348PBO	33 ft Round Print Bottom Overlap Liner
MC1530PBO	15 x 30 ft Oval Print Bottom Overlap Liner
MC1632PBO	16 x 32 ft Oval Print Bottom Overlap Liner
MC1833PBO	18 x 33 ft Oval Print Bottom Overlap Liner

Ocean Blue Beaded Pattern Above Ground Liners

20 gauge vinyl

MC1530TMB	15 x 30 ft Oval Beaded Liner w/pattern
MC1833TMB	18 x 33 ft Oval Beaded Liner w/pattern

Great Plains Supply • Pool & Spa Products Dealer Catalog

|				
Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Above Ground Liners

Swimline Overlap Solid Blue Liners for 48" or 52" Walls
Made with 20 gauge vinyl.

SW1548SBO	15 ft Round Solid Blue Overlap Liner
SW1848SBO	18 ft Round Solid Blue Overlap Liner
SW2148SBO	21 ft Round Solid Blue Overlap Liner
SW2448SBO	24 ft Round Solid Blue Overlap Liner
SW2748SBO	27 ft Round Solid Blue Overlap Liner
SW3048SBO	30 ft Round Solid Blue Overlap Liner
SW3348SBO	33 ft Round Solid Blue Overlap Liner
SW1224SBO	12 x 24 ft Oval Solid Blue Overlap Liner
SW1530SBO	15 x 30 ft Oval Solid Blue Overlap Liner
SW1833SBO	18 x 33 ft Oval Solid Blue Overlap Liner

Swimline Overlap Solid Blue "Splasher" Liner for 36" Walls
Made with 10 gauge vinyl.

SW1236	12 ft Round Solid Blue Splasher Liner

Swimline Overlap Printed Bottom Liners for 48" or 52" Walls
Solid blue wall and marble print floor; made with 20 gauge vinyl.

SW1548PBO	15 ft Round Print Bottom Overlap Liner
SW1848PBO	18 ft Round Print Bottom Overlap Liner
SW2148PBO	21 ft Round Print Bottom Overlap Liner
SW2448PBO	24 ft Round Print Bottom Overlap Liner
SW2748PBO	27 ft Round Print Bottom Overlap Liner
SW3048PBO	30 ft Round Print Bottom Overlap Liner
SW3348PBO	33 ft Round Print Bottom Overlap Liner
SW1224PBO	12 x 24 ft Oval Print Bottom Overlap Liner
SW1530PBO	15 x 30 ft Oval Print Bottom Overlap Liner
SW1833PBO	18 x 33 ft Oval Print Bottom Overlap Liner

Swimline Above Ground Beaded Pattern Liners
Printed tile waterline and marble print floor; made with 20 gauge vinyl.

SW2448TMB	24 ft x 48" Round Beaded Liner w/pattern
SW2748TMB	27 ft x 48" Round Beaded Liner w/pattern
SW1530TMB	15 x 30 ft x 48" Oval Beaded Liner w/pattern
SW1833TMB	18 x 33 ft x 48" Oval Beaded Liner w/pattern

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Above Ground Pool Installation Accessories

Gladon Original Pool Cove
4 ft long foam sections with plastic backing strip that locks into the bottom rail.

GLPC192   Original Pool Cove, 4 ft strip, 48/cs
GLPC192 EA   Original Pool Cove, 4 ft strip, each

Gladon Peel 'n' Place Pool Cove
With high strength adhesive backing to keep in position on clean, dry wall.

GLPNP192   Peel 'n' Place Pool Cove, 4 ft strip, 48/cs
GLPNP192 EA   Peel 'n' Place Pool Cove, 4 ft strip, each

Gladon Happy Bottom Pool Pad
Minimized liner failure and indentations in pool floor

GLPP150   Happy Bottom Pool Pad, 1/4" x 48" x 150' roll

Blue Foam Spray Adhesive
Releasable aerosol adhesive for wall foam.

GLFB24 BX   Blue Foam Adhesive, 24 oz can, 12/case
GLFB24   Blue Foam Adhesive, 24 oz can, each

Above Ground Pool Lighting

NiteLighter™ Underwater Lighting System for Above Ground Pools
Easy Do-It-Yourself Installation. 28 ft cord and long-life halogen bulb included.

DLNL35   35 Watt Underwater Lighting System for Above Ground Pools
DLNL50   50 Watt Underwater Lighting System for Above Ground Pools

Pentair Aqua-Luminator™ Above Ground Pool Light
Installs in place of an inlet fitting to provide underwater light in an above ground swimming pool, also serves as an inlet fitting.

AP98600000   Luminator 2010 Above Ground Light

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair Sand Dollar™ Above Ground Filter System
Sand Dollar vertical tank with multiport valve. Complete with 3 ft cord with NEMA plug and 1-1/2" x 12' hose kit.

PF14-5138   SD35, 16" tank with 1 HP Dynamo II pump with cord & hose kit
PF14-5148   SD40, 19" tank with 1 HP Dynamo II pump with cord & hose kit
PF14-5149   SD40, 19" tank with 1-1/2 HP Dynamo II pump with cord & hose kit
PF14-5159   SD60, 24" tank with 1-1/2 HP Dynamo II pump with cord & hose kit

Hayward VL Series Above Ground Filter System
Designed to accommodate Intex brand above ground pools, system includes tank, multiport valve, pump and hose kit.

SPVL40T32   VL Above Ground System

Hayward Power•Flo LX™ Above Ground Pump
6 ft cord, clear cover.

SP1580   1 HP Power•Flo LX, 115v
SP1580X15   1-1/2 HP Power•Flo LX, 115v

Pentair Dynamo Above Ground Pump with Strainer Pot
Single speed, clear Lexan lid with grip handle on strainer pot.

PF34-0103   3/4 HP Dynamo, 115v only
PF34-0104   1 HP Dynamo, 115v only
PF34-0106   1-1/2 HP Dynamo, 115/230v

PF34-0194   3/4 HP Dynamo, 115/230v, with 3' cord/stnd plug
PF34-0197   1 HP Dynamo, 115/230v, with 3' cord/stnd plug
PF34-0210   1-1/2 HP Dynamo, 115/230v, with 3' cord/stnd plug

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631** **or** **800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Raypak Versa 130 Spa or Above Ground Pool Heater

Millivolt control system. 1-1/2" bronze headers, single thermostat. Outdoor grate top or indoor draft hood.

RKPR130AMN   130,000 BTU Millivolt Versa 130 & Top—Natural Gas
RKPR130AMP   130,000 BTU Millivolt Versa 130 & Top—LP Gas

PROtech Blue/Blue Diamond Solar Blankets

8 MIL "Heavy" Solar-Cell Floating Pool Cover with white protective cover. Three year limited warranty.

MC81224D   12' x 24' Rectangle solar blanket *
MC81530D   15' x 30' Rectangle solar blanket *
MC81625D   16' x 25' Rectangle solar blanket *
MC81632D   16' x 32' Rectangle solar blanket *
MC81636D   16' x 36' Rectangle solar blanket *
MC81833D   18' x 33' Rectangle solar blanket *
MC81836D   18' x 36' Rectangle solar blanket

MC812RDD   12' Round solar blanket *
MC816RDD   16' Round solar blanket *
MC818RDD   18' Round solar blanket *
MC821RDD   21' Round solar blanket *
MC824RDD   24' Round solar blanket *
MC828RDD   28' Round solar blanket
MC830RDD   30' Round solar blanket
MC833RDD   33' Round solar blanket

The Sun's Rays
Top of blanket
Aluminium Underside
Pool Base

* UPS Shippable

Feherguard "Lift Off & Swing" Reel System

Removal design with smooth turning handles at both ends. Includes anodized tube with self-tapping screws.

FEFG7B/L18   Above Ground system, deluxe anodized tube, for pools up to 18' diam.
FEFG7B/L18M   Above Ground system, standard mill finish tube, for pools up to 18' diam.
FEFG7B/L24M   Above Ground system, standard mill finish tube, for pools up to 24' diam.
FEFG7B/L28M   Above Ground system, standard mill finish tube, for pools up to 28' diam.
    (special order)
FEFG7B/L30M   Above Ground system, standard mill finish tube, for pools up to 30' diam.
    (special order)

Feherguard "Surface Rider" Reel System

Entire system lifts off with blanket, leaving pool top clear. Completely portable; no drilling or bolting to top rail. For pools without full decking.

FESRS18   Surface Rider system for pools w/top seat up to 18' diam.
FESRS24   Surface Rider system for pools w/top seat up to 24' diam.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Above Ground Accessories

Ocean Blue Fountains
Portable pool fountain runs off return line. Works on both Above and In-ground pools.

MC180006   Flower Fountain
MC180010   Grecian Fountain

Polaris Waterstars Fountains
Portable pool fountain runs off return or discharge line. Works on both Above and In-ground pools.

PV1110000   Waterstars WF (wall-mounted) Fountain
PV740000   Waterstars Floating Fountain

Skimmers for Above Ground Pools
SP1091WM   Wide Mouth Dyna Skim, 1'1/2" FPT
SP1094   Dyna Skim, 1-1/2" FPT, with skim vac

Vacuum Plates for Above Ground Pools
SP1094D   For 1094, 1095, with elbow hose connection
SP11041   For SP1090, 91, 92, with elbow hose connection
SP11054   Deluxe for SP1090, 91, 92, with straight hose connection

Hayward AquaBug Automatic Pool Cleaner
Suction-side cleaner for level depth In-ground vinyl, and above ground pools with flat or dished bottoms. Includes 32ft feed hose.

SP500   AquaBug Cleaner

Kreepy-Krauly E-Z Vac Automatic Above Ground Pool Cleaner
Suction-side cleaner for above ground pools will clean banked coves.

KR50600   E-Z Vac Above Ground Cleaner

Polaris Turbo Turtle
Pressure-side cleaner works in all above ground vinyl or fiberglass pools. Operates on pool circulation pump; ready to connect to 1.5" threaded return line. Includes 24 ft of float hose.

PV6-130-00T   Turbo Turtle, complete

Polaris 65 Vac-Sweep
Pressure-side cleaner works in all above ground vinyl or fiberglass pools. Operates on pool circulation pump; ready to connect to 1.5" threaded return line. Includes 24 ft of float hose.

PV6-130-00   65 Vac Sweep, complete

Sta-Rite 'Lil Shark Automatic Above Ground Pool Cleaner
Suction-side cleaner uses a dual band of bristles for scrubbing action. Effective on vinyl in flat or dishbottom above ground pools.

SRGW8000   'Lil Shark Cleaner

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Please complete both sides of this page.

Company Name _____

Address _____

City _____ State _____ Zip_____

Contact _____

Phone _____ Fax_____

PO # _____

e-mail address: _____

Job Tag Name _____

Special Instructions _____

_____

_____

detach and copy this form for ordering

IN GROUND LINERS

STEPS | **STEPS SET BACK**

STEP LENGTH
❏ 8' 0"
❏ Other _____

STEP LOCATION
❏ Center of shallow end
❏ Other (draw location)

ROD POCKETS ❏ Yes ❏ No
RADIUS AT TOP OF STEPS
❏ No ❏ Yes Size _____

A _____
B _____
C _____
D _____
E _____
F _____
G _____
H _____
I _____
J _____

If pool shape is not rectangular, please note step location on drawing.

for vinyl steps only ➤

All In Ground Liners are Special Order. Fill out these forms completely for a quote and/or order.
Liners are NOT returnable——Call for Lead Time.

Dimensional information on this form is supplied by the customer & is reference material on liner design & is accepted "As Is." It should not be used for excavation or pool installation specifications.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Inground Liner Order Form

Check appropriate box for perimeter and hopper shape. Please fill in all measurements.

IN GROUND LINERS

RECTANGLE ☐

OVAL ☐

CONTOUR BOTTOM GRECIAN ☐

SQUARE BOTTOM GRECIAN ☐

LAZY ELL LEFT ☐

LAZY ELL RIGHT ☐

CORNER TYPE

HOW MANY INCHES?

RADIUS OF

☐ SQUARE   ☐ DIAGONAL   ☐ RADIUS

BEADED ☐   OVERLAP ☐   HOW MUCH? _____

PATTERN SELECTION FOR LINER

WALL	FLOOR
PLAIN: _____	PLAIN: _____
TILE: _____	PEBBLE: _____

OVERALL PATTERN: _____

A _____
B _____
C _____
D _____
E _____
F _____
G _____
H _____
I _____
J _____
K _____
L _____
M _____
N _____
O _____
P _____
A1 _____
A2 _____
A3 _____
A4 _____
B1 _____
B2 _____
Z1 _____
Z2 _____
Z3 _____
Z4 _____
Z5 _____

TYPE OF CORNER

TRUE ELL LEFT ☐

TYPE OF CORNER

TRUE ELL RIGHT ☐

STD. HOPPER ☐

WEDGE ☐

CONSTANT SLOPE ☐

SAFETY LEDGE ☐

from deep end of pool

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

detach and copy this form for ordering

Mighty Vac
For Vinyl Liner Installation

GG80275　　　　Mighty Vac, 2-3/4 HP, 115volt

Waveless Wall Foam
Protects liners and gives appearance of smooth
walls and floors to in ground pools.

GLWF125　　　　Wall Foam, 1/8" x 42" x 125' roll
GLWF12525　　　Wall Foam, 1/4" x 42" x 125' roll

Blue Foam Spray Adhesive
Releasable aerosol adhesive for wall foam.

GLFB24 BX　　　Blue Foam Adhesive, 24 oz can, 12/case
GLFB24　　　　Blue Foam Adhesive, 24 oz can, each

GLADON
COMPANY, INC.

Aluminum Coping for Beaded Liners

Concrete Receptor Coping
Electrostatically painted and baked finish: can be custom-welded and bent to desired shapes.
Pre-packaged 8 ft and 12 ft pieces.

CPCP1　　　　Smooth concrete receptor coping
CPCP2　　　　Non-skid concrete receptor coping
CPCP5　　　　Non-skid concrete receptor coping with double track design and alignment lip

Retrofit Coping
CPHM1　　　　Track for liner bead, standard
CPHM2　　　　Track for liner bead, horizontal wall installation
CPVM1　　　　Track for liner bead, vertical wall installation

*CPCP1*　　　　*CPCP5*　　　　　　　　　*CPHM1*　　　　*CPVM1*

CPHM2

In Ground Liners

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City　913-492-1520　toll free 800-927-POOL (7665)　fax 913-492-2631 or 800-927-4286
**Houston**　　713-773-9000　toll free 800-769-POOL (7665)　fax 713-773-9926

IN GROUND LINERS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair IntelliBrite 5g Color LED Spa Lights

Automated color-changing pool and spa light with LED technology provides vivid colors and light shows, and it is energy efficient. 7-light shows and 5-fixed colors (can be customized to 101 different colors), along with synchronized lighting with speed, motion and brightness control. Other features include 15 seconds of white light at start-up and the ability to synchronize 2 or more lights. Special reflector design directs light to the pool bottom for increased intensity and minimum glare. Lens can be rotated 180º to create wide beam or narrow beam pattern. With stainless steel light ring.

PF640053   IntelliBrite 5g Color Spa LED Light, 12v 30' cord
PF640054   IntelliBrite 5g Color Spa LED Light, 12v 50' cord
PF640055   IntelliBrite 5g Color Spa LED Light, 12v 100' cord

Pentair AquaLight Pool & Spa Light

Halogen bulb, clear lens, stainless steel face ring.

AP77168100   AquaLight, 250w, 120v, 50' cord
AP77360300   AquaLight, 250w, 120v, 100' cord
AP77118100   AquaLight, 100w, 120v, 50' cord
AP77310100   AquaLight, 100w, 120v, 100' cord

Pentair Stainless Steel Niches for Spas

Stainless steel housing, brass hub, internal/external bonding lugs.

AP78243200   3/4" top hub for Concrete
AP78243300   1" top hub for Concrete
AP78242200   3/4" rear hub for manufactured pools & spas

Pentair Gunite Plastic Niches

High Strength PVC construction includes rebar tie-backs, plaster ring for secure sealing, and gunite/plaster shield and reducer bushings.

PF79206600   small PVC niche, 1" rear hub for gunite

SPA

Zodiac WaterColors LED Spa Lights

Energy efficiency in an ultra-slim profile (3.23" Depth). Choose from nine colors and five light shows; stainless steel housing; ETL Listed.

JYCSHVLEDS30   WaterColors LED Spa Light, 120v, 30' cord
JYCSHVLEDS50   WaterColors LED Spa Light, 120v, 50' cord
JYCSHVLEDS100   WaterColors LED Spa Light, 120v, 100' cord
JYCSHVLEDS150   WaterColors LED Spa Light, 120v, 150' cord

Zodiac ProNiche – for Gunite

Injection molded PVC; 1" rear outlet with 45º sweep elbow fitting and 3/4" reducer; internal and external bonding lugs. Includes rebar tie-backs and plaster shield.

JYPLNICSM   ProNiche Small plastic niche for gunite, 7.23" Depth

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Lighting Accessories

Junction Boxes

AP78310600   Brass base w/polycarbonate cover, (3) 3/4" taps
AP78310700   Brass base w/polycarbonate cover, 3/4" x 1" x 3/4"

Transformers
UL Listed with automatic internal circuit breaker, 120v Primary with 12v/13v/14v Secondary Taps.

IMPX300   12v transformer for 300w maximum

Spa Heaters

Coates Inline and Compact Electric Spa Heaters
Stainless Steel tank, replaceable incoloy elements, close-differential thermostat, manual reset hi-limit, and element "on" light. Compact spa heater also has built-in flow switch and "on" light. UL Listed, 1-1/2" male NPT connections.

CA1.5ILS   1.44 kW, 120v Inline Spa Heater
CA61LS   5.75 kW, 240v Inline Spa Heater
CA12406ST   5.5 kW, 240v Compact Spa Heater
CA12411ST   11.0 kW, 240v Compact Spa Heater

Raypak Versa 055 Spa Heater
Millivolt control system. 1-1/2" bronze headers, single thermostat. Outdoor grate top or indoor draft hood.

RKB55BMN   50,000 BTU Millivolt Versa 055 & Top—Natural Gas
RKB55BMP   50,000 BTU Millivolt Versa 055 & Top—LP Gas

Raypak Versa 130 Spa or Above Ground Pool Heater
Millivolt control system. 1-1/2" bronze headers, single thermostat. Outdoor grate top or indoor draft hood.

RKPR130AMN   130,000 BTU Millivolt Versa 130 & Top—Natural Gas
RKPR130AMP   130,000 BTU Millivolt Versa 130 & Top—LP Gas

Raypak Spa-Pak Electric Spa Heaters
Compact design for easy installation, UL approved for outdoor or indoor use. 1-1/2" ports. Hi-limit manual reset and safety pressure switch included.

RKELS5522   5.5 kW, 240v, 1 phase, 30 amp service required.
RKELS11022   11.0 kW, 240, 1 phase, 50 amp service required.

PROtech Solar Blankets

Space Age™ Diamond Solar Bubble
12 MIL "Extra Heavy" Solar-Cell Floating Spa Cover
Five year limited warranty, UPS Shippable.

MC120606   6' x 6' spa solar blanket
MC120808   8' x 8' spa solar blanket
MC121010   10' x 10' spa solar blanket

SPA

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631** **or** **800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Air Supply "Silencer" Outdoor Blower

Unique motor mount design for the ultimate quiet performance. Includes spring check valve.

AS6310201   1 HP, 240v Silencer outdoor blower
AS6315201   1-1/2 HP, 240v Silencer outdoor blower
AS6320201   2 HP, 240v Silencer outdoor blower

Polaris "QT" Air Blower

The quietest blower on the market. Bottom outlet. UL® Listed.

PV146001   1 HP, 120v blower
PV146002   1 HP, 240v blower
PV147001   1-1/2 HP, 120v blower
PV147002   1-1/2 HP, 240v blower
PV148001   2 HP, 120v blower
PV148002   2 HP, 240v blower

Waterway Santanna Air Blower

For residential use, virtually nose-free due to durable polypropylene casing, which flexes to allow the motor to vibrate silently. Side or bottom mount; slip plug included for outlet not in use; bracket on case for easy mounting. UL Listed.

WI750-1011   1HP, 110v Blower
WI750-1022   1HP, 220v Blower
WI750-1511   1.5HP, 110v Blower
WI750-1522   1.5HP, 220v Blower
WI750-2011   2HP, 110v Blower
WI750-2022   2HP, 220v Blower

Waterway Stealth Air Blower

For Residential use, low profile, black plastic body. Horizontal or vertical mount. UL Listed.

WI700-1011   1HP, 110v Blower
WI700-1022   1HP, 220v Blower
WI700-1511   1.5HP, 110v Blower
WI700-1522   1.5HP, 220v Blower
WI700-2011   2HP, 110v Blower
WI700-2022   2HP, 220v Blower

Blower Motor Replacement Kits

PV159501   1 HP, 110v blower motor
PV159502   1 HP, 220v blower motor
PV159301   1-1/2 HP, 110v blower motor
PV159302   1-1/2 HP, 220v blower motor
PV159701   2 HP, 110v blower motor
PV159702   2 HP, 220v blower motor

EG&G Rotron Commercial Air Blower

NOTE: Special order only—allow 2-3 weeks for delivery.

CB037778   1 HP, 120/220v, 1 phase blower
CB037406   1 HP, 200-230/460v, 3 phase blower
CB037779   1-1/2 HP, 120/220v, 1 phase blower
CB037855   1-1/2 HP, 200-230/460v, 3 phase blower
CB037935   2 HP, 120/220v, 1 phase blower
CB037543   2 HP, 200-230/460v, 3 phase blower

SPA

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631 or 800-927-4286**
**Houston**   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Waterway Spa Jets

Waterway Residential Pump Wet Ends

1-1/2" Center Discharge

WI310-1120   3/4 HP Center Discharge Wet End

2" Hi-Flo Wet End

WI310-1130SD   1 HP Hi-Flo Wet End
WI310-1140SD   1-1/2 HP Hi-Flo Wet End
WI310-1141SD   2 HP Hi-Flo Wet End
WI310-1150SD   3 HP Hi-Flo Wet End
WI310-1160SD   4 HP Hi-Flo Wet End

2" Executive — 48 Frame

WI310-1890   2 HP Executive Wet End
WI310-1900   3 HP Executive Wet End
WI310-1910   4 HP Executive Wet End
WI310-1920   4-1/2 HP Executive Wet End
WI310-1930   5 HP Executive Wet End

2" Executive — 56 Frame

WI310-1720   2 HP Executive Wet End
WI310-1730   3 HP Executive Wet End
WI310-1740   4 HP Executive Wet End
WI310-1750   5 HP Executive Wet End

2-1/2" Executive — 48 Frame

WI310-1820   2 HP Executive Wet End
WI310-1840   3 HP Executive Wet End
WI310-1860   4 HP Executive Wet End
WI310-1850   4-1/2 HP Executive Wet End
WI310-1830   5 HP Executive Wet End

2-1/2" Executive — 56 Frame

WI310-1480   2 HP Executive Wet End
WI310-1500   3 HP Executive Wet End
WI310-1440   4 HP Executive Wet End
WI310-1510   5 HP Executive Wet End

See Section D for Corresponding Replacement Motors

Waterway Specialty Jets

WI210-6080   Fixed Direction Deluxe Jet, Internal, Old Style white
WI210-6081   Fixed Direction Deluxe Jet, Internal, Old Style black
WI210-6090   Roto Deluxe Jet, Internal, Old Style white
WI210-6091   Roto Deluxe Jet, Internal, Old Style black
WI210-6070   Pulsator Deluxe Jet, Internal, Old Style white
WI210-6071   Pulsator Deluxe Jet, Internal, Old Style black

WI212-8050G   Fixed Direction Deluxe Jet Internal, white
WI212-8051G   Fixed Direction Deluxe Jet Internal, black
WI212-8057G   Fixed Direction Deluxe Jet Internal, grey
WI212-8010G   Roto Deluxe Jet Internal, white
WI212-8011G   Roto Deluxe Jet Internal, black
WI212-8017G   Roto Deluxe Jet Internal, grey
WI212-8120G   Twin Roto Deluxe Jet Internal, white
WI212-8121G   Twin Roto Deluxe Jet Internal, black
WI212-8127G   Twin Roto Deluxe Jet Internal, grey

WI210-3700   Poly Gunite Jet Tee Body Assy, 1-1/2" x 2" slip, Old Style
WI210-3710   Poly Gunite Jet Tee Body Assy, 1-1/2" x 2" slip
WI210-8750   Monster Poly Jet, Caged style
WI218-1770A   Wrench/Test Plug Combo Fitting

Adjustable Jet   *Roto Jet*

Pulsator Jet   *Monster Jet*

SPA

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631   or   800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Waterway Suction Fittings

WI640-3240B   2" Insider Suction, Hi-Flo 100GPM
WI640-4630   3" Straight Slip Suction, TWM 250GPM

Waterway Manifolds

1/2" Manifolds

WI672-4630   Manifold, 1-1/2" spg x 1-1/2"s x (10) 1/2"s ports w/plugs (4)
WI672-4110   Manifold, 2"s x 2"s x (6) 1/2" slip ports
WI672-4250   Manifold, 2" spg x 2"s x (4) 1/2" slip ports

3/4" Manifolds

WI672-4270   Manifold, 2"s x 2"s x (6) 3/4" slip ports
WI672-4640   Manifold, 1-1/2" spg x 1-1/2"s x (8) 3/4"s ports w/plugs (4)

1" Manifolds

WI672-4550   2"s/2"spg x 2"s x (6) 1"s ports

3/8" Barb Manifolds

WI672-4610   Manifold, 3/8" s x Blind Hole x (4) 3/8" smooth Barb
WI672-3900   Manifold, 1"s x 1"x x (8) 3/8" Barb (assy/glued)
WI425-4000   Manifold, 1-1/2" spg x 1-1/2"s x (6) 3/8" Ribbed Barbs
WI672-4660   Manifold, 1-1/2" spg x 1-1/2"s x (10) 3/8" Barbs w/plugs (4)

3/4" Ribbed Barb Manifolds

WI672-7110   Manifold, 2"s x 2"s x (4) 3/4" Ribbed Barb
WI672-7130   Manifold, 2"s x 2" spg x (2) 3/4" Ribbed Barb
WI672-7120   Manifold, 2"s x 2"s x (6) 3/4" Ribbed Barb
WI672-7140   Manifold, 2"s x 2" spg x (4) 3/4" Ribbed Barb

Waterway Air Controls & Air Buttons

WI650-3400   Gunite Air Buttin, fits inside 1-1/2" pipe, white
WI660-3400   Gunite Air Control "A" style, fits inside 1-1/2" pipe or 1/2" S, white
WI672-2000   Gunite Air Injector Floor Cap, fits inside 1-1/2" pipe, white

Waterway Manifold Accessories

WI419-1000   3/8" RB x 3/8" RB - Coupler
WI872-2291   3/8" Tubing Clamp
WI872-2160   3/4" Tubing Clamp
WI872-2140   Clear Vinyl Tubing – 3/8" ID x 1/2" OD
WI872-2150   Clear Vinyl Tubing – 3/4" ID x 1" OD

SPA

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Spa Jets / Flex Pipe / Spa Cleaners

Spa Skimmers

SP1099S   Hayward Front access, 1-1/2" SKT x 2" Slip

Hayward Front Access Skimmer

Pacific Echo Flexible PVC Pipe, NSF-61 listed material

PE050   1/2" x 100 ft, 100 PSI
PE075   3/4" x 50 ft, 100 PSI
PE100   1" x 50 ft, 100 PSI
PE150   1-1/2" x 50 ft, 100 PSI
PE200   2" x 50 ft, 90 PSI

Spa Cleaners

Rainbow Mini-Vac

Cleans spas, splasher and above ground pools and spot cleans
large pools. Use with garden hose and silt bag or 1-1/2" or 1-1/2" vacuum hose.

RB201146   #204, Mini-Vac (12/box)

Polaris Spa Wand

Effective hand-held device for spas, steps, and ponds. Does not need hoses or hookups.

PV510000   Spa Wand

SPA

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631   or   800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Olympic Zeron Epoxy Coating

Heavy duty, 1-coat Epoxy. Yields up to 8 years of service on concrete, plaster, and metal swimming pools (primer required for optimum results). Coverage: 125-175 square feet per gallon.

KT390	White Zeron (4 gallons per case)
KT390 QT	White Zeron quart (6 quarts per case)
KT391	Blue Ice Zeron (4 gallons per case)
KT392	Bikini Blue Zeron (4 gallons per case)
KT395	Blue Mist Zeron (4 gallons per case)

Olympic Poxolon2 Epoxy Coating

High gloss, 2-coat Epoxy, or for re-coating Zeron painted pools. Yields 4-6 years of service on concrete, plaster, fiberglass and metal swimming pools (primer required for optimum results). Coverage: 250-500 square feet per gallon over old paint.

KT2222	White Poxolon (4 gallons per case)
KT2222 QT	White Poxolon quart (6 quarts per case)
KT2225	Blue Ice Poxolon (4 gallons per case)
KT2228	Bikini Blue Poxolon (4 gallons per case)
KT2231	Blue Mist Poxolon (4 gallons per case)
KT2226	Black Poxolon (4 gallons per case)
KT2226 QT	Black Poxolon quart (6 quarts per case)

Olympic Spectralon Epoxy Coating

For murals, depth markers, racing lanes and designs on pools. Coverage: 250 square feet per gallon.

KTN01 QT	Red Pepper quart (6 quarts per case)
KTN03 QT	Sunshine Yellow quart (6 quarts per case)
KTN012 QT	Viking Blue quart (6 quarts per case)

Olympic Epoxy Primers

KT214	Poxoprime II, 2 coats required; undercoat for Poxolon or Zeron. Use on smooth concrete or plaster. Coverage: 200-225 sq ft/gal (4 gal/cs)
KT214 QT	Poxoprime II quart (6 quarts per case)
KT216	Gunzite, for rough plaster or concrete, or sandblasted surfaces. Use with Poxolon or Zeron. Coverage: 100-250 sq ft/gal (4 gal/cs)
KT216 QT	Gunzite quart (6 quarts per case)

Olympic Fusion Plus Primer Coating

Converts rubber base-painted surface to epoxy paint-ready. Simply clean surface, roll on Fusion Plus, and follow with one coat of Zeron or two coats of Poxolon. Coverage: Approximately 225 – 250 square feet per gallon.

KT260	Fusion Plus Primer (4 gallons per case)

Olympic Solvents

KT1108	Rubber Base Solvent (6 gallons per case)
KT1109	Epoxy Base Solvent (6 gallons per case)

PAINT

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

WE ARE PROUD TO OFFER
◉lympic Pool Coatings
for your assurance of quality and dependability.

Zeron
The choice of professionals.
Up to 8 year life!
- Alternative to replastering - Saves up to 70% and more!
- Helps reduce chemical use.
- Resists stains.
- Expected 8-year life.

Approx.
150 sq. ft.
coverage

Poxolon
Beautiful tile-like finish
with 6 year life!
- Perfect for old plaster or sandblasted surfaces.
- Won't allow stains.
- Helps reduce chemical use.

Approx.
250 sq. ft.
coverage

Paralon 2
Quality chlorinated rubber
pool coating.
Low sheen finish.
- Meets toughest demands.
- Economical and easy to apply.
- Long Life.

Approx.
250 sq. ft.
coverage

Patio Tones
Turns dull, ugly concrete
into poolside beauty!
- Non-slip finish for safety.
- Covers unsightly cracks and repairs.
- Light colors reflect sun - stay cool.
- Easy roll-on application.

Approx.
110 sq. ft.
coverage

With Olympic Pool Coatings, you've got more than just the best protection available for your pool resurfacing projects. You've got an extra profit-making opportunity with every service call you make.

Our complete line of high-quality primers and finishes offers long-lasting, dependable protection for any type of pool or deck surface. **Best of all, when you apply Olympic Pool Coatings yourself, and apply them correctly, you'll claim the profits you've been giving away to subcontractors.**

We'll help you get started with a full program of support that includes:

- Toll-free assistance from our customer service department

  (800) 458-2842

- Free training materials for you and your crew
- Personal instruction at every pool and spa trade show
- Professional training from our manufacturer's reps across the U.S.

Olympic Hydrolon Water-Based Enamel Paint
Water-based enamel paint for plaster, bare concrete or pools previously painted with rubber base paint. Can be applied to damp surfaces and recoated in 4 hours minimum. Pool can be filled after 48 hours minimum. *Special order: allow 1 week lead time.*

KT710   White Hydrolon (4 gallons per case)

Olympic Optilon Rubber Based Paint
2-coat synthetic rubber based paint for bare concrete or plaster, or pools previously painted with rubber base paint. Coverage: 250 square feet per gallon. *Special order: allow 1 week lead time.*

KT850   White Optilon (4 gallons per case)
KT852   Blue Ice Optilon (4 gallons per case)
KT853   Bikini Blue Optilon (4 gallons per case)

Olympic Paralon 2 Rubber Based Paint
2-coat on repaint jobs, 3-coat for bare concrete or plaster; up to 2 years of service. Coverage: 250-275 square feet per gallon.

KT290   White Paralon 2 (4 gallons per case)
KT290 QT   White Paralon 2 quart (6 quarts per case)
KT291   Blue Ice Paralon 2 (4 gallons per case)
KT292   Bikini Blue Paralon 2 (4 gallons per case)
KT296   Blue Mist Paralon 2 (4 gallons per case)
KT297   Black Paralon 2 (4 gallons per case)
KT297 QT   Black Paralon 2 quart (6 quarts per case)

Pool Repair Products
RUPSWHV   Permanent Sealer, nitrile rubber caulking for cracks up to 1/4" wide, 10.5 oz cartridge
KT960   Concrete Patch, gallon
KT962   Poxofill, gallon, epoxy putty for large cracks, spalls, pits and rough areas.
KT962 QT   Poxofill, quart
KTU100   Diving Board Refinishing Kit, white

Olympic Patio Tones Deck Coating
Slip resistant coating rejuvenates worn pool decks; can be rolled on wet surfaces, cleans up with water. Two coats required on bare concrete. Coverage: 80-100 square feet per gallon. *Special order: allow 1 week lead time.*

KT463W   Desert Sun Patio Tones (4 gallons per case)
KT465W   Sand Valley Patio Tones (4 gallons per case)
KT466W   Creekstone Patio Tones (4 gallons per case)
KT468W   Aztec Brown Patio Tones (4 gallons per case)

Paint Accessories
KT905   Skid Mix, quart, apply to steps when painting for non-slip surface
KT910   Pool Washing Compound, gallon, removes oils and grime
RI9R32PH   9" hi-solvent roller, 7/16" nap
RI18R32PH   18" hi-solvent roller, 7/16" nap

PAINT

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Stegmeier Deck Products

Stegmeier Frontier Deck Drain

With removable top, 1-13/16" wide x 3-1/2" high x 10' long, 80 ft per carton. Includes couplers and protective tape.

STSDDW	Frontier Deck Drain, White, 80'/carton
STSDDT	Frontier Deck Drain, Tan, 80'/carton
STSDDG	Frontier Deck Drain, Grey, 80'/carton
STSDD-45_	45° Elbow, specify color
STSDD-90_	90° Elbow, specify color
STSDD-DA	Down Adapter
STD-EA	End Adapter
STD-EP	End Plug
STSDD-X	Cross
STSDD-TW	Tee

Stegmeier Standard Deck Drain

One piece, 1-5/8" wide x 3-1/4" high x 10' long, 80 ft per carton. Includes couplers and protective tape.

STD2W	Standard Deck Drain, White, 80'/carton
STD2T	Standard Deck Drain, Tan, 80'/carton
STD9	90° Elbow
STDDAT	Down Adapter
STDCO	Clean Out
STDSAT	Side Adapter

Stegmeier Frontier Deck (Expansion) Joint

Cut into 12 ft pieces.

STSDJ1W	Frontier expansion joint, White, 20/carton
STSDJ1T	Frontier expansion joint, Tan, 20/carton
STSDJ1G	Frontier expansion joint, Grey, 20/carton
STRJH2	Expansion Base for Frontier Deck Joint, 20/carton

Stegmeier Flowmaster 3 Commercial Deck Drain — *Special Order Only*

With 3" removable top drain, 3" wide x 3.5" height x 10 ft. long, 40 ft. per carton. Includes base, top cap and couplers.

STFM3W	Flowmaster 3" Commercial Deck Drain, white
STFM3T	Flowmaster 3" Commercial Deck Drain, tan
STFM3G	Flowmaster 3" Commercial Deck Drain, grey
STFM3BASE	Flowmaster 3" Commercial Deck Drain, Base Only

Stegmeier Treadmaster Commercial Deck Drain — *Special Order Only*

With aluminum removable top drain, 1.7" wide x 3.23" height x 10 ft. long, packaged with protective tape on top surface. Includes base, top cap and coupler.

ALDW	Treadmaster Aluminum Top Drain, white
ALDC	Treadmaster Aluminum Top Drain, clear

Stegmeier Flowmaster Commercial Deck Drain — *Special Order Only*

With 4" removable top drain, 4.75" wide x 3.5" height x 10 ft. long, 40 ft. per carton. Includes base, top cap and couplers.

STFMW	Flowmaster 4" Commercial Deck Drain, white
STFMT	Flowmaster 4" Commercial Deck Drain, tan
STFMG	Flowmaster 4" Commercial Deck Drain, grey
STFMBASE	Flowmaster 4" Commercial Deck Drain, Base Only

DECK FORMS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

Poli-Void
Coiled foam with tear-away piece to allow caulking deck.

STPV-12B	1/4" x 3" x 125' roll Poli-Void
STPV-14B	1/2" x 3" x 50' roll Poli-Void

Stegmeier Cantilever Deck Forms—Gunite

ST1CF112	Regular Flair Edge, 112'/carton, with tile strip and tie wire kit
ST9CF112	Capstone Flair Edge, 112'/carton, with tile strip and tie wire kit

Stegmeier Cantilever Deck Forms—Vinyl

ST8CF1000	Clip-Loc Capstone, 112'/carton, with liner track, bending tape and self-tapping screws

Stegmeier Cantilever Deck Forms—Fiber Optics (FiberWorks)

ST77AP112	Fiber Optic Capstone for FiberWorks, GUNITE ONLY, 112'/carton, with fiber optic receiver and tie wire kit
ST7FOR7	Fiber Optic Receiver (FiberWorks) for Brick or Stone Coping, 112'/carton

Stegmeier Cantilever Deck Form Accessories

ST6CF999	1" Extender Strip for 1" cantilevered edge extension, 480'/carton
ST14RC6-I	Preformed Corners—Regular Flair Edge, 6" Radius Inside, 4/carton
ST14RC6-O	Preformed Corners—Regular Flair Edge, 6" Radius Outside, 4/carton
ST9NC_	Nose Cap for Capstone Deck Forms, specify color
STREG6	Trowel for Regular cantilever
STCAP6	Trowel for Capstone cantilever

Stegmeier Desert Deck Coloring
Alternative concrete finish applied the same day new deck is poured.
Covers approximately 300 square feet per unit. 8 units per case.

STFD105C	Light Sand Buff Desert Deck
STFD110C	Regular Sand Buff Desert Deck
STFD115C	Dark Sand Buff Desert Deck *
STFD120C	Dove Grey Desert Deck
STFD125C	Light Dove Grey Desert Deck
STFD145C	Buckskin Desert Deck *
STTL001	Dash Brush
STTU-	Touch Up Kit, 1/2 gallon, covers 8-10 sq ft

* Special Order: Please allow one week lead time.

DECK FORMS

Stegmeier Pool Deck Renew
Non-Skid water base pigmented coating for existing Frontier Desert Deck or concrete. Covers 200-300 square feet per gallon; 4 gallons per case, **special order only in case lots.**

STDR105P	Lite Sand Buff Deck Renew
STDR110P	Regular Sand Buff Deck Renew
STDR115P	Dark Sand Buff Deck Renew
STDR120P	Dove Grey Deck Renew
STDR125P	Lite Dove Grey Deck Renew

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free **800-927-POOL** (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free **800-769-POOL** (7665)   fax 713-773-9926

Notes

DECK FORMS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

PROtech — Granular Dichlor 56% Available Chlorine

PRPTCS151   12 X 2# Jar Granular Chlorine
PRPTCS152   8 x 5# Pail Granular Chlorine
PRPTCS153   4 x 10# Pail Granular Chlorine
PRPTCS155   25# Pail Granular Chlorine
PRPTCS156   50# Pail Granular Chlorine

PROtech 1" Trichlor Tablets

PRPTCS121   8 x 5# Pail 1" Tablets
PRPTCS122   4 x 10# Pail 1" Tablets
PRPTCS124   25# Pail 1" Tablets
PRPTCS125   50# Pail 1" Tablets

PROtech 3" Trichlor Tablets

PRPTCS161   8 x 5# Pail 3" Tablets
PRPTCS162   4 x 10# Pail 3" Tablets
PRPTCS104U 25# Pail 3" UNWRAPPED Tablets
PRPTCS105U 50# Pail 3" UNWRAPPED Tablets

PROtech 1/2# Trichlor Sticks

PRPTCS114   25# Pail 1/2# Sticks
PRPTCS115   50# Pail 1/2# Sticks

PROtech Brominating Tablets

PRPTBS202   8 x 4# Pail Bromine Tabs
PRPTBS204   25# Pail Bromine Tabs
PRPTBS205   50# Pail Bromine Tabs

PROtech Pro Shock—Calcium Hypochlorite Shock (65% Available Chlorine)

PRPTHS308   8 x 5# Jar Pro Shock
PRPTHS304   25# Pail Pro Shock
PRPTHS305   50# Pail Pro Shock
PRPTHS306   100# Drum Pro Shock

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

PROtech ™

Pool Chemicals and Equipment

www.protechpoolsupplies.com

Chlorinating 3" Tablets (individually wrapped tablets)
50, 25, 10 and 5 lb. pails

Chlorinating 3" Tablets
100, 50 and 25 lb. pails

Chlorinating Sticks
50, 25, 10 and 5 lb. pails

Chlorinating 3" Tablets
50, 25, 10 and 5 lb. pails

Dy Chlor II
100, 50, 25, 10 and 5 lb. pails and 2 lb. bottles

Chlorinating Granules
100, 50 25, 10 and 5 lb. pails, 2 lb. bottles and 1 lb. bags

Brominating Tablets
50, 25 and 4 lb. pails and 1.5 lb. bottles

Super Pro Shock (73% Calcium Hypochlorite)
50, 25 and 5 lb. pails and 1 lb. bags

PROtech ™ offers a full line of sanitizers, algaecides, cleaners, shocks, specialty and water balance products, manufactured and packaged to meet today's high standards of quality and performance.

Consult your sales representative for details and prices.

SANITIZERS   BALANCERS   ALGAECIDES
CLEANERS   SHOCKS   SPECIALTIES

PROtech Super PROSHOCK—Calcium Hypochlorite Shock (73% Available Chlorine)

PRPTHS351   12 X 1# Bag Super Pro Shock
PRPTHS358   8 x 5# Jar Super Pro Shock
PRPTHS354   25# Pail Super Pro Shock

PROtech NO CHLOR—Non-Chlorine Shock

PRPTHS324   25# Pail Non-Chlorine Shock

PROtech Surety MultiShock System

Patented borate technology (buffered to 9.8 pH)delivers 45% available
chlorine and is easy to use. Safe for all pool surfaces, prevents over-stabilizaiton,
contains no cyanuric acid and will not calcify sand filters.

PRPTST801   Surety System Kit for small pool, 4/cs
PRPTSY802   Surety System Kit for large pool, 2/cs

PROtech Stabilizer—Cyanuric Acid

PRPTWB601   12 x 2# Jar Stabilizer
PRPTWB602   8 x 4# Jar Stabilizer
PRPTWB604   25# Pail Stabilizer
PRPTWB606   100# Pail Stabilizer

PROtech Water Balance Products

PRPTWB611   8 x 5# Jar pH Plus
PRPTWB612   4 x 10# Jar pH Plus
PRPTWB613   25# Pail pH Plus

PRPTWB621   8 x 6# Jar pH Minus
PRPTWB632   4 x 8# Jar Calcium Hardness Increaser

PRPTWB641   8 x 5# Jar Total Alkalinity Increaser
PRPTWB642   4 x 10# Pail Total Alkalinity Increaser
PRPTWB643   25# Pail Total Alkalinity Increaser

PRPTWB661   4 x 7# Pail pHree & Clear

PROtech Algaecides

PRPTAL405   Algaecide 30, 12 x 1 quart
PRPTAL404   Maintenance Algaecide 50, 12 x 1 quart
PRPTAL406   Algaecide 60, 12 x 1 quart
PRPTAL402   Copper Algaecide, 12 x 1 quart

PROtech Accessory Chemicals

PRPTSP517   Super Clarifier, 12 x 1 quart
PRPTSP515   Super Floc Out, 12 x 1 quart
PRPTSP514   Metal Out Plus, 12 x 1 quart
PRPTSP518   Stain & Scale Control, 12 x 1 quart

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

GLB Granular Dichlor

GB71216	12 X 2# Granular Dichlor
GB71218	8 x 4# Granular Dichlor
GB71220	4 x 8# Granular Dichlor
GB71222	25# Granular Dichlor
GB71224	50# Granular Dichlor

*No Algae.
Guaranteed.*

GLB 1" Trichlor Tablets

GB71256	4 x 8# 1" Tablets
GB71260	25# 1" Tablets
GB71262	50# 1" Tablets

GLB 3" Trichlor Tablets

GB71228	8 X 4# 3" Tablets
GB71230	4 x 8# 3" Tablets
GB71232	15# 3" Tablets
GB71234	25# 3" Tablets
GB71236	50# 3" Tablets

GLB Trichlor Sticks

GB71282	50# Pail Sticks

GLB Bromine Tablets

GB71206	25# Pail Bromine Tabs
GB71208	50# Bucket Bromine Tabs
GB71646	12 x 1.65# Bottle Bromine Tabs

GLB Biguanide Converter

GB71034	Exchange, 12 x 1 qt Bottle
	Gradual conversion from Biguanide to chlorine or
	bromine without draining or closing the pool.

*No Algae.
Guaranteed.*

GLB Non-Chlorine Shock

GB71414	Oxy-Brite, 2-20 x 1# Bag
GB71416	Oxy-Brite, 12 x 2# Bottle
GB71418	Oxy-Brite, 6 x 5# Jar
GB71420	Oxy-Brite, 2 x 20# Pail
	Potassium monopersulfate-based shock
	that oxidizes like chlorine. Reactivates
	spent chlorine and won't deplete the chlorine residual.
GB71675	Shoxidizer, 40 x 1# Bag
	Quick-dissolving shock, oxidizer, buffer and clarifier in one.
	Contains 15% dichlor, 72% Oxone and 13% buffers and clarifying agents.

*No Algae.
Guaranteed.*

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665)	fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665)	fax 713-773-9926

GLB Algaecides

GB71104   Algimycin 2000, 12 x 1 qt Bottle
    Poly-quat blended with a wetting agent, clarifier and filter
    aid to eliminate and prevent regrowth of most algaes.
GB71102   Algimycin 1000, 12 x 1 qt Bottle,
    Copper/quat algaecide formulated to eliminate the toughest black
    algae. Uses a special triple-chelation process to hold copper
    ingredients in solution for longer algae control.
GB71108   Algimycin 600, 12 x 1 qt Bottle,
    Non-metallic, all-algae killer and preventer, especially
    effective for use in heavily shaded and indoor pools.
GB71114   Strike Out Algaecide, 12 x 1 qt Bottle, 7.4% chelated copper algaecide
    Triple, chelated 7.4% copper algaecide is designed to control green
    and mustard algae.

GLB Clarifiers

GB71404   Clear Blue, 12 x 1 qt Bottle
    Highly concentrated water clarifier, 1 oz. Treats 5,000 gal.
GB71408   Drop 'n Vac, 12 x 1 qt Bottle
    Clears pool water overnight by dropping debris to pool bottom.
GB71410   Natural Clear, 12 x 1 qt Bottle
GB71412   Natural Clear, 4 x 1 gal Jug
    Natural enzyme action clears cloudy water and eliminates scum.

GLB Surface Cleaners

GB71028   TLC, 12 x 1 qt Bottle
    Heavy duty tile/liner cleaner for fiberglass, acrylic, ceramic, vinyl
    and epoxy surfaces, ideal for complete pool wash.
GB71004   Cover Care, 12 x 1 qt Bottle
    Cleaner, deodorizer and protectant for winter and solar covers.

GLB Stain Prevention/Mineral Control

GB71016   Sequa Sol, 12 x 1 qt Bottle
    Inorganic sequestering formula, controls
    minerals and prevents stains, scale and rust.
GB71024   Super Sequa Sol, 12 x 2# Bottle
    Concentrated Sequa-Sol in granular form for initial fill or extra hard water.
GB71020   Stain Magnet, 12 x 2.5# Bottle
    Removes metallic stains in all types of pools without having to drain the pool.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

GLB Filter Cleaners

GB71006   Filter Cleanse, 12 x 2# Bottle
         Granular formulation cleans and unclogs all types of filters from grease, oils and scale.
GB71010   Filter Fresh, 12 x 1 qt Bottle
GB71012   Filter Fresh, 4 x 1 gal Jug
         Concentrated liquid cleaner for cartridtge-type filters. Soak and rinse action.
GB71014   Filter Rinse, 12 x 1 qt Bottle
         Sand filter renewer, restores like new efficiency to sand filters.
GB71680   Cell Saver, 12 x 1 qt Bottle
         Enzymes, clarifying and sequestering agents prevent scale and oily buildup, thus extending the life of salt water generator cells.

GLB Accessory Products

GB71136   Party Blue, 12 x 8 oz display
         1 oz per 10,000 gal turns dull water to sparkling Caribbean blue.
GB71056   Bug Out, 12 x 1 qt Bottle
         Prevents insects from gathering on pool water surface.
GB710000   4-Way Test Strips, 12 bottles (50 tests per bottle)

Rendezvous Spa Care System

Rendezvous Sanitizers & Shock Treatment

GB106105   Enhance, 12 x 1 qt Bottle
GB106110   Enhance, 4 x 1 gal Jug
         Banks Bromide salts for release of bromide when Activate is added.
GB106210   Activate, 12 x 2# Bottle
GB106215   Activate, 6 x 5# Jar
GB106220   Activate, 2 x 20# Pail
         Shock treatment for all hot water systems, also releases bromine from water containing Enhance; non-chlorine shock.
GB106262   Bromine Tabs, 6 x 4# Jar
GB106282   Granular Chlorine Concentrate, 12 x 2# Bottle
GB106270   Broma-Start, 12 x 6-2 oz bags
         Pre-measured sodium bromide creates an initial bromide reserve.

Rendezvous Spa Water Balance Treatment

GB106340   pH Magic, 6 x 3# Jar
         Granular formulation adjusts and locks in pH level.
GB106302   Spa Increase, 12 x 1 pt Bottle
         Liquid formula gently raises pH and total alkalinity levels.
GB106312   Spa Decrease, 12 x 1 pt Bottle
         Liquid formula gently lowers pH and total alkalinity levels.
GB106303   pH Up, 12 x 1# Bottle
GB106313   pH Down, 12 x 1# Bottle
GB106325   Alkalinity Up, 12 x 1# Bottle

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   toll free **800-927-POOL (7665)**   fax **913-492-2631** or **800-927-4286**
Houston   **713-773-9000**   toll free **800-769-POOL (7665)**   fax **713-773-9926**

Rendezvous Spa Care Water Treatment

GB106425	Spa Clarifier, 12 x 1 pt Bottle
GB106430	Spa Clarifier, 12 x 1 qt Bottle
	Brightens water by helping filter remove suspended particles that cause dull, cloudy water.
GB106405	Foam Out, 12 x 1 pt Bottle
GB106410	Foam Out, 12 x 1 qt Bottle
GB106415	Foam Out, 4 x 1 gal Jug
	Prevents and eliminates foam; concentrated solution.
GB106010	In-Spa Fragrances, 12 x 8 oz mixed fragrances

Rendezvous Surface & Equipment Maintenance

GB106330	Protect Plus, 12 x 1 pt Bottle
GB106332	Protect Plus, 12 x 1 qt Bottle
GB106336	Protect Plus, 4 x 1 gal Jug
	Prevents stain & scale formulation and brightens water.
GB106450	Filter Fresh, 12 x 1 pt Bottle
	Concentrated liquid cleaner for cartridtge-type filters. Soak and rinse action.
GB71670	Spa Cleaner, 12 x 1 pt Spray Bottle
	Cleans and descales most fiberglass, acrylic and concrete spa surfaces.

GLB Pool & Spa Care Kits

GB71510	Pool Care Kit, 2 kits per case
	Contains everything needed to maintain a pool up to 20,000 gallons.
GB71512	Salt Water Pool Care Kit, each
	Contains everything needed to maintain a salt chlorine-generated pool up to 20,000 gallons.
GB71022	Stain Magnet System, 6 per case
	Two-Part System removes and prevents metallic stains.
GB106522	Deluxe Spa Care Kit, 6 per case
	Contains everything needed to start up a spa.

Ultima Pool Maintenance Products

GB24726	Ultima Total Control, 6 x 3# Jar
	Kills algae and shocks the pool without upsetting pH balance; granular formula allows direct application without pre-mixing.
GB24948	Ultima Enzyme Clarifier, 6 x 1/2 gal Jug
	Natural enzymes break down organic materials that cause scum while the clarifier brightens the water.
GB26286	Ultima SOS, 40- 1# Bag
	4-in-1 action shocks, oxidizes and sanitizes to eliminate organic wastes
GB27825	Cell Extend, 12 x 1 qt Bottle
	Enzymes, clarifiers, and sequestering agents are combined to help extend the life of salt water generator cells.
GB26280	NIX, 12 x 1 qt Bottle
	Combination algaecide and phosphate remover.
GB27830	Swamp to Swim, 3 kits/cs
	2-part system turns pool water from green to sparkling blue in 24 hours.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City	913-492-1520	toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston	713-773-9000	toll free 800-769-POOL (7665) fax 713-773-9926

Leisure Time

Leisure Time Spa Care System

Leisure Time Sanitizers

LT22337	Spa 56 Chlorinating Granules, 12 x 2# Bottle
LTE5	Spa 56 Chlorinating Granules, 6 x 5# Jar
LT45425	Bromine Tabs, 12 x 1.5# Bottle
LT45430	Bromine Tabs, 6 x 4# Jar
LTBE	Sodium Bromide, 16 boxes of 6 – 2oz bags
LTBE1#	Sodium Bromide, 12 x 1# Bottle
LT23434	Spa Mineral Purifier, 12 per case EPA-registered mineral formula destroys bacteria while reducing chlorine or bromine use by up to 50%.
LT45300	Reserve, 12 x 1 qt Bottle When combined with Renew, it is a powerful 100% bromine sanitizer
LTRENU	Renew Granular, 16 boxes of 6 – 2oz bags
LTRENU2	Renew Granular, 12 x 2# Bottle
LTRENU5	Renew Granular, 6 x 5# Jar
LT45305	Renew Tabs, 12 x 1.75# Bottle When combined with Reserve, it is a powerful 100% bromine sanitizer

Leisure Time Balancers

LT22338	Spa Down, 12 x 2.5# Bottle
LT22339	Spa Up, 12 x 2.5# Bottle
LTALK	Spa Alkalinity Increaser, 12 x 2# Bottle Granular product gently adjusts pH and alkalinity.
LTPHB	pH Balance, 12 x 1 qt Bottle Locks in pH levels between 7.2 and 7.8, eliminating pH drift.
LT45410	pH Balance Plus, 6 x 3# Jar PH Balance in a special formulation for hard water.

Leisure Time Spa Water Treatment

LTA	Spa Bright & Clear, 12 x 1 qt Bottle Polymer action neutralizes and removes dirt, soap, oily films and suspended particles for clean, fresh water.
LTB	Spa Defender, 12 x 1 qt Bottle Prevents and inhibits calcium stain & scale build-up for protection of spa surfaces, heater and other equipment.
LTD	Spa Metal Gon, 12 x 1 pt Bottle Prevents metal staining of surfaces by sequestering iron, copper and other minerals.
LTH	Foam Down, 12 x 1 pt Bottle
LTHQ	Foam Down, 12 x 1 qt Bottle
LTH1	Foam Down, 4 x 1 gal Jug Non-oil, anti-foaming agents stop and retard foaming in any type of sanitized spa.
LTQ	Spa Algaecide, 12 x 1 qt Bottle Non-foaming algaecide kills and prevents all types of algae.
LTSG8	Scum Gon, 12 x 8 oz POP Display
LTSGQ	Scum Gon, 12 x 1 qt Bottle Natural enzymes reduce spa maintenance by breaking down oils, lotions and organics that can cause odors, scum lines and cloudy water.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Leisure Time Surface & Equipment Maintenance

LTP — Spa Fast Gloss, 12 x 1 pt Bottle
Reactive silicone protects, waterproofs and seals spa finish to prevent fading and oxidation.

LT45420 — Spa Cover Wipes, 12/cs, 25 wipes per Bottle
Remove dirt and grime from spa covers. UV blockers provide maximum protection from sun damage.

LTN — Spa Cartridge Filter Clean, 12 x 1 pt Bottle
Deep-cleaning soaking solution for any type of cartridge filter. Removes oils and grease along with iron, calcium and copper.

LTS — Spa Instant Cartridge Clean, 12 x 1 pt Bottle
Fast-acting spray and rinse formula for any type of cartridge filter. Now with color spray indicator.

LTO — Filter Clean, 12 x 1 qt Bottle
Concentrated formula deep cleans filter to remove dirt, oil, grease and scale.

LT45450 — Jet Clean, 12 x 1 pt Bottle
Keeps spa jets and plumbing clear of organics, oils, dirt and minerals.

LT3192 — Cover Care & Conditioner, 12 x 1 pt Bottle
Cleans, restores and protects spa covers from weathering, fading and discoloration.

LT45405 — Citrabrite, 12 x 1 pt Bottle
The cleaning power of citrus in a spray-and-wipe formula. It cleans and degreases almost any surface.

Leisure Time Fragrances and Accessories

LT45275 — EsScents Fragrances, Aroma Therapy, 12 x 8 oz POP Display
LT45280 — EsScents Fragrances, Floral, 12 x 8 oz POP Display
LT45270 — EsScents Fragrances, Tropical, 12 x 8 oz POP Display
LTVT — Velvet Touch Moisturizer, 12 x 8 oz POP Display
LT45005 — Bromine Spa & Hot Tub Test Strips, 12/cs, 50 test per Bottle
LT45010 — Chlorine Spa & Hot Tub Test Strips, 12/cs, 50 test per Bottle
Easy-to-read strips test pH, total alkalinity, calcium hardness and bromine or chlorine levels.

LTDD — Dirty Duck, 18 bags/cs
Prevents scum line formation and reduces filter clogging by removing oils and lotions from water surface.

Leisure Time Spa Care Kits

LTBBXV — Bromine Complete Spa Care Kit, 6 per case
LTBOXV — Chlorine Complete Spa Care Kit, 6 per case
LTOZNV — Ozone Complete Spa Care Kit, 6 per case
Essential products needed for spa start-up and maintenance; includes video and Spa Care Guide.

LT45100 — Deluxe Spa Care Kit, 2 per case
Larger sizes of essential products needed for spa start-up and maintenance in reusable container; includes video and Spa Care Guide.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City 913-492-1520 toll free 800-927-POOL (7665) fax 913-492-2631 or 800-927-4286
Houston 713-773-9000 toll free 800-769-POOL (7665) fax 713-773-9926

Applied Biochemists & Robarb

Applied Biochemist

AB406103   Swimtrine Plus, 12 x 1 qt Bottle
Concentrated fast-acting algaecide for mustard and green algae.

AB407406   Prevent Plus, 12 x 1 qt Bottle
Clears water and prevents yellow, green and brown non-metallic stains and deposits.

AB408622   Yellowtrine, 12 x 3# Bottle
Granular formula clears slimy yellow and mustard algae.

AB407803   Gold-N-Clear, 12 x 1 qt Bottle
Concentrated clarifier changes from gold to blue as it removes small particles to brighten water.

AB401115   Thiotrine, 12 x 20 oz Bottle
Sodium Thiosulfate crystals neutralize residual chlorine or bromine in water.

AB400720   Filter Blaster, 12 x 1 qt Bottle
Spray-on cleaner for all types of cartridge elements and DE grids.

AB550022   Filtertrine Pro, 5 gal Jug
Professional strength filter cleaner for commercial applications.

Robarb

Robarb Algae & Deposit Control

RO20245   Black Robacide, 12 x 1 qt Bottle
Kills black algae. Prevents and controls other resistant algae forms.

RO20490   Yello Free, 12 x 2# Bottle

RO20492   Yello Free, 64 – 6 oz pouches
Helps clear cloudy water of yellow or mustard slime in pools.

Robarb Clarifiers & Balancers

RO20152   Super Blue, 24 x 8 oz Display
RO20153   Super Blue, 12 x 1 pt Bottle
RO20154   Super Blue, 12 x 1 qt Bottle
RO20155   Super Blue, 6 x 1/2 gal Jug
Produces and maintains crystal clear water without affecting pH balance.

RO20125   Down & Out, 12 x 1 qt Bottle
Clears water by removing unfilterable material.

RO20650   Perfect pH, 12 x 1 qt Bottle
Eliminates pH drift while lasting from one spa refill to the next.

Robarb Equipment & Surface Maintenance

RO20790   Watertite, 12 x 1 qt Bottle
Leak seal with dual-action process.

RO20210   Back Wash, 24 x 8 oz Display

RO20211   Back Wash, 12 x 1 qt Bottle
Removes organic and inorganic build-up and cleans sand particles during backwash cycle.

RO20555   Clean-A-Way, 12 x 20 oz spray Bottle
Cleans and degreases tile, vinyl, fiberglass and acrylic surfaces.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

AquaFinesse

Patented, environmentally friendly water care solution, not a sanitizer, attacks the
Biofilm on pool and spa surfaces that provide the food for most bacteria.

Spa

AF956310   Hot Tub Kit (powder)
             3-5 Month Kit includes 2- 2L AquaFiness; 16oz Dichlor;
             Measuring Cup and Manual.
AF956306   Spa Start-Up Kit
             1 Month Kit includes 1L AquaFiness; 7oz Dichlor;
             2- Filter Cleaner Tables; Manual

AF956316   Filter Cleaner, 10 Tabs/Btl
             Fast acting "fizz" tablet for filter cartridge cleaning.
AF956303   Spa Clean, 25/cs
             Deep cleans interior and pipe work of spa during
             start-up or water change over.

Pool

Reduces sanitizer usage, helps maintain water balance, and prolongs equipment and liner life
by removing scale and lime deposits.

AF956321   Pool Care Kit, includes 2- 16-Tab pails and 32oz Filter Cleaner
AF956318   Pool Care Starter Pail, 8 Tabs/pail

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Bio-Dex Specialty Chemicals

Bio-Dex Shocks & Sanitizer Removers

BDATT16   Attack Super Speed Shock, 24 x 1 lb jar
Fast acting shock with a non-chlorine oxidizer that provides crystal clear water with no foaming. Can be used as an acid wash pretreatment and for Spring start-up. Will not hurt vinyl liners, fiberglass or concrete/gunite surfaces.
NOTE: Not recommended as a shock for chlorinated pools, but ideal for biguanide, ozone and ionization systems.

BDCHX05   Chlor-Ex chlorine remover, 12 x 5 lb jar
Removes excess chlorine from swimming pools, spas and hot tub water, and is non-toxic and non-corrosive.

Bio-Dex Algaecides

BDAP132   AquaPure Algaecide, 12 x 1 qt bottle
BDAP061   AquaPure Algaecide, 6 x 1 gallon jug
Triple chelated copper formula with 2-EPA approved ingredients for maximum algae elimination and prevention. Chlorine friendly and excellent for the elimination of black, green, blue-green, mustard (yellow) and other resistant forms of algae and slime.
NOTE: do not mix this product and chlorine or any other oxidizer together before adding to the pool.

BDSK132   Skill-It Algaecide, 12 x 1 qt bottle
Effective algistat for eliminating and preventing all types of algae, including resistant black and yellow colors. Non-metallic for less staining and corrosion problems and sanitizer friendly.

BDBD416   #400 Dry Algaecide, 24 x 1 lb jar
Brings sparkle and clarity to water without ammonia or metals. Non-foaming & non-staining, it prevents colored water and spotting. Dissolves quickly with no odor, and is safe for all pool surfaces. Reactivates by shocking pool.

BDPHS032   Phosphate Remover, 12 x 1 qt bottle
Heavy duty and works immediately on contact to eliminate phosphates that contribute to algae production. Non-hazardous, non-toxic, swimming can resume immediately after application.

Bio-Dex Clarifiers & Surface Cleaners

BDCX532   Clearex #500, 12 x 1 qt bottle
Can be applied whenever turbidity (cloudy) problems occur. Usually works in one treatment. It is effective at all pH values.

BDOO132   Oil Out Enzyme Concentrate, 12 x 1 qt bottle
Removes and eliminates suntan and body oils, grease and all related oil problems.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   **toll free** 800-927-POOL (7665)   **fax** 913-492-2631 **or** 800-927-4286
Houston   713-773-9000   **toll free** 800-769-POOL (7665)   **fax** 713-773-9926

Bio-Dex Stain & Scale Prevention/Removal

BDADQ50   Aquadex 50 StainOff, 12 x 1 quart bottle
Ideal for the removal of metallic stains from spas and pools. It mixes rapidly in water, allowing swimming within 30 minutes after treatment. Stable at high temperatures, it is unaffected by chlorine, acid or other sanitizing chemicals. 1 qt treats 10,000 gallons.

BDPA032   Protect-All Supreme, 12 x 1 qt bottle
BDPA061   Protect-All Supreme, 6 x 1 gallon jug
Keeps pool surfaces looking like new without using phosphoric acid, and is great for stain removal. Use when filling a new pool for control of stain, scale, calcium, rust and corrosion. 1 qt treats 20,000 gallons, and is environmentally safe. This product will not add phosphates to the water.

BDSALT32   Salt Protect, 12 x 1 qt bottle
Controls stain, scale, calcium, rust and corrosion in swimming pools using a salt chlorine generation system. 1 quart treats 20,000 gallons, and is environmentally safe. This product will not add phosphates to the water.

Bio-Dex Tile Cleaners/Calcium Removers

BDQT032   Quick 'n Thick Tile Cleaner, 12 x 1 qt bottle
BDQT061   Quick 'n Thick Tile Cleaner, 6 x 1 gallon jug
For maintenance cleaning of dirt, grease, oil stains, suntan lotions and body oils from swimming pool tile. Acid may be added for a thicker, stronger solution. ***NOTE: Corrosive! Contains hydrochloric and phosphoric acid! Wear rubber gloves to use.***

BDBD300   #300 Tile Cleaner, 12 x 1 qt bottle
Removes calcium deposits, dissolves oil, grease and most soils in minutes and is designed for quick removal of heavy calcium stains and build-up. #300 Tile Cleaner is not formulated for use on new or clean tile. ***NOTE: Not intended for sale to consumers – FOR USE BY PROFESSIONAL SERVICE TRADE ONLY. Wear rubber gloves to use.***

Bio-Dex Equipment Cleaners

BDFC032   Filter Cleaner M2000, 12 x 1 qt bottle
Improves filtration in cartridge, DE and sand filters by effectively removing scale, rust, oils, grease and most soils. Environmentally friendly and safe on equipment. ***NOTE: This product is corrosive.***

BDZE016   Zeo Filter Cleaner, 12 x 1 qt bottle
Increases sand filter efficiency when substituting Zeolite filter media for sand. Removes scale, rust, oils, grease and most soils, and is safe to equipment.

BDDC032   Hard Surface Deck Cleaner, 12 x 1 qt bottle
Commercial strength liquid formula cleans and quickly and safely removes most soils from hard deck surfaces Non-toxic, non-corrosive and environmentally safe.

Bio-Dex Acid Washing

BDPWB32   Plaster White 'n Brite, 12 x 1 qt bottle
Fast acting and user friendly with no acid fumes and no scrubbing. It will not etch the plaster and is environmentally safe.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Natural Chemistry
Natural enzymes biodegrade organic contaminants into water and carbon dioxide. Eliminates and prevents scum, chloramine odor and cloudy water; improves effectiveness of sanitizers.

NATURAL CHEMISTRY

Pool Enzymes
NC03210	Pool Perfect, 12 x 1 litre Bottle
NC03220	Pool Perfect, 6 x 2 litre Bottle
NC03121	Pool Perfect, 4 x 3 litre Jug
	Reduce pool maintenance by 50%.
	1 litre treats 67,000 gal.
NC05221	PHOSfree, 6 x 2 litre Bottle
NC05121	PHOSfree, 4 x 3 litre Jug
	For pools starting the PHOSfree program that have phosphate levels between 300 – 1000ppb.
NC07200	PHOSfloc, 6 x 4# Jar
	For pools starting the PHOSfree program that have phosphate levels over 1000ppb.
NC05235	Pool Perfect with PHOSfree, 6 x 2 litre Bottle
NC05131	Pool Perfect with PHOSfree, 4 x 3 litre Jug
	For weekly maintenance, keeps phosphates low and reduces organic waste demands on filters and pool surfaces.
NC03722	Pool Magic Spring & Fall, 12 x 1 litre Bottle
	For openings and closings, 1 litre treats 25,000 gal.
NC05141	Pool Magic Spring & Fall with PHOSfree, 12 x 1 litre Bottle
	For openings and closings, removes up to 300ppb of phosphates from a 20,000 gal pool.
NC03122	Pool First Aid, 6 x 2 litre Bottle
	Removes organic waste from high bather loads.
NC07400	STAINfree, 12 x 1.75# Bottle
	Ion-exchange stain remover, follow-up with METALfree to prevent staining.
NC07001	METALfree, 12 x 1 litre Bottle
	Phosphate-free metal deactivator, a 1 litre bottle deactivates 0.5ppm of metals in 20,000 gal pool.
NC03500	Clear & Perfect Clarifier, 12 x 1 litre Bottle
	6-in-1 clarifier attacks all sizes of particles for clearer water.
NC03215	Filter Perfect, 12 x 1 litre Bottle
	For cleaning sand and cartridge filters.
NC07401	Instant Pool Water Conditioner, 4 x 1 gal Jug
	Protects chlorine from sunlight; pH of 8.0 makes it easy on pool equipment and surfaces.

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

| Kansas City | 913-492-1520 | toll free 800-927-POOL (7665) | fax 913-492-2631 or 800-927-4286 |
| Houston | 713-773-9000 | toll free 800-769-POOL (7665) | fax 713-773-9926 |

Salt Water Generated Pool Enzymes

NC07404   Salt Water Magic Monthly Kit, 4 kits per case
               Convenient monthly maintenance kit restores salt/mineral
               levels and removes phosphates.
NC07402   Liquid Salt Water Magic, 12 x 1 litre Bottle
               Removes phosphates and organic contaminants that contribute
               to build-up on filter media and generator cells.

Spa Enzymes

NC04021   Spa Perfect, 12 x 16 oz Bottle
NC04131   Spa Perfect, 12 x 1 litre Bottle
NC04034   Spa Perfect, 6 x 2 litre Bottle
               Enzymes specifically formulated for spas - 1 capful per week per 400 gal.
NC04133   Spa METALfree, 12 x 1 litre Bottle
               Prevents stains and water discoloration without adding phosphates to spa.
NC04137   Spa Purge, 12 x 1 litre Bottle
               Removes built-up organic waste inside spa plumbing.

Specialty Enzyme Cleaners

NC00176   Clean & Perfect, 12 x 22 oz Spray Bottle
               Indoor/Outdoor cleaner for all hard surfaces, great for
               cleaning grills, patio furniture and microwaves.
NC00177   Spray-on Cover Cleaner, 12 x 1 qt Bottle
               Hook up to garden hose and spray on, cleans pool covers
               without scrubbing.

NATURAL CHEMISTRY

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   **913-492-1520**   **toll free 800-927-POOL (7665)**   **fax 913-492-2631 or 800-927-4286**
Houston   **713-773-9000**   **toll free 800-769-POOL (7665)**   **fax 713-773-9926**

Sea-Klear Pool Water Treatment Solutions

Sea-Klear Algaecides

VASKABQ   Algae Prevention & Remover, 12 x 1 qt Bottle
                 3-month non-staining algaecide treats blue-green, black and mustard algae.
VA1020004   Yellow Klear, 12 x 2# Bottle
                 Granular formula works with chlorine to eliminate yellow and green algae.

Sea-Klear Clarifiers

VASKPCQ   4-in-1 Clarifier for Pools, Blue, 12 x 1 qt Bottle
VASKSBP   4-in-1 Clarifier for Spas, Blue, 12 x 1 pt Bottle
VASKSBQ   4-in-1 Clarifier for Spas, Blue, 12 x 1 qt Bottle
                 Clarifies and removes excess metals with a chitosan
                 polymer formula that is safe to use with all sanitizers.
VAZUQ   Phosphate Remover, 12 x 1 qt Bottle
                 Removes up to 1,000ppb of orthophosphates per
                 20,000 gal.

Sea-Klear Particle Removal System

VA1130001   PRS Quart Kit, 6 kits per case
VA1130002   PRS Gallon Kit, 1 gal Jug
                 2-part kit enhances pool clarity by boosting the filter's ability to
                 remove particles down to 0.5 microns; reduces turbidity and
                 recovery time during peak bather load. Works with sand, zeolite,
                 DE, cellulose and cartridges.

Sea-Klear Accessory Products

VA1110014   Natural Stain Remover, 12 x 1 qt Bottle
                 Removes copper, iron, and manganese stains from pool surfaces
                 and steps. For best results, follow up treatment with Metal Klear.
VA1110013   Metal Klear, 12 x 1 qt Bottle
                 Non-phosphate metal stain control, use in salt-water generator
                 systems or areas with high phosphates.
VA1110012   Stain Preventer & Remover – Professional Strength 12 x 1 qt Bottle

CHEMICALS

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Salt Water Chlorine Generators

Uses salt to safely, effectively and automatically produce chlorine in the pool and eliminates the need to buy, store and add harsh chlorine products manually.

Goldline Aqua Rite Salt Chlorine Generators

Includes a microprocessor that automates all functions; digital display, super chlorination function, and locking weatherproof enclosure. Interfaces with AquaLogic control systems. UL Listed and NSF certified.

Aqua Rite Electronic Chlorine Generators

For In Ground Residential pools up to 40,000 gallons; can combine multiple units for larger pools. Professional-grade unit that is also simple for the homeowner to operate features digital salt display and 8-diagnostic indicators and super chlorination function. One unit works for 120v or 240v. Optional Sense and Dispense ORP and pH sensor is an economical approach to achieve accurate chlorination levels on in ground pools.

AQR   Aqua Rite
AQR-PRO   Aqua Rite Pro
AQR-PRO-SD   Aqua Rite Pro with Sense and Dispense option (AQL-CHEM)

Aqua Rite Turbo Cells

Now available in three sizes to enable appropriate sizing for optimum efficiency, maximum flow rates and cost-effective chlorination. Turbo Cells automatically generate chlorine from salt and self clean by periodically reversing polarity.

AQT-CELL-15   Turbo Cell for up to 40,000 gallons, 15 ft cord
AQT-CELL-9   Turbo Cell for up to 25,000 gallons, 15 ft cord
AQT-CELL-3   Turbo Cell for up to 15,000 gallons, 15 ft cord

Aqua Rite Options

AQL-CHEM   Sense and Dispense chemistry kit – pH and ORP sense, ORP dispense
AQL-CHEM2   pH Dispense, 120v Solenoid Valve for CO_2

Aqua Trol Salt Chlorine Generator for Above Ground Pools

For above ground pools up to 18,000 gallons, unit features digital salt display and 7 diagnostic indicators, 24-hour timer for filter pump control, and the same Turbo Cell technology.

AQTROL-RJ   Aqua Trol with cell mounted directly to the return jet and NEMA straight blade
AQTROL-HP   Aqua Trol with fittings for hose connections or 2"PVC pipe and NEMA straight blade
AQTROL-HPTL   Aqua Trol with fittings for hose connections or 2"PVC pipe, NEMA straight blade, twist lock
                        line cord and outlet

Pentair IntelliChlor Salt Chlorine Generator

Features full diagnostic capabilities, including cell life tracking and performance data (production settings, hours of operation, chlorine output, cell cleaning cycles, salt readings, and water temperature averages), push-button operation and easy-view displays, automatic shut-off and on-time cycling help to maximize cell life, interfaces with IntelliTouch, EasyTouch and SunTouch control systems. UL Listed and NSF approved.

IntelliChlor for InGround Pools

PF520554   IntelliChlor IC20 for pools up to 20,000 gallons
PF520555   IntelliChlor IC40 for pools up to 40,000 gallons
PF521105   IntelliChlor IC60 for pools up to 60,000 gallons

PF520556   IntelliChlor Power Center

IntelliChlor for Above Ground Pools

Runs only when pump is on.

PF520888   IntelliChlor IC15 for pools up to 15,000 gallons, includes power generator

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Salt Chlorine Generators

Zodiac Salt Water Chlorine Generators

Zodiac AquaPure Power Pack

Heavy-duty system features LCD monitoring of chlorine production, cell modes, salinity, temperature, water flow and diagnostics. Field switchable to power Nature2 Fusion Soft cell kits.

JYAPUREM   AquaPure power pack

Zodiac PureLink Cell Kits

Solid titanium plates with multiple coatings of precious metals, automatic reversing cycle to manage calcium buildup, 3-port cell has 90º plumbing flexibility.

JYPLC700   PureLink Cell Kit, 7-blade, 3-port cell, for pools up to 12,000 gallons, 16 ft cable
JYPLC1400   PureLink Cell Kit, 14-blade, 3-port cell, for pools up to 40,000 gallons, 16 ft cable

Salt, For Use with Chlorine Generators

Granulated table salt, food grade

GPSALT   Salt, 40lb bag, 63 bags/plt

Sacrificial Anodes for Salt Chlorine Generator Pools and Spas

Prevents corrosion and rust on metal equipment and plaster discoloration

PT104A   Zinc Anode Basket Weight, bolts inside or outside skimmer basket
PT104C   Inline Zinc Anode, available in 1-1/2" and 2"
PT104C-1   Replacement Zinc Anode for Inline model
PT104F   Zinc Anode for Pool Light
IFANODE   Sacrificial Anode attaches to handrail, grab rail or ladder

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

King Technology MIneral Systems

FROG Replacement Cartridges
Pre-filled with minerals for 6 months of continuous pool care.

SK125112   Mineral Reservoir for #5100 (Above Ground) 12/case
SK125412   Mineral Reservoir for #5400 (In-ground) 12/case

FROG Bac Pac
Pre-filled with 2.4375 lbs. of Trichlor. For use in any Pool Frog Cycler and Mineral Reservoir Series.

SK035050   Bac Pac for use with both #5100 and #5400, 12/case.

Spa FROG® Mineral Purifier for Spas
SK143724   Spa FROG fits most cartridge filters, lasts four months and has an easy reminder dial; 24/cs

King Technology Chemical Feeders
SK940PP   Perform-Max™ Model 940 Inline feeder for Inground pools up to 50,000 gallons, holds up to 10 lbs of chlorine or bromine. 2" threaded ports.
SK740   In-line bromine feeder for spas.

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Nature² and Chemical Feeders

Nature² Mineral Sanitizers

Nature² Fusion In-ground

Combines the benefits of Nature² mineral technology with a chlorine tab feeder. Holds 4 lbs of 3″ Trichlor Tabs. DuoClear or Nature² Fusion cartridges sold separately.

ZDFUSION   Fusion Inground for up to 45K gallons
ZD26000   DuoClear Cartridge for up to 25K gallons
ZD26001   DuoClear Cartridge for up to 35K gallons
ZD26002   DuoClear Cartridge for up to 45K gallons

Nature² Express

Sanitizer vessel and cartridge for in-ground and above ground pools is eco-friendly and provides superior water quality with lower chlorine requirements. Controlled Release Technology (CRT) ensures optimal mineral levels with no staining. Installs on existing pools with no system upgrades.

ZD20086   Nature² Express IG for in-ground pools, 6/cs
ZD20176   Nature² Express AG for above ground pools, 6/cs
ZD26775   Express Cartridge for IG and AG units for up to 25K gallons, 12/cs

Nature² Professional G

Sanitizer vessel for in-ground pools is eco-friendly and provides superior water quality with lower chlorine requirements. Controlled Release Technology (CRT) ensures optimal mineral levels with no staining.

ZD25904   Nature² Professional G Vessel – 2.0"
ZD26725   G Style cartridge for pools up to 25K gallons, 4/cs
ZD26735   G Style cartridge for pools up to 35K gallons, 4/cs
ZD26745   G Style cartridge for pools up to 45K gallons, 4/cs

Nature² Spa Stick

Drops inside spa filter cartridge and significantly improves water quality with natural minerals. Lasts up to 4 months and works with bromine or chlorine.

ZD20660   Nature² Spa Stick, 12/cs

Chemical Feeders

Ocean Blue In-Line Chemical Feeder

MC165005   Holds 9 lbs, 1-1/2" FIP

Pentair/Rainbow Adjustable Floating Chemical Dispenser

RB171086   #330 floating chemical dispenser
                  holds (6) 3" tabs or 3 lbs of 1" tabs (24/cs)
RB171074   #335 floating chemical dispenser,
                  holds 1" tablets for spas (24/cs)

RB171086
#330 Floating
Chemical Dispenser

RB171074
#335 Floating
Chemical Dispenser

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair/Rainbow Freestanding Chemical Feeders

RB171218   #320C free standing in-line, clear chamber, 1-1/2" or 2" PVC, high capacity
RB171016   #300 free standing off-line
RB171056   #300-19 free standing #300 with 19" tube
RB171066   #300-29 free standing #300 with 29" tube
RB171070   #300-29X free standing #300-29 for commercial applications, with
                   large valve and tubing

Pentair/Rainbow Chemical Feeder Accessories

RB172283   20" extension kit for #300/#320C
RB172037   Spa Chamber for #300/#320C

#300   *#320*

Automatic Chlorine/Bromine Sizing Chart

MODEL	CHAMBER CAPACITY				MAXIMUM EROSION IN 24 HOURS*	TREATS POOL/SPA SIZE IN GALLONS PER 24 HOURS*						Service Clearance for Lid Removal
	1" TABLET		3" TABLET			@ 6 PPM	@ 3 PPM	@ 1½ PPM	H	W	D	
	QUANTITY	WEIGHT	QUANTITY	WEIGHT								
#300	98	3.5 lbs	11	4.8 lbs	1.19 lbs	11,900	23,800	47,600	21"	7"	12"	22¼"
with spa #302 chamber	15	.5 lbs	—	—	.05 lbs	500	1,000	2,000	21"	7"	12"	22¼"
#300-19	153	5.5 lbs	20	8.8 lbs	1.30 lbs	13,000	26,000	52,000	28½"	7"	12"	29¾"
#300-29	237	9.8 lbs	29	12.7 lbs	1.41 lbs	14,100	28,200	56,400	38½"	7"	12"	39¾"
#300-29X commercial model	237	9.8 lbs	29	12.7 lbs	8.05 lbs	80,500	161,000	322,000	38½"	7"	12"	39¾"
bottom #320 feed	98	3.5 lbs	11	4.8 lbs	.67 lbs	6,700	13,400	26,800	17¾"	5"	10"	19"
top #320 feed	98	3.5 lbs	11	4.8 lbs	1.75 lbs	17,500	35,000	70,000	17¾"	5"	10"	19"
with spa #322 chamber	10	.3 lbs	—	—	.09 lbs	900	1,800	3,600	14¼"	5"	10"	15½"

WITH 10" FEEDER EXTENSION ON #300—REFER TO #300-19, max. height 11"
WITH 20" FEEDER EXTENSION ON #300—REFER TO #300-29, max. height 21"

THIS CHART IS ONLY A SUGGESTED GUIDE. CONSULT YOUR LOCAL AUTHORITY TO DETERMINE THEIR GUIDELINES IF NEEDED. RESULTS MAY VARY DUE TO POOL/SPA EQUIPMENT AND MANY OTHER FACTORS.

Depth Includes In&Out Fitting

6 PPM — COMMERCIAL POOLS & SPAS
3 PPM — RESIDENTIAL POOLS & SPAS
*BASED ON USE OF 1" TRICHLOR IN 24 HOURS. USE OF 3" TABLETS OR STICKS OR BROMINE TABLETS WILL LOWER RESULTS. FOR 8 HOUR TURNOVER DIVIDE BY 3.

Pentair/Rainbow Corrosion Resistant In-Line Check Valves

Spring-actuated to check backflow of chemicals to pool/spa equipment.

RB172288   1-1/2" or 2" slip fittings, 2# spring

Pentair/Rainbow Commercial Swimming Pool Chemical Feeders

Connect with 1" PVC pipe for swimming pools 97,600 to 332,000 gallon capacity. NSF Listed.

RB171215   #HC3315 feeder holds 15 lbs; treats up to 97,000 gallons
RB171230   #HC3330 feeder holds 30 lbs; treats up to 192,000 gallons
RB171240   #HC3340 feeder holds 40 lbs; treats up to 332,000 gallons

CHLORINE/BROMINE SIZING CHART

MODEL	CAPACITY	MAXIUM EROSION IN 24 HOURS		TREATS POOL/SPA SIZE IN GALLONS PER 24 HOURS		H	W	D	Service Clearance
		CHLORINE	BROMINE	CHLORINE (10PPM)	BROMINE (10 PPM)				
HC3315	15 LBS	29.28 lbs.	13.68 lbs.	97,600	20,200	21½"	8"	15"	22¾"
HC3330	20 lbs.	57.60 lbs.	26.88 lbs.	192,000	40,000	39⅛"	8"	15"	40¾"
HC3340	40 lbs.	99.60 lbs.	41.52 lbs.	332,000	61,500	49¾"	8"	15"	51"

CHEMICAL FEEDERS

Great Plains Supply • Pool & Spa Products Dealer Catalog
Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Watermatic / Stenner Chemical Feeders

Stenner Chemical Feed Pumps

Self-priming feed pumps. Mechanical control adjustable from 5% to 100%. Easy pump tube maintenance.

STENNER PUMPS

SN45M5   45 Series, single head, 26 RPM gear driven motor,
                       50.0 gpd @ 25 psi, 120v
SN85M5   85 Series, single head, 44 PRM gear driven motor,
                       85 gpd @ 25psi, 120v
SNMCCP205   1/4" Pump Tube w/Ferrule (5 pack)

Watermatic Systems Granular Dichlor Feeder

Designed to maintain proper levels of chlorine in Residential or Commercial swimming pools and spas. Hopper capacity can be increased to 34 lbs with optional extender bottle kit. Standard 110v wiring.

WATERMATIC
PRODUCTS, INC.

WPD-1   Dichlor Granular Feeder System, includes C1500 Controller and
                       G1000 Dichlor feeder.
WPG-1000   Dichlor Feeder only for dry Dichlor – Maximum feed per day is
                       approximately 45 lbs.
WPC-1500   ORP or pH Controller – no flow cell or menu interface
WPC-660   ORP and pH Controller with flow cell and knob interface
WP9-705   Hopper extension kit, 3-bottle with valves for G-1000 feeder

WATER TESTING

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

AquaChek Test Strips

AquaChek

ET511242	Yellow (Chlorine) 3-in-1 test strips, free chlorine, pH, total alk: now includes CYA (stabilizer) test, 50/bottle, 12/case
ET511244	Yellow (Chlorine) 3-in-1 test strips, free chlorine, pH, total alk: now includes CYA (stabilizer) test, 50/bottle, each
ET521252	Red (Bromine) 3-in-1 test strips, total bromine, pH, total alk: now includes Total Hardness test, 50/bottle, 12/case
ET521253	Red (Bromine) 3-in-1 test strips, total bromine, pH, total alk: now includes Total Hardness test, 50/bottle, each
ET541604	Select 5-in-1 test strips (Gold), free & total chlorine, total hardness, total alk, pH, 50/bottle, each
ET551236	Silver 6-in-1 test strips, free & total chlorine, total hardness, total alk, pH, CyA, 1000/bottle, each
ET561625	Blue (Biguanide) 3-in-1, biguanide, pH, total alk, 25/bottle, 12/case, each
ET561142	White Salt Titrators (Quantab® Titrator) Water test strips for sodium chloride, 10/bottle, 12/case
ET562012	Borate test strips (English only), 25/bottle, 6/case
ET661458	Iron test strips (Multilingual), 25/bottle, 6/case
ET661457	Copper test strips (Multilingual), 25/bottle, 6/case

LaMotte Water Testing

LaMotte Test Kits

LC3368NJ	Pool Manager Commercial Test Kit, free & total chlorine (0.5–10.0), pH (6.8–8.2), total alkalinity, calcium hardness, acid demand, CyA
LC3611	MetChek Test Kit, copper & iron (0.1–1.0)

LaMotte Tablet Test Reagents

LC6999J	DPD #1R Tabs, 100 pak
LC6999M	DPD #1R Tabs, 1000 pak
LC6905J	DPD #3 Tabs, 100 pak
LC6905M	DPD #3 Tabs, 1000 pak
LC6915J	Phenol Red Tabs, 100 pak
LC6915M	Phenol Red Tabs, 1000 pak
LC3920J	Alk Test, 100 pak
LC3920M	Alk Test, 1000 pak
LC6994J	CyA Tabs, 100 pak
LC6846J	Calcium Hardness, 100 pak

### LaMotte InstaTest Test Strips

LC297624	InstaTest Strip, 3-in-1, free chlorine or bromine, pH, total alkalinity, 50/bottle, 24/display pak
LC297624 EA	InstaTest Strip, 3-in-1, each
LC297712	InstaTest Strip, 5-in-1, free chlorine or bromine, total chlorine, pH, total alk, total hardness, 50/bottle, 12-pak
LC297712 EA	InstaTest Strip, 5-in-1, each
LC299312	Sodium Chloride Test Strip, 10/bottle, 12-pak

WATER TESTING

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631 or 800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

Pentair/Rainbow and Taylor Water Testing

Pentair/Rainbow Water Testing

Pentair/Rainbow Test Kits

RB151076   #752 Duo Test Kit, chlorine (0.3-3.0) and pH (6.8-8.2), blue case (12/cs)
RB151196   #756 Duo Test Kit, bromine (0.5-6.5) and pH (6.8-8.2), yellow case (12/cs)
RB151186   #78HR High Range 4-in-1 Kit, chlorine, pH, acid demand, total alkalinity (12/cs)
RB151226   #79 Cyanuric Acid/Turbidity, indicates ppm of CA in pool water. Vial and 8oz test
            solution in clear top box.

Pentair/Rainbow Test Reagents

RB161004   1/2 oz OTO, 48/pak
RB161025   1 oz OTO, 48/pak
RB161018   1/2 oz phenol red, 48/pak
RB161094   1oz OTO, 48/pak
RB161178   1oz Solution #2 (pH test), 48/pak
RB161185   1oz Solution #3 (acid demand), 48/pak
RB161204   1/2 oz Solution #4 (Chlorine Neutralizer), 48/pak
RB161203   1/2 oz Solution #5 (TA test), 48/pak
RB161596   8 oz CYA Reagent, 24/cs
RB161616   32 oz CYA Reagent, 12/cs

**RAINBOW
LIFEGARD**
POOL & SPA PRODUCTS

◆taylor

Taylor Test Kits

Residential

TYK1001   Basic DPD-High Test Kit, 24/case
TYK1003   Trouble-Shooter OTO-High Test Kit, 12/case
TYK1004   Trouble-Shooter DPD-High Test Kit, 12/case
TYK1766   Sodium Chloride (salt) Test Kit, each

Commercial

Tests for sanitizer and all elements of water balance. Includes a copy of "Pool & Spa Water Chemistry", complete with 11 tables to facilitate chemical adjustments and a Watergram water balance calculator

TYK2005   Complete – High, 6/case
           Free & Total Chlorine 0.5 – 5ppm; Bromine 1 – 10ppm
TYK2006   Complete FAS-DPD Chlorine, 6/case
           Free & Combined Chlorine is 1 drop = 0.2 or 0.5ppm
TYK2006C   Service Complete FAS-DPD Chlorine, 8/case
           With 2 oz sized reagents.
TYK0200   WiseLab In-Store Water Analysis Station for Wet Chemistry 12-test lab
           utilizes standard 2 oz reagents; user is guided with lighted prompts and screen
           messages; uses taylorwiseTM software (sold separately). Lab base is a powder-
           coated "reagent garage" that lets you leave dropper bottles uncapped all day
           without compromising effectiveness.

Water Balance Calculators

Use to calculate saturation index

TY6026   Watergram 3-disc Water Balance Calculator
TY6028   Electronic Watergram Water Balance Calculator

Great Plains Supply • Pool & Spa Products Dealer Catalog

Kansas City   913-492-1520   toll free 800-927-POOL (7665)   fax 913-492-2631   or   800-927-4286
Houston   713-773-9000   toll free 800-769-POOL (7665)   fax 713-773-9926

WATER TESTING